

PET HARDWARE®



Why buy from us



Europe's Leading Supplier for Leather Crafters

At PetHardware.com, we provide premium-quality metal hardware designed specifically for leatherworking professionals. With a catalog of **4,212 high-quality products**, we are constantly expanding our selection to meet the needs of craftsmen and manufacturers worldwide.



Lightning-Fast Shipping, Worldwide

We know that timely delivery is crucial for your business. That's why we strive to ship most orders **within 24 hours** — ensuring you get what you need, when you need it, no matter where you are in the world.





36+ Years of Experience, 86,600 Satisfied Customers

*With decades of experience, we understand what truly matters to leatherworkers. But don't just take our word for it — **our customers' reviews speak for themselves.** Join thousands of satisfied professionals who trust us for quality, reliability, and exceptional service.*



Reliable Stock Levels – Large Quantities Available

*If we say it's in stock, **it's ready to ship.** We maintain an up-to-date inventory to ensure our products are available when you need them, whether you're placing a small order or stocking up in bulk.*



Unbeatable Prices & Wholesale Discounts Up to 70%%


*We believe that top-quality hardware should be affordable. Our **wholesale pricing** rewards bulk buyers with discounts of **up to 70%**, making PetHardware.com the smart choice for manufacturers and large-scale producers.*

Contents

6	Saddlery Hardware	97	HIGH-STRENGTH ALUMINUM CARABINERS
6	O-RINGS	101	SPECIAL SNAP HOOKS
10	D-RINGS	103	DOUBLE ENDED SNAP HOOKS
13	TRIANGLE BUCKLES	104	SMALL-SIZED SNAP HOOKS <65MM
16	METAL TRI-GLIDES	107	SNAP HOOK FOR LEASHES
23	WEBBING REDUCTION LOOPS	118	LARGE-SIZED SNAP HOOKS >80MM
24	METAL SIDE RELEASE BUCKLES	124	SNAP HOOK FOR HORSES
33	METAL LOOPS	126	BULL SNAPS
37	SWIVELS	127	PANIC SNAP HOOKS
40	SPLIT RINGS	129	TWIST PANIC SNAPS
43	METAL BELT CLIPS	130	Metal buckles
44	CLASPS FOR BRACELETS	130	ROLLER BUCKLES
45	BAG CLASPS & CLOSURES	136	BELT BUCKLES
46	OTHER HARDWARE	160	COLLAR BUCKLES
48	Plastic Buckles	163	CAM BUCKLES
48	SIDE RELEASE PLASTIC BUCKLES	163	SPECIAL BUCKLES
55	PLASTIC TRIGLIDE SLIDES	164	Horse Hardware
56	PLASTIC LOOPS	164	3 & 2 WAY HALTER SQUARES
57	PLASTIC CORD STOPPERS	166	BRIDLE BUCKLES
57	PLASTIC CORD ENDS	169	HALTER BUCKLES
58	PLASTIC SNAP HOOKS	171	CONWAY BUCKLES
58	PLASTIC O-RINGS / D-RINGS	172	BLANKET BUCKLES
59	Snap hooks	173	GIRTH BUCKLES
59	TRIGGER SNAPS	174	HORSE LEAD ROPES
68	FIRE BRIGADE SNAP HOOKS	175	Rivets & Screws
69	SCISSOR SNAP HOOKS	175	SINGLE CAP RIVETS
71	FASHION SNAP HOOKS	177	DOUBLE CAP RIVETS
76	DECORATIVE SNAP HOOKS	179	CHICAGO SCREWS
81	SOLID BRASS SNAP HOOKS	184	CHATON RIVETS
88	STAINLESS SNAP HOOKS	186	CONE RIVETS
94	STAINLESS STEEL SNAP SHACKLES	187	SNAP FASTENERS
95	ALUMINUM KEYCHAIN CARABINERS	188	HANDBAG FEET

189	EYELETS	247	CHAIN DOG COLLARS
191	BUTTON STUDS	250	CHAIN DOG LEADS
192	LOXX FASTENERS	251	LONG KEYCHAINS
194	MAGNETIC SNAPS	252	MARTINGALE CHAINS
195	Zippers	254	CHAIN HARDWARE
195	ZIPPERS	256	Leather Materials
197	Spikes & Pyramid Rivets	256	LEATHER HIDES
197	SPIKE RIVETS	259	ROUND LEATHER CORDS
198	CONE SCREW SPIKES	260	FLAT LEATHER CORDS
200	PYRAMID RIVETS	261	LEATHER STRAPS
201	DECORATIVE RIVETS	263	RIVET SETTERS
203	LEATHERCRAFT CONCHOS	266	LEATHER HAND PRESS & DIES
204	Pet Jewellery	269	Leather Paints & Glues
204	COLLAR CHARMS	269	ACRYLIC PAINTS
206	DOG ID TAGS	271	LEATHER FINISHES
210	DOG WHISTLES	271	BONDING LEATHER
211	Ropes & Cords	272	Material and Finish Guide
211	PARACORD	274	Notes
214	ROPE CLAMPS		
217	TOOLS FOR ROPE CLAMPS		
217	CORD END CAP		
219	Webbings		
219	SOLID COLOR POLYPROPYLENE WEBBINGS		
223	RUBBER TRACER POLYPROPYLENE WEBBINGS		
228	WATERPROOF WEBBINGS		
238	POLYPROPYLENE WEAVE WEBBINGS		
241	POLYPROPYLENE REFLECTIVE WEBBINGS		
242	Chains & Collars		
242	CHAIN COLLARS FOR DOG SHOWS		
246	DOG SHOW CHAIN LEASHES		

O-Rings



8W/3.5x35 NP

STEEL

NICKEL PLATED



8W/35 BK

STEEL

BLACK



8W/30 RG

STEEL

ROSE GOLD

Code	Inner diameter	D	Weight	Breaking load
8W/8 NP	8 mm	2 mm	1 g	100 kg
8W/12 NP	12 mm	2 mm	1 g	100 kg
8W/15 NP	15 mm	2.5 mm	3 g	100 kg
NEW 8W/18 NP	18 mm	2.5 mm	4 g	100 kg
8W/20 NP	20 mm	3 mm	4 g	350 kg
NEW 8W/22 NP	22 mm	3 mm	4 g	350 kg
8W/25 NP	25 mm	3.5 mm	7 g	250 kg
NEW 8W/27 NP	25 mm	3.5 mm	5 g	250 kg
8W/30 NP	30 mm	4 mm	11 g	200 kg
8W/35 NP	35 mm	6 mm	10 g	120 kg
8W/3.5x35 NP	35 mm	3.5 mm	27 g	450 kg
8W/40 NP	40 mm	6 mm	35 g	400 kg
NEW 8W/4.0x40 NP	40 mm	6 mm	7 g	150 kg
8W/45 NP	45 mm	6 mm	40 g	436 kg
8W/6.7x50 NP	50 mm	6.7 mm	50 g	450 kg
8W/8.0x50 NP	50 mm	8 mm	68 g	500 kg

Code	Inner diameter	D	Weight	Breaking load
8W/15 BK	15 mm	3 mm	3 g	100 kg
8W/20 BK	20 mm	3 mm	4 g	150 kg
8W/25 BK	25 mm	4 mm	9 g	200 kg
8W/30 BK	30 mm	4 mm	11 g	150 kg
8W/35 BK	35 mm	4 mm	12 g	150 kg
8W/40 BK	38 mm	5 mm	22 g	400 kg
8W/45 BK	45 mm	4 mm	16 g	450 kg

Code	Inner diameter	D	Weight	Breaking load
8W/15 RG	15 mm	3 mm	3 g	100 kg
8W/20 RG	20 mm	3 mm	4 g	150 kg
8W/25 RG	25 mm	4 mm	9 g	200 kg
8W/30 RG	30 mm	4 mm	11 g	150 kg
8W/35 RG	35 mm	4 mm	12 g	150 kg



8W/30 NEO

STEEL

NEO-CHROME

Code	Inner diameter	D	Weight	Breaking load
8W/15 NEO	15 mm	3 mm	3 g	100 kg
8W/20 NEO	20 mm	3 mm	4 g	150 kg
8W/25 NEO	25 mm	4 mm	9 g	200 kg
8W/30 NEO	30 mm	4 mm	11 g	150 kg
8W/35 NEO	35 mm	4 mm	12 g	150 kg



8SS/6.0x45 BK

STAINLESS

BLACK

Code	Inner diameter	D	Weight	Breaking load
8SS/6.0x45 BK	45 mm	6 mm	25 g	500 kg
8SS/50 BK	50 mm	7 mm	55 g	500 kg



8SS/30

STAINLESS

POLISHED

Code	Inner diameter	D	Weight	Breaking load
8SS/15	15 mm	3 mm	4 g	200 kg
8SS/20	20 mm	3 mm	5 g	180 kg
8SS/25	25 mm	4 mm	10 g	150 kg
8SS/30	30 mm	4 mm	11 g	150 kg
8SS/6.0x40	40 mm	6 mm	20 g	250 kg
8SS/35	35 mm	5 mm	22 g	250 kg
8SS/40	40 mm	5 mm	32 g	250 kg
8SS/6.0x45	45 mm	6 mm	36 g	250 kg
8SS/50	50 mm	7 mm	55 g	300 kg





7B/30

BRASS

POLISHED

Code	Inner diameter	D	Weight	Breaking load
7B/13	13 mm	3.5 mm	4 g	150 kg
7B/15	16 mm	4 mm	8 g	200 kg
7B/20	20 mm	4 mm	9 g	200 kg
7B/25	25 mm	5 mm	12 g	140 kg
7B/30	30 mm	5 mm	16 g	150 kg
7B/35	33 mm	6 mm	23 g	150 kg
7B/40	40 mm	6 mm	31 g	250 kg
7B/50	50 mm	6 mm	43 g	170 kg



8W/30 AB

STEEL

ANTIQUE BRASS

Code	Inner diameter	D	Weight	Breaking load
8W/15 AB	15 mm	2.5 mm	2 g	100 kg
8W/20 AB	20 mm	3 mm	4 g	350 kg
8W/25 AB	25 mm	3.5 mm	7 g	250 kg
8W/30 AB	30 mm	4 mm	11 g	200 kg
8W/35 AB	35 mm	5.5 mm	27 g	450 kg
8W/40 AB	40 mm	6 mm	32 g	450 kg



8W/30 GM

STEEL

GRAY

Code	Inner diameter	D	Weight	Breaking load
8W/15 GM	15 mm	3 mm	3 g	100 kg
8W/20 GM	20 mm	3 mm	4 g	150 kg
8W/25 GM	25 mm	4 mm	9 g	200 kg
8W/30 GM	30 mm	4 mm	11 g	150 kg
8W/35 GM	35 mm	4 mm	12 g	150 kg
8W/40 GM	38 mm	5 mm	22 g	400 kg



7B/30 CP

BRASS

CHROME PLATED

Code	Inner diameter	D	Weight	Breaking load
7B/15 CP	16 mm	4 mm	8 g	200 kg
7B/20 CP	20 mm	4 mm	9 g	200 kg
7B/25 CP	25 mm	5 mm	12 g	140 kg
7B/30 CP	30 mm	5 mm	16 g	150 kg



SR/6.0x26 BK

ZINC DIE CASTING

BLACK

CIRCULAR SPRING CLIP

Code	Inner diameter	D	Weight	Breaking load
SR/6.0x26 BK	26 mm	6 mm	17 g	15 kg
SR/6.0x38 BK	38 mm	6 mm	25 g	30 kg



SR/6.0x26 NP

ZINC DIE CASTING

NICKEL PLATED

CIRCULAR SPRING CLIP

Code	Inner diameter	D	Weight	Breaking load
SR/6.0x26 NP	26 mm	6 mm	17 g	15 kg
SR/6.0x38 NP	38 mm	6 mm	25 g	30 kg



NEW S320-04/20X25

STAINLESS

POLISHED

SQUARE PLATE EYE WITH RING

Code	Inner diameter	D	Weight	Breaking load
S320-04/20X25	20 mm	4 mm	17 g	150 kg
S320-05/30X35	30 mm	5 mm	39 g	150 kg



3610B/25 CP

BRASS

CHROME PLATED

RING WITH TRIANGLE

Code	Inner diameter	D	Weight	Breaking load
3610B/25 CP	38 mm	6 mm	57 g	250 kg



3610B/25

BRASS

POLISHED

RING WITH TRIANGLE

Code	Inner diameter	D	Weight	Breaking load
3610B/25	38 mm	6 mm	57 g	250 kg



3610SS/26

STAINLESS

POLISHED

RING WITH TRIANGLE

Code	Inner diameter	D	Weight	Breaking load
3610SS/20	32 mm	5 mm	29 g	250 kg
3610SS/26	38 mm	6 mm	60 g	250 kg



3610/20 NP

STEEL

NICKEL PLATED

RING WITH TRIANGLE

Code	Inner diameter	D	Weight	Breaking load
3610/20 NP	20 mm	4 mm	20 g	350 kg
3610/28 NP	28 mm	6 mm	54 g	450 kg



BL-38

BRASS

POLISHED

OVAL RING

Code	Inner diameter	D	Weight	Breaking load
BL-25	26 mm	3 mm	6 g	250 kg
BL-32	32 mm	4 mm	8 g	300 kg
BL-38	38 mm	4 mm	8 g	300 kg
BL-50	50 mm	4 mm	11 g	250 kg



OVAL SS/5.0x30

STAINLESS

POLISHED

OVAL RING

Code	Inner diameter	D	Weight	Breaking load
OVAL SS/3.0x20	20 mm	3 mm	3 g	180 kg
OVAL SS/4.0x25	26 mm	4 mm	7 g	250 kg
OVAL SS/5.0x30	30 mm	5 mm	12 g	300 kg
OVAL SS/5.0x40	40 mm	5 mm	16 g	300 kg
OVAL SS/5.0x50	50 mm	5 mm	18 g	300 kg



WL1



WL2



WL3


STEEL

NICKEL PLATED

COLLAR LOOP

Code	Inner diameter	D	Weight
WL1	12 mm	2 mm	15 g
WL2	12 mm	2 mm	15 g
WL3	10 mm	2 mm	15 g

D-Rings



4520/35 NP

STEEL

NICKEL PLATED

Code	Inner diameter	Height	D	Weight	Breaking load
4520/10 NP	10 mm	8 mm	2 mm	1 g	120 kg
4520/12 NP	12 mm	10 mm	2.2 mm	1 g	150 kg
4520/HP13x12 NP	12 mm	13 mm	2.1 mm	1 g	150 kg
4520/14 NP	14 mm	11 mm	2.7 mm	2 g	200 kg
4520/16 NP	16 mm	13 mm	2.7 mm	3 g	150 kg
4520/HP16x16 NP	16 mm	16 mm	2.7 mm	3 g	150 kg
4520/18 NP	18 mm	15 mm	2.7 mm	3 g	150 kg
4520/20 NP	20 mm	15 mm	3 mm	4 g	280 kg
4520/HP18x20 NP	20 mm	18 mm	3 mm	4 g	280 kg
4520/22 NP	22 mm	16 mm	3 mm	5 g	390 kg
4520/HP24x26 NP	26 mm	24 mm	4 mm	6 g	180 kg

Code	Inner diameter	Height	D	Weight	Breaking load
4520/24 NP	24 mm	20 mm	3 mm	6 g	180 kg
4520/26 NP	26 mm	20 mm	3 mm	10 g	200 kg
4520/5.0x26 NP	26 mm	21 mm	5 mm	15 g	320 kg
4520/28 NP	28 mm	22 mm	4 mm	7 g	300 kg
4520/30 NP	30 mm	27 mm	4 mm	10 g	350 kg
4520/5.0x30 NP	30 mm	27 mm	5 mm	17 g	400 kg
4520/35 NP	35 mm	28 mm	5 mm	16 g	370 kg
4520/40 NP	40 mm	31 mm	5 mm	21 g	460 kg
4520/4.5x50 NP	50 mm	32 mm	4.5 mm	18 g	200 kg
4520/50 NP	50 mm	41 mm	7 mm	49 g	500 kg



4520/40 BK

STEEL

BLACK

Code	Inner diameter	Height	D	Weight	Breaking load
4520/10 BK	10 mm	8 mm	2 mm	1 g	120 kg
4520/13 BK	13 mm	12 mm	3 mm	3 g	200 kg
4520/16 BK	16 mm	13 mm	3 mm	4 g	150 kg
4520/20 BK	20 mm	16 mm	3 mm	4 g	180 kg
4520/26 BK	26 mm	20 mm	4 mm	9 g	220 kg
4520/30 BK	30 mm	24 mm	4 mm	11 g	270 kg
4520/40 BK	40 mm	30 mm	5 mm	20 g	300 kg
4520/45 BK	45 mm	31 mm	5 mm	23 g	300 kg
4520/4.5x50 BK	50 mm	33 mm	4.5 mm	19 g	200 kg


NEW



4520/40 NEO

STEEL

NEO-CHROME



4520/40 RG

STEEL

ROSE GOLD



4520SS/40

STAINLESS

POLISHED

Code	Inner diameter	Height	D	Weight	Breaking load
4520/16 NEO	16 mm	13 mm	3 mm	4 g	150 kg
4520/20 NEO	20 mm	16 mm	3 mm	4 g	180 kg
4520/26 NEO	26 mm	20 mm	4 mm	9 g	220 kg
4520/30 NEO	30 mm	24 mm	4 mm	11 g	270 kg
4520/40 NEO	40 mm	30 mm	5 mm	20 g	300 kg
4520/4.5x50 NEO	50 mm	33 mm	4.5 mm	19 g	200 kg

Code	Inner diameter	Height	D	Weight	Breaking load
4520/10 RG	10 mm	8 mm	2 mm	1 g	120 kg
4520/13 RG	13 mm	12 mm	3 mm	3 g	200 kg
4520/16 RG	16 mm	13 mm	3 mm	4 g	150 kg
4520/20 RG	20 mm	16 mm	3 mm	4 g	180 kg
4520/26 RG	26 mm	20 mm	4 mm	9 g	220 kg
4520/30 RG	30 mm	24 mm	4 mm	11 g	270 kg
4520/40 RG	40 mm	30 mm	5 mm	20 g	300 kg
4520/4.5x50 RG	50 mm	33 mm	4.5 mm	19 g	200 kg

Code	Inner diameter	Height	D	Weight	Breaking load
4520SS/13	13 mm	12 mm	3 mm	3 g	250 kg
4520SS/HP 16x16	16 mm	16 mm	3 mm	4 g	200 kg
4520SS/20	20 mm	17 mm	3 mm	3 g	200 kg
4520SS/17	17 mm	14 mm	3 mm	4 g	160 kg
4520SS/HP 20x20	20 mm	20 mm	3 mm	4 g	200 kg
4520SS/25	25 mm	20 mm	4 mm	9 g	200 kg
4520SS/5.0x28	25 mm	21 mm	5 mm	14 g	350 kg
4520SS/HP 26x25	25 mm	25 mm	4 mm	9 g	200 kg
4520SS/5.0x28	28 mm	21 mm	5 mm	14 g	350 kg
4520SS/30	30 mm	25 mm	4 mm	11 g	250 kg
4520SS/5.0x30	32 mm	26 mm	5 mm	17 g	390 kg
4520SS/5.0x35	35 mm	29 mm	5 mm	20 g	410 kg
4520SS/40	40 mm	32 mm	5 mm	21 g	300 kg
4520SS/5.0x45	45 mm	31 mm	5 mm	23 g	300 kg
4520SS/5.0x50	50 mm	41 mm	5 mm	39 g	350 kg
4520SS/50	50 mm	42 mm	6 mm	39 g	350 kg



4520/30 GM

STEEL

GRAY



4520/30 AB

STEEL

ANTIQUÉ BRASS

Code	Inner diameter	Height	D	Weight	Breaking load
4520/16 GM	16 mm	13 mm	3 mm	4 g	150 kg
4520/20 GM	20 mm	16 mm	3 mm	4 g	180 kg
4520/26 GM	26 mm	20 mm	4 mm	9 g	220 kg
4520/30 GM	30 mm	24 mm	4 mm	11 g	270 kg
4520/40 GM	40 mm	30 mm	5 mm	20 g	300 kg

Code	Inner diameter	Height	D	Weight	Breaking load
4520/16 AB	16 mm	13 mm	2.7 mm	3 g	150 kg
4520/20 AB	20 mm	15 mm	3 mm	4 g	280 kg
4520/26 AB	26 mm	20 mm	3 mm	6 g	180 kg
4520/30 AB	30 mm	27 mm	4 mm	10 g	350 kg
4520/40 AB	40 mm	31 mm	5 mm	21 g	460 kg
4520/4.5x50 AB	50 mm	33 mm	4.5 mm	19 g	200 kg

NEW



325JB/21

BRASS POLISHED



NEW 4520/10 BP

STEEL BRASS PLATED



452B/20 CP

BRASS CHROME PLATED

Code	Inner diameter	Height	D	Weight	Breaking load
325JB/21	21 mm	16 mm	3.2 mm	5 g	100 kg
325JB/26	26 mm	23 mm	4 mm	11 g	120 kg

Code	Inner diameter	Height	D	Weight	Breaking load
4520/10 BP	10 mm	8 mm	2.5 mm	2 g	120 kg

Code	Inner diameter	Height	D	Weight	Breaking load
452B/17 CP	16 mm	15 mm	4 mm	4 g	150 kg
452B/20 CP	20 mm	17 mm	4 mm	8 g	170 kg
452B/25 CP	25 mm	23 mm	4 mm	13 g	240 kg



452B/30

BRASS POLISHED

Code	Inner diameter	Height	D	Weight	Breaking load
NEW 452B/10	10 mm	11 mm	2.7 mm	3 g	150 kg
452B/13	13 mm	13 mm	3 mm	4 g	200 kg
452B/17	16 mm	15 mm	3 mm	4 g	150 kg
452B/20	20 mm	17 mm	4 mm	8 g	170 kg
452B/25	25 mm	23 mm	5 mm	13 g	240 kg
452B/27	27 mm	23 mm	5 mm	13 g	240 kg

Code	Inner diameter	Height	D	Weight	Breaking load
452B/30	32 mm	28 mm	5 mm	21 g	150 kg
452B/4.5x40	38 mm	32 mm	4.5 mm	15 g	200 kg
452B/40	38 mm	31 mm	6 mm	34 g	200 kg
452B/4.5x50	50 mm	33 mm	4.5 mm	18 g	150 kg
452B/50	50 mm	34 mm	6 mm	40 g	150 kg





452Z/25 CP

ZINC DIE CASTING

CHROME PLATED

Code	Inner diameter	Height	D	Weight	Breaking load
452Z/10 CP	10 mm	11 mm	2 mm	1 g	50 kg
452Z/13 CP	13 mm	13 mm	2 mm	1 g	40 kg
452Z/17 CP	17 mm	16 mm	3 mm	3 g	60 kg
452Z/20 CP	20 mm	18 mm	3 mm	4 g	80 kg
452Z/23 CP	23 mm	20 mm	4 mm	7 g	90 kg
452Z/25 CP	25 mm	23 mm	4 mm	7 g	90 kg




325B/30

BRASS

POLISHED

Code	Inner diameter	Height	D	Weight	Breaking load
325B/17	17 mm	14 mm	5 mm	8 g	200 kg
325B/20	20 mm	17 mm	6 mm	12 g	200 kg
325B/25	25 mm	22 mm	7 mm	20 g	280 kg
325B/30	30 mm	25 mm	7 mm	25 g	300 kg
325B/40	40 mm	33 mm	8 mm	44 g	310 kg
325B/50	52 mm	34 mm	8 mm	63 g	500 kg



Triangle Buckles



4953/5.0x30 NP

STEEL

NICKEL PLATED



4953/5.0x30 BK

STEEL

BLACK



HT/40 BK

ZINC DIE CASTING

BLACK

TRIANGLE DELTA RING

Code	Inner diameter	Height	D
4953/4.0x25 NP	25 mm	22 mm	4 mm
4953/5.0x30 NP	30 mm	27 mm	5 mm
4953/6.5x40 NP	40 mm	35 mm	7 mm

TRIANGLE DELTA RING

Code	Inner diameter	Height	D
4953/4.0x25 BK	25 mm	22 mm	4 mm
4953/5.0x30 BK	30 mm	27 mm	5 mm
4953/6.5x40 BK	40 mm	35 mm	6.5 mm

TRIANGLE BUCKLE

Code	Inner diameter	Height	D
HT/16 BK	16 mm	4 mm	2 mm
HT/20 BK	20 mm	5 mm	3 mm
HT/25 BK	25 mm	5 mm	4 mm
HT/40 BK	40 mm	7.9 mm	6 mm
HT/50 BK	50 mm	9 mm	7 mm



HT/40 NP

ZINC DIE CASTING

NICKEL PLATED

TRIANGLE BUCKLE

Code	Inner diameter	Height	D
HT/16 NP	16 mm	4 mm	2 mm
HT/20 NP	20 mm	5 mm	3 mm
HT/25 NP	25 mm	5 mm	4 mm
HT/40 NP	40 mm	7.9 mm	6 mm
HT/50 NP	50 mm	9 mm	7 mm



HTB/16

BRASS

POLISHED

TRIANGLE BUCKLE

Code	Inner diameter	Height	D
HTB/16	16 mm	4 mm	2 mm
HTB/20	20 mm	5 mm	3 mm
HTB/25	25 mm	5 mm	4 mm



NEW

HT SS/2.5X20

STAINLESS

POLISHED

TRIANGLE BUCKLE

Code	Inner width	Inner height	D
HT SS/2.5X20	20 mm	4.5 mm	4 mm
HT SS/2.5X26	26 mm	4.5 mm	4 mm



NEW

HT SS/2.5X20 BK

STAINLESS

BLACK

TRIANGLE BUCKLE

Code	Inner width	Inner height	D
HT SS/2.5X20 BK	20 mm	4.5 mm	4 mm
HT SS/2.5X26 BK	26 mm	4.5 mm	4 mm



XGJ-281

ZINC DIE CASTING

CHROME PLATED


SLIDE BUCKLE
BAG ACCESSORIES

Code	Inner diameter	Height	D
XGJ-281	40 mm	7 mm	3 mm





Metal Tri-glides



Z4013/25 NP

ZINC DIE CASTING

NICKEL PLATED



Z4013/30 BK

ZINC DIE CASTING

BLACK



Z4013/40 RG

ZINC DIE CASTING

ROSE GOLD

Code	Inner diameter	Height	D
Z4013/17 NP	16 mm	5 mm	4 mm
Z4013/20 NP	20 mm	6 mm	4 mm
Z4013/25 NP	25 mm	7 mm	4 mm
Z4013/30 NP	30 mm	6 mm	4 mm
Z4013/40 NP	38 mm	7 mm	4 mm
NEW Z4013/45 NP	45 mm	7 mm	4 mm
Z4013/50 NP	50 mm	6 mm	4 mm

Code	Inner diameter	Height	D
Z4013/17 BK	16 mm	5 mm	4 mm
Z4013/20 BK	20 mm	6 mm	4 mm
Z4013/25 BK	25 mm	7 mm	4 mm
Z4013/30 BK	30 mm	7 mm	4 mm
Z4013/40 BK	38 mm	6 mm	4 mm
NEW Z4013/45 BK	45 mm	7 mm	4 mm
Z4013/50 BK	50 mm	6 mm	4 mm

Code	Inner diameter	Height	D
Z4013/17 RG	16 mm	5 mm	4 mm
Z4013/20 RG	20 mm	6 mm	4 mm
Z4013/25 RG	25 mm	7 mm	4 mm
Z4013/30 RG	30 mm	6 mm	4 mm
Z4013/40 RG	38 mm	7 mm	4 mm
Z4013/50 RG	50 mm	6 mm	4 mm



Z4013/25 NEO

ZINC DIE CASTING

NEO-CHROME



203B/30 CP

BRASS

CHROME PLATED



203B/40


BRASS

POLISHED

Code	Inner diameter	Height	D
Z4013/17 NEO	16 mm	5 mm	4 mm
Z4013/20 NEO	20 mm	6 mm	4 mm
Z4013/25 NEO	25 mm	7 mm	4 mm
Z4013/30 NEO	30 mm	7 mm	4 mm
Z4013/40 NEO	38 mm	7 mm	4 mm
Z4013/50 NEO	50 mm	6 mm	4 mm

Code	Inner diameter	Height	D
203B/17 CP	17 mm	5 mm	4 mm
203B/20 CP	20 mm	6 mm	4 mm
203B/25 CP	25 mm	7 mm	4 mm
203B/30 CP	32 mm	6 mm	4 mm
203B/40 CP	38 mm	7 mm	4 mm
203B/50 CP	50 mm	7 mm	4 mm

Code	Inner diameter	Height	D
203B/13	13 mm	5 mm	4 mm
203B/17	17 mm	5 mm	4 mm
203B/20	20 mm	7 mm	4 mm
203B/25	25 mm	7 mm	4 mm
203B/30	32 mm	6 mm	4 mm
203B/40	38 mm	7 mm	4 mm
203B/50	50 mm	7 mm	4 mm



NEW 4013SS/32

STAINLESS

POLISHED

Code	Inner diameter	Height	D
4013SS/17	16 mm	5 mm	4 mm
4013SS/20	20 mm	6 mm	4 mm
4013SS/26	26 mm	7.5 mm	4 mm
4013SS/32	32 mm	7 mm	4 mm
4013SS/38	38 mm	7 mm	4 mm



Z4013/40 AB

ZINC DIE CASTING

ANTIQUE BRASS

Code	Inner diameter	Height	D
Z4013/17 AB	16 mm	5 mm	4 mm
Z4013/20 AB	20 mm	6 mm	4 mm
Z4013/25 AB	25 mm	7 mm	4 mm
Z4013/30 AB	30 mm	7 mm	4 mm
Z4013/40 AB	38 mm	7 mm	4 mm
Z4013/50 AB	50 mm	7 mm	4 mm



Z4013/40 GM

ZINC DIE CASTING

GRAY

Code	Inner diameter	Height	D
Z4013/17 GM	16 mm	5 mm	4 mm
Z4013/20 GM	20 mm	6 mm	4 mm
Z4013/25 GM	25 mm	7 mm	4 mm
Z4013/30 GM	30 mm	7 mm	4 mm
Z4013/40 GM	38 mm	7 mm	4 mm
Z4013/50 GM	50 mm	7 mm	4 mm



Z4013EH/20 BK

ZINC DIE CASTING BLACK

HEAVY METAL TRI GLIDE

Code	Inner diameter	Height	D
Z4013EH/20 BK	20 mm	8 mm	4 mm
Z4013EH/25 BK	25 mm	9 mm	4 mm
Z4013EH/30 BK	30 mm	9 mm	4 mm
Z4013EH/40 BK	39 mm	10 mm	4.5 mm
Z4013EH/50 BK	50 mm	10 mm	4.5 mm



Z4013EH/25 RG

ZINC DIE CASTING ROSE GOLD

HEAVY METAL TRI GLIDE

Code	Inner diameter	Height	D
Z4013EH/20 RG	20 mm	8 mm	4 mm
Z4013EH/25 RG	25 mm	9 mm	4 mm
Z4013EH/30 RG	30 mm	9 mm	4 mm
Z4013EH/40 RG	39 mm	9 mm	4.5 mm
Z4013EH/50 RG	50 mm	10 mm	4.5 mm



Z4013EH/30 AB

ZINC DIE CASTING ANTIQUE BRASS

HEAVY METAL TRI GLIDE

Code	Inner diameter	Height	D
Z4013EH/20 AB	20 mm	8 mm	4 mm
Z4013EH/25 AB	25 mm	9 mm	4 mm
Z4013EH/30 AB	30 mm	9 mm	4 mm
Z4013EH/40 AB	39 mm	10 mm	4.5 mm
Z4013EH/50 AB	50 mm	10 mm	4.5 mm



Z4013EH/50 NP

ZINC DIE CASTING NICKEL PLATED

HEAVY METAL TRI GLIDE

Code	Inner diameter	Height	D
Z4013EH/20 NP	20 mm	8 mm	4 mm
Z4013EH/25 NP	25 mm	9 mm	4 mm
Z4013EH/30 NP	30 mm	9 mm	4 mm

Code	Inner diameter	Height	D
Z4013EH/40 NP	39 mm	10 mm	4.5 mm
Z4013EH/50 NP	50 mm	10 mm	4.5 mm



2500/25 AB

STEEL ANTIQUE BRASS

SLIDING BAR BUCKLE

Code	Inner diameter	Height	D
2500/17 AB	17 mm	16 mm	4 mm
2500/20 AB	20 mm	19 mm	4 mm
2500/25 AB	25 mm	19 mm	4 mm
2500/30 AB	32 mm	19 mm	4 mm
2500/40 AB	40 mm	19 mm	4 mm
2500/50 AB	50 mm	19 mm	4 mm



2500/30 BK

STEEL BLACK

SLIDING BAR BUCKLE

Code	Inner diameter	Height	D
2500/17 BK	16 mm	15 mm	4 mm
2500/20 BK	20 mm	19 mm	4 mm
2500/25 BK	25 mm	19 mm	4 mm
2500/30 BK	32 mm	19 mm	4 mm
2500/40 BK	40 mm	19 mm	4 mm
2500/50 BK	50 mm	19 mm	4 mm



2500/40 NP

STEEL NICKEL PLATED

SLIDING BAR BUCKLE

Code	Inner diameter	Height	D
2500/17 NP	16 mm	15 mm	4 mm
2500/20 NP	20 mm	19 mm	4 mm
2500/25 NP	25 mm	19 mm	4 mm
2500/30 NP	32 mm	19 mm	4 mm
2500/40 NP	40 mm	19 mm	4 mm
2500/50 NP	50 mm	19 mm	4 mm



5082SS/40

STAINLESS POLISHED

STAMPED STEEL TRI GLIDE

Code	Inner diameter	Height	D
5082SS/16	16 mm	6 mm	2 mm
5082SS/20	20 mm	6 mm	2 mm
5082SS/25	25 mm	6 mm	2 mm
5082SS/30	30 mm	6 mm	2 mm
5082SS/40	40 mm	8 mm	3 mm
5082SS/50	50 mm	8 mm	3 mm



5080/40 NP

STEEL NICKEL PLATED

STAMPED STEEL TRI GLIDE

Code	Inner diameter	Height	D
5080/20 NP	20 mm	5 mm	1 mm
5080/25 NP	26 mm	5 mm	1 mm
5080/30 NP	30 mm	6 mm	1 mm
5080/40 NP	38 mm	6 mm	1 mm
5080/50 NP	50 mm	7 mm	2 mm



203/40

ZINC DIE CASTING NICKEL PLATED

METAL TRI GLIDE

Code	Inner diameter	Height	D
203/10	10 mm	4.5 mm	2.5 mm
203/13	13 mm	4.5 mm	2.5 mm
203/17	16 mm	5 mm	3 mm
203/20	20 mm	5 mm	3 mm
203/25	25 mm	5 mm	3 mm
203/30	30 mm	5 mm	3 mm
203/40	38 mm	6 mm	3 mm
203/50	50 mm	6 mm	3 mm



BSBLT/15

BRASS POLISHED

BRASS TRI GLIDE

Code	Inner diameter	Height	D
BSBLT/15	15 mm	8 mm	3.5 mm
BSBLT/20	20 mm	8 mm	3.8 mm
BSBLT/25	25 mm	8 mm	3.8 mm
BSBLT/30	30 mm	8 mm	3.8 mm
BSBLT/40	40 mm	8 mm	3.5 mm
BSBLT/50	50 mm	8 mm	3.5 mm



750SS/40

STAINLESS POLISHED

METAL TRI GLIDE FOR MARTINGALE COLLARS

Code	Inner diameter	Height	D
750SS/40	40 mm	8 mm	5 mm
750SS/50	50 mm	8 mm	5 mm



3181/50 SLIDE

STEEL CHROME PLATED

STAMPED STEEL TRI GLIDE

Code	Inner diameter	Height	D
3181/50 SLIDE	50 mm	4 mm	2 mm



S5387/25 CP

STEEL CHROME PLATED

HALTER OVAL

Code	Inner diameter	Height	D
S5387/25 CP	25 mm	7 mm	2 mm

HEAVY SLIP-THRU BUCKLE



Z1430EH/16 BK


Z1430EH/20 BK

Z1430EH/25 BK

Code	Inner diameter	Height	D
Z1430EH/16 BK	16 mm	3.5 mm	2.5 mm
Z1430EH/20 BK	20 mm	3.6 mm	3 mm
Z1430EH/25 BK	25 mm	3.8 mm	3 mm

ZINC DIE CASTING BLACK

HEAVY SLIP-THRU BUCKLE



Z1430EH/16 NP

Z1430EH/20 NP

Z1430EH/25 NP

Code	Inner diameter	Height	D
Z1430EH/16 NP	16 mm	3.5 mm	2.5 mm
Z1430EH/20 NP	20 mm	3.6 mm	3 mm
Z1430EH/25 NP	25 mm	3.6 mm	3 mm

ZINC DIE CASTING NICKEL PLATED



204/6 CP

ZINC DIE CASTING CHROME PLATED



1025B/20

BRASS POLISHED



205/13 RG

ZINC DIE CASTING ROSE GOLD

SMALL TRI-GLIDE

Code	Inner diameter	Height	D
204/6 CP	6 mm	6 mm	2 mm



205/13 NP

ZINC DIE CASTING NICKEL PLATED

SMALL TRI-GLIDE

Code	Inner diameter	Height	D
1025B/20	20 mm	7 mm	4 mm
1025B/25	25 mm	8 mm	4 mm



205/13 BK

ZINC DIE CASTING BLACK

SMALL TRI-GLIDE

Code	Inner diameter	Height	D
205/10 RG	10 mm	7 mm	2 mm
205/13 RG	13 mm	7 mm	2 mm

SMALL TRI-GLIDE

Code	Inner diameter	Height	D
205/10 NP	10 mm	7 mm	2 mm
205/13 NP	13 mm	7 mm	2 mm

SMALL TRI-GLIDE

Code	Inner diameter	Height	D
205/10 BK	10 mm	7 mm	2 mm
205/13 BK	13 mm	7 mm	2 mm



Made by Denis Ovsyanik



7BCB/20

BRASS POLISHED

ROUND RING WITH CENTER BAR

Code	Inner diameter	Height	D
7BCB/15	15 mm	6 mm	4 mm
7BCB/20	20 mm	8 mm	4 mm



NEW 3171SS/4.0x20

STAINLESS POLISHED

ROUND RING WITH CENTER BAR

Code	Inner diameter	Height	D
3171SS/3.0x16	15 mm	6 mm	4 mm
3171SS/4.0x20	20 mm	7.9 mm	4 mm
3171SS/4.0x25	25 mm	13 mm	4 mm
3171SS/4.0x30	30 mm	16 mm	4 mm



8WCB/25 NP

STEEL NICKEL PLATED

WELDED ROUND RING WITH CENTER BAR

Code	Inner diameter	Height	D
8WCB/8 NP	8 mm	3 mm	2 mm
8WCB/15 NP	15 mm	6 mm	3 mm
8WCB/20 NP	20 mm	9 mm	3 mm
8WCB/25 NP	25 mm	10 mm	4 mm



NEW 8WCB/25 BK

STEEL BLACK

WELDED ROUND RING WITH CENTER BAR

Code	Inner diameter	Height	D
8WCB/15 BK	15 mm	6 mm	3 mm
8WCB/20 BK	20 mm	9 mm	3 mm
8WCB/25 BK	25 mm	10 mm	4 mm



NEW Z8CB/16 NP

ZINC DIE CASTING NICKEL PLATED

ROUND RING WITH CENTER BAR

Code	Inner diameter	Height	D
Z8CB/16 NP	16 mm	8 mm	3 mm
Z8CB/20 NP	20 mm	10 mm	3 mm
Z8CB/25 NP	25 mm	12 mm	3 mm



NEW Z8CB/16 BK

ZINC DIE CASTING BLACK


ROUND RING WITH CENTER BAR

Code	Inner diameter	Height	D
Z8CB/16 BK	16 mm	8 mm	3 mm
Z8CB/20 BK	20 mm	10 mm	3 mm
Z8CB/25 BK	25 mm	12 mm	3 mm



REAL SIZE

WEBBING REDUCTION LOOPS



Webbing Reduction Loops



Z2300/25/50 NP

ZINC DIE CASTING

NICKEL PLATED

REDUCTION 25 → 50 MM



Z2300/25/40 NP

ZINC DIE CASTING

NICKEL PLATED

REDUCTION 25 → 38 MM



NEW

Z2300/25/40 RG

ZINC DIE CASTING

ROSE GOLD

REDUCTION 25 → 38 MM



Z2300/25/40 BK

ZINC DIE CASTING

BLACK

REDUCTION 25 → 38 MM



Z2300/40/50 NP

ZINC DIE CASTING

NICKEL PLATED

REDUCTION 40 → 50 MM



B5500L/25/40

BRASS


POLISHED

REDUCTION 25 → 38

SADDLERY HARDWARE



Metal Side Release Buckles



508N/20 NP

ZINC DIE CASTING

NICKEL PLATED



508N/16 BK

ZINC DIE CASTING

BLACK

METAL SIDE RELEASE BUCKLE PLUS

Code	Total length	Inner width	Weight	Breaking load
508N/16 NP	36 mm	16 mm	15 g	110 kg
508N/20 NP	47 mm	20 mm	31 g	195 kg
508N/25 NP	59 mm	25 mm	50 g	230 kg
NEW 508N/30 NP	52 mm	30 mm	54 g	190 kg
508N/40 NP	65 mm	38 mm	110 g	250 kg
NEW 508N/50 NP	65 mm	51 mm	132 g	190 kg

METAL SIDE RELEASE BUCKLE PLUS

Code	Total length	Inner width	Weight	Breaking load
508N/16 BK	36 mm	16 mm	15 g	110 kg
508N/20 BK	47 mm	20 mm	31 g	195 kg
508N/25 BK	59 mm	26 mm	50 g	230 kg
NEW 508N/30 BK	52 mm	30 mm	54 g	190 kg
508N/40 BK	65 mm	38 mm	110 g	250 kg
NEW 508N/50 BK	65 mm	51 mm	132 g	190 kg





508N/25 RG

ZINC DIE CASTING

ROSE GOLD



508N/30 BP

ZINC DIE CASTING

BRASS PLATED

METAL SIDE RELEASE BUCKLE PLUS

METAL SIDE RELEASE BUCKLE PLUS

	Code	Total length	Inner width	Weight	Breaking load
	508N/16 RG	36 mm	16 mm	15 g	110 kg
	508N/20 RG	47 mm	20 mm	44 g	195 kg
	508N/25 RG	59 mm	25 mm	50 g	230 kg
NEW	508N/30 RG	52 mm	30 mm	54 g	190 kg
	508N/40 RG	65 mm	38 mm	110 g	250 kg
NEW	508N/50 RG	65 mm	51 mm	132 g	190 kg

	Code	Total length	Inner width	Weight	Breaking load
	508N/16 BP	36 mm	16 mm	15 g	110 kg
	508N/20 BP	47 mm	20 mm	31 g	195 kg
	508N/25 BP	59 mm	25 mm	50 g	230 kg
NEW	508N/30 BP	52 mm	30 mm	54 g	190 kg
	508N/40 BP	65 mm	38 mm	110 g	250 kg
NEW	508N/50 BP	65 mm	51 mm	132 g	190 kg



508/40

ZINC DIE CASTING

NICKEL PLATED



508/50 BK

ZINC DIE CASTING

BLACK

	Code	Total length	Inner width	Weight	Breaking load
	508/10	33 mm	10 mm	15 g	100 kg
	508/17	36 mm	16 mm	18 g	120 kg
	508/20 LIGHT	47 mm	20 mm	32 g	150 kg
	508/20	57 mm	20 mm	44 g	160 kg
	508/25	60 mm	25 mm	53 g	200 kg
	508/30	60 mm	30 mm	67 g	200 kg
	508/40	61 mm	38 mm	72 g	200 kg
	508/50	58 mm	50 mm	98 g	250 kg

	Code	Total length	Inner width	Weight	Breaking load
	508/10 BK	33 mm	10 mm	15 g	100 kg
	508/17 BK	36 mm	16 mm	15 g	80 kg
	508/20 BK	47 mm	20 mm	31 g	150 kg
	508/25 BK	59 mm	25 mm	49 g	200 kg
	508/30 BK	61 mm	30 mm	59 g	200 kg
	508/40 BK	61 mm	38 mm	70 g	200 kg
	508/50 BK	58 mm	50 mm	98 g	250 kg



508/17 RG

ZINC DIE CASTING

ROSE GOLD



508/20 AB

ZINC DIE CASTING

ANTIQUE BRASS

Code	Total length	Inner width	Weight	Breaking load
508/10 RG	33 mm	10 mm	15 g	100 kg
508/17 RG	36 mm	16 mm	15 g	80 kg
508/20 RG	47 mm	20 mm	31 g	150 kg
508/25 RG	59 mm	25 mm	49 g	200 kg
508/30 RG	61 mm	30 mm	59 g	200 kg
508/40 RG	61 mm	38 mm	70 g	200 kg
508/50 RG	58 mm	50 mm	98 g	250 kg

Code	Total length	Inner width	Weight	Breaking load
508/17 AB	36 mm	16 mm	15 g	80 kg
508/20 AB	47 mm	20 mm	33 g	160 kg
508/25 AB	60 mm	25 mm	51 g	200 kg



508/25 BP

ZINC DIE CASTING

BRASS PLATED



508/20 GM


ZINC DIE CASTING

GRAY

Code	Total length	Inner width	Weight	Breaking load
508/10 BP	32 mm	10 mm	15 g	100 kg
508/17 BP	38 mm	17 mm	19 g	80 kg
508/20 LIGHT BP	47 mm	20 mm	32 g	150 kg
508/25 BP	60 mm	25 mm	59 g	200 kg
508/30 BP	60 mm	30 mm	70 g	200 kg
508/40 BP	61 mm	38 mm	72 g	200 kg
508/50 BP	65 mm	51 mm	98 g	250 kg

Code	Total length	Inner width	Weight	Breaking load
508/17 GM	36 mm	16 mm	15 g	80 kg
508/20 GM	47 mm	20 mm	31 g	150 kg
508/25 GM	59 mm	25 mm	49 g	200 kg





508/30 NEO

ZINC DIE CASTING

NEO-CHROME

Code	Total length	Inner width	Weight	Breaking load
508/17 NEO	36 mm	16 mm	15 g	80 kg
508/20 NEO	47 mm	20 mm	31 g	150 kg
508/25 NEO	59 mm	25 mm	49 g	200 kg
508/30 NEO	61 mm	30 mm	59 g	200 kg
508/40 NEO	61 mm	38 mm	70 g	200 kg



KH4001AL/20 NP

ALUMINIUM ALU-MAX

NICKEL PLATED

ALUMINIUM SIDE RELEASE
BUCKLE ALU-MAX®

NEW

Code	Total length	Inner width	Weight	Breaking load
KH4001AL/17 NP	38 mm	15 mm	14 g	137 kg
KH4001AL/20 NP	47 mm	20 mm	23 g	196 kg
KH4001AL/25 NP	60 mm	25 mm	36 g	236 kg
KH4001AL/30 NP	61 mm	30 mm	46 g	236 kg





KH4001AL/20 BK

ALUMINIUM ALU-MAX

BLACK

ALUMINIUM SIDE RELEASE BUCKLE ALU-MAX®

Code	Total length	Inner width	Weight	Breaking load
KH4001AL/17 BK	38 mm	15 mm	14 g	137 kg
KH4001AL/20 BK	47 mm	20 mm	23 g	196 kg
KH4001AL/25 BK	60 mm	25 mm	36 g	236 kg



KH7010Z/25 RG

ZINC DIE CASTING

ROSE GOLD

METAL SIDE RELEASE BUCKLE ZINC-MAX®

Code	Total length	Inner width	Weight	Breaking load
KH7010Z/16 RG	33 mm	16 mm	14 g	125 kg
KH7010Z/20 RG	40 mm	20 mm	24 g	181 kg
KH7010Z/25 RG	53 mm	25 mm	52 g	272 kg



KH7010Z/20 BP

ZINC DIE CASTING

ELECTRODEPOSITED

METAL SIDE RELEASE BUCKLE ZINC-MAX®

Code	Total length	Inner width	Weight	Breaking load
KH7010Z/16 BP	33 mm	16 mm	14 g	125 kg
KH7010Z/20 BP	40 mm	19 mm	24 g	181 kg
KH7010Z/25 BP	53 mm	25 mm	52 g	272 kg



KH7010Z/25 NP

ZINC DIE CASTING

NICKEL PLATED

METAL SIDE RELEASE BUCKLE ZINC-MAX®

Code	Total length	Inner width	Weight	Breaking load
KH7010Z/16 NP	33 mm	16 mm	14 g	125 kg
KH7010Z/20 NP	40 mm	20 mm	24 g	181 kg
KH7010Z/25 NP	53 mm	25 mm	52 g	272 kg



Z3003N/17

ZINC DIE CASTING

NICKEL PLATED

METAL/PLASTIC SIDE RELEASE BUCKLE - HEAVY DUTY

Code	Total length	Inner width	Weight	Breaking load
Z3003N/17	46 mm	16 mm	14 g	40 kg
Z3003N/20	54 mm	20 mm	22 g	100 kg
Z3003N/25	64 mm	25 mm	38 g	200 kg



KH4002AL/40 NP

ALUMINIUM ALU-MAX

NICKEL PLATED

**HEAVY ALUMINIUM SIDE
RELEASE BUCKLE ALU-MAX®**

Code	Total length	Inner width	Weight	Breaking load
KH4002AL/40 NP	68 mm	38 mm	67 g	226 kg
KH4002AL/50 NP	68 mm	50 mm	80 g	226 kg



KH4002AL/40 BK

ALUMINIUM ALU-MAX

BLACK

**HEAVY ALUMINIUM SIDE
RELEASE BUCKLE ALU-MAX®**

Code	Total length	Inner width	Weight	Breaking load
KH4002AL/40 BK	68 mm	38 mm	67 g	226 kg





FY38KVF

ALUMINIUM

BLACK



ALUMINUM BUCKLE COBRA®
PRO STYLE

Code	Total length	Inner width	Weight	Breaking load
FY38KVF	63 mm	38 mm	67 g	900 kg



FY38KVG

ALUMINIUM

BLACK



ALUMINUM BUCKLE COBRA®
PRO STYLE

Code	Total length	Inner width	Weight	Breaking load
FY38KVG	63 mm	38 mm	76 g	900 kg
NEW FY45KVF	64 mm	45 mm	74 g	900 kg



FY38KFF

ALUMINIUM

BLACK



ALUMINUM BUCKLE COBRA®
PRO STYLE

Code	Total length	Inner width	Weight	Breaking load
FY25KFF	50 mm	25 mm	49 g	900 kg
FY38KFF	53 mm	38 mm	56 g	900 kg
FY45KFF	54 mm	45 mm	63 g	900 kg
FY50KFF	54 mm	50 mm	67 g	900 kg



FX38KVD

ALUMINIUM

BLACK



ALUMINUM BUCKLE COBRA®
PRO STYLE WITH D-RING

Code	Total length	Inner width	Weight	Breaking load
FX25KVD	67 mm	25 mm	120 g	1500 kg
FX38KVD	69 mm	38 mm	139 g	1500 kg
FX50KVD	71 mm	50 mm	163 g	1500 kg



FY38KVV


ALUMINIUM

BLACK



ALUMINUM BUCKLE COBRA® PRO STYLE
WITH DOUBLE-SIDE METAL TRI-GLIDE

Code	Total length	Inner width	Weight	Breaking load
FY38KVV	72 mm	38 mm	79 g	900 kg



NEW FY38AFF


ALUMINIUM

POLISHED



ALUMINUM BUCKLE COBRA® PRO STYLE

Code	Total length	Inner width	Weight	Breaking load
FY38KVV	53 mm	38 mm	56 g	900 kg



NEW FY38AVF

ALUMINIUM

POLISHED



ALUMINUM BUCKLE COBRA® PRO STYLE WITH TRI-GLIDE

Code	Total length	Inner width	Weight	Breaking load
FY38AVF	63 mm	38 mm	67 g	900 kg



NEW FM20KFF

ALUMINIUM

BLACK



ALUMINUM BUCKLE COBRA® FM

Code	Total length	Inner width	Weight	Breaking load
FM20KFF	39 mm	20 mm	17 g	204 kg
FM25KFF	40 mm	25 mm	19 g	204 kg



NEW FM20KVF

ALUMINIUM

BLACK



ALUMINUM BUCKLE COBRA® FM WITH TRI-GLIDE

Code	Total length	Inner width	Weight	Breaking load
FM20KVF	45 mm	20 mm	18 g	204 kg
FM25KVF	46 mm	25 mm	20 g	204 kg



NEW 928F441NOXK

STEEL

BLACK



METAL SIDE RELEASE BUCKLE KONG® WITH TRI-GLIDE

Code	Total length	Inner width	Weight	Breaking load
928F441NOXK	74 mm	46 mm	133 g	1000 kg



NEW

FM20AFF

ALUMINIUM

POLISHED



NEW

FM25AFF

ALUMINIUM

POLISHED




ALUMINUM BUCKLE COBRA® FM

Code	Total length	Inner width	Weight	Breaking load
FY38KVV	39 mm	20 mm	17 g	204 kg

ALUMINUM BUCKLE COBRA® FM

Code	Total length	Inner width	Weight	Breaking load
FY38AVF	40 mm	25 mm	19 g	204 kg





Metal Loops



4950/40 NP



4950 N/35 NP



4950 NSS/40

SADDLERY LOOP

STEEL

NICKEL PLATED

Code	Inner diameter	Inner height	D	Code	Inner diameter	Inner height	D
4950/10 NP	10 mm	7 mm	2 mm	4950/24 NP	24 mm	14 mm	3 mm
4950/12 NP	12 mm	9 mm	2 mm	4950/26 NP	26 mm	16 mm	3 mm
4950/14 NP	14 mm	9 mm	3 mm	4950/28 NP	28 mm	16 mm	4 mm
4950/16 NP	16 mm	11 mm	3 mm	4950/30 NP	30 mm	19 mm	4 mm
4950/18 NP	18 mm	11 mm	3 mm	4950/35 NP	35 mm	24 mm	5 mm
4950/20 NP	20 mm	12 mm	3 mm	4950/40 NP	40 mm	25 mm	5 mm
4950/22 NP	22 mm	14 mm	3 mm	4950/50 NP	50 mm	32 mm	7 mm

COLLAR LOOP

STEEL

NICKEL PLATED

Code	Inner diameter	Inner height	D	Code	Inner diameter	Inner height	D
4950 N/10 NP	10 mm	6 mm	2 mm	4950 N/28 NP	28 mm	10 mm	4 mm
4950 N/12 NP	12 mm	6 mm	2 mm	4950 N-E/30 NP	30 mm	12 mm	3 mm
4950 N/14 NP	14 mm	6 mm	3 mm	4950 N/30 NP	30 mm	12 mm	4 mm
4950 N/16 NP	16 mm	6 mm	3 mm	4950 N-E/35 NP	35 mm	13 mm	3 mm
4950 N/18 NP	18 mm	6 mm	3 mm	4950 N/35 NP	35 mm	12 mm	5 mm
4950 N/20 NP	20 mm	8 mm	3 mm	4950 N-E/40 NP	40 mm	13 mm	3 mm
4950 N/22 NP	22 mm	8 mm	3 mm	4950 N/40 NP	40 mm	12 mm	5 mm
4950 N/24 NP	24 mm	8 mm	3 mm	4950 N-E/50 NP	50 mm	13 mm	3 mm
4950 N/26 NP	26 mm	10 mm	3 mm	4950 N/50 NP	50 mm	12 mm	5 mm

COLLAR LOOP

STAINLESS

POLISHED

Code	Inner diameter	Inner height	D	Code	Inner diameter	Inner height	D
4950 NSS/13	14 mm	6 mm	2 mm	4950 NSS/30	30 mm	12 mm	4 mm
4950 NSS/17	17 mm	7 mm	2 mm	4950 NSS/40	40 mm	12 mm	3 mm
4950 NSS/20	20 mm	9 mm	3 mm	4950 NSS/40	40 mm	12 mm	5 mm
4950 NSS/25	25 mm	11 mm	3 mm	4950 NSS/50	50 mm	14 mm	3 mm
4950 NSS/30	30 mm	12 mm	3 mm	4950 NSS/50	50 mm	14 mm	6 mm



4950 N/26 RG

STEEL

ROSE GOLD

COLLAR LOOP

Code	Inner diameter	Inner height	D
4950 N/10 RG	10 mm	6 mm	2.5 mm
4950 N/13 RG	13 mm	6 mm	2.5 mm
4950 N/16 RG	16 mm	9 mm	3 mm
4950 N/20 RG	20 mm	9 mm	3 mm
4950 N/26 RG	26 mm	11 mm	3 mm
4950 N/30 RG	30 mm	12 mm	3 mm
4950 N/40 RG	40 mm	13 mm	3 mm



4950 N/30 NEO

STEEL

NEO-CHROME

COLLAR LOOP

Code	Inner diameter	Inner height	D
4950 N/16 NEO	16 mm	9 mm	3 mm
4950 N/20 NEO	20 mm	9 mm	3 mm
4950 N/26 NEO	26 mm	11 mm	3 mm
4950 N/30 NEO	29 mm	12 mm	3 mm
4950 N/40 NEO	40 mm	13 mm	3 mm



4950 N/30 BK

STEEL

BLACK

COLLAR LOOP

Code	Inner diameter	Inner height	D
4950 N/10 BK	10 mm	6 mm	2.5 mm
4950 N/13 BK	13 mm	6 mm	2.5 mm
4950 N/16 BK	16 mm	9 mm	3 mm
4950 N/20 BK	20 mm	9 mm	3 mm
4950 N/26 BK	26 mm	11 mm	3 mm
4950 N/30 BK	30 mm	12 mm	3 mm
4950 N/40 BK	40 mm	13 mm	3 mm



4950/20 AC

STEEL

ANTIQUE COPPER

SADDLERY LOOP

Code	Inner diameter	Inner height	D
4950/20 AC	20 mm	12 mm	3 mm



4950 N/30 AB

STEEL

ANTIQUE BRASS

COLLAR LOOP

Code	Inner diameter	Inner height	D
4950 N/16 AB	16 mm	6 mm	3 mm
4950 N/20 AB	20 mm	8 mm	3 mm
4950 N/26 AB	26 mm	10 mm	3 mm
4950 N/30 AB	30 mm	12 mm	4 mm
4950 N/40 AB	40 mm	12 mm	5 mm
4950 N/50 AB	50 mm	12 mm	5 mm



4950 UB/40

BRASS

POLISHED

COLLAR LOOP

Code	Inner diameter	Inner height	D
4950 UB/13	13 mm	6 mm	2 mm
4950 UB/17	17 mm	6 mm	3 mm
4950 UB/20	20 mm	8 mm	3 mm
4950 UB/25	25 mm	10 mm	3 mm
4950 UB/30	30 mm	12 mm	3 mm
4950 UB/40	40 mm	12 mm	3 mm
4950 UB/50	50 mm	12 mm	3 mm



4950 N/26 GM

STEEL

GRAY

COLLAR LOOP

Code	Inner diameter	Inner height	D
4950 N/16 GM	16 mm	9 mm	3 mm
4950 N/20 GM	20 mm	9 mm	3 mm
4950 N/26 GM	26 mm	11 mm	3 mm
4950 N/30 GM	30 mm	12 mm	3 mm
4950 N/40 GM	40 mm	13 mm	3 mm



4950 N/20 AC

STEEL

ANTIQUE COPPER

COLLAR LOOP

Code	Inner diameter	Inner height	D
4950 N/20 AC	20 mm	9 mm	2.1 mm





4951/40 AS

ZINC DIE CASTING

ANTIQUE SILVER

SADDLERY FLAT LOOP

Code	Inner diameter	Inner height	D
4951/40 AS	40 mm	13 mm	2 mm



4951B/30

BRASS

POLISHED

SADDLERY FLAT LOOP

Code	Inner diameter	Inner height	D
4951B/17	17 mm	10 mm	2 mm
4951B/20	20 mm	11 mm	2 mm
4951B/25	25 mm	14 mm	2 mm
4951B/30	30 mm	14 mm	2 mm
4951B/40	40 mm	14 mm	2 mm



4951/32 NP

STEEL

NICKEL PLATED

SADDLERY FLAT LOOP

Code	Inner diameter	Inner height	D
4951/17 NP	17 mm	9 mm	2 mm
4951/20 NP	20 mm	10 mm	2 mm
4951/25 NP	25 mm	13 mm	2 mm
4951/32 NP	32 mm	13 mm	3 mm
4951/40 NP	40 mm	13 mm	3 mm



1536SS F/35



SADDLERY FLAT LOOP

STAINLESS

POLISHED

Code	Inner diameter	Inner height	D
1536SS F/16	17 mm	9 mm	2 mm
1536SS F/20	20 mm	11 mm	2 mm
1536SS F/25	25 mm	14 mm	2 mm

Code	Inner diameter	Inner height	D
1536SS F/30	30 mm	14 mm	2 mm
1536SS F/35	35 mm	14 mm	2 mm
1536SS F/40	40 mm	14 mm	2 mm

SADDLERY FLAT LOOP

STAINLESS

POLISHED



4970SS/25

Code	Inner diameter	Inner height	D
4970SS/25	25 mm	10 mm	2.3 mm
4970SS/30	30 mm	10 mm	2.3 mm
4970SS/35	35 mm	11 mm	2.3 mm
4970SS/40	40 mm	12 mm	2.3 mm



4951B/40 CP

BRASS

CHROME PLATED

SADDLERY FLAT LOOP

Code	Inner diameter	Inner height	D
4951B/30 CP	30 mm	14 mm	2 mm
4951B/40 CP	40 mm	14 mm	2 mm



RHINESTONE LOOP

ZINC DIE CASTING


CHROME PLATED



4950 S/10 CP



4950 S/13 CP



Swivels

SWIVEL Ø 4/4 MM

O 04/04 CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 5/5 MM

O 05/05 CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 6/6 MM

O 06/06 CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 8/8 MM

O 08/08 CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 10/10 MM

OT 10/10 CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 10/10 MM

O 10/10 CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 10/12 MM

O 10/12 CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 14/14 MM

O 14/14 CP

ZINC DIE CASTING

CHROME PLATED



STEEL SWIVEL Ø 10/11 MM

OS 10/11 NP

STEEL

NICKEL PLATED



SWIVEL Ø 14/14 MM

OT 14/14 CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 17/17 MM

O 17/17 CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 20/20 MM

O 20/20 CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 17 MM / D 25 MM

O 17/25Q CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 20 MM / D 25 MM
O 20/25Q CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL D 25/25 MM
O 25Q/25Q CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 19 MM/25 MM
OT 19/25 ZP

STEEL

ZINC PLATED



SOLID BRASS SWIVEL Ø 17/17 MM
178B/17

BRASS

POLISHED



SOLID BRASS SWIVEL Ø 13/13 MM
178B/13

BRASS

POLISHED



SWIVEL Ø 20 MM
J/20 CP

ZINC DIE CASTING

CHROME PLATED



SOLID BRASS
SWIVEL Ø 25 MM
BOJ/25

BRASS

POLISHED



Use with rivet 8x10 BOJ/25

SOLID BRASS
SWIVEL Ø 20 MM
BOJ/20

BRASS

POLISHED



Use with rivet 6x10 BOJ/17,20

SOLID BRASS
SWIVEL Ø 17 MM
BOJ/17

BRASS

POLISHED



Use with rivet 70Z

SWIVEL Ø 13 MM
J/13 CP

ZINC DIE CASTING

CHROME PLATED



Use with rivet
6x8 J/13

BRASS INGLEFIELD CLIP



167B/70

BRASS

POLISHED



167B/50

BRASS

POLISHED



ALUMINUM SWIVEL Ø 15
MM/15 MM – BLACK

D3D3-15/15/BK

ALUMINIUM

ANODIZED



ALUMINUM SWIVEL Ø 15
MM/15 MM – SILVER

D3D3-15/15/S

ALUMINIUM

ANODIZED



ALUMINUM SWIVEL Ø 16
MM/16 MM – BLACK

D1D1-16/16/BK

ALUMINIUM

ANODIZED



ALUMINUM SWIVEL Ø 16
MM/16 MM – SILVER

D1D1-16/16/S

ALUMINIUM

ANODIZED



ALUMINUM SWIVEL Ø 20
MM/20 MM – BLACK

D4D4-20Q/20Q/B

ALUMINIUM

ANODIZED



ALUMINUM SWIVEL Ø 20
MM/20 MM – SILVER

D4D4-20Q/20Q/S

ALUMINIUM

ANODIZED



ALUMINUM SWIVEL Ø 25
MM/25 MM – SILVER

D2D2-25Q/25Q/S

ALUMINIUM

ANODIZED



ALUMINUM SWIVEL Ø 25
MM/25 MM – BLACK


D2D2-25Q/25Q/B

ALUMINIUM

ANODIZED



Split Rings



W8K/25 CP

STEEL CHROME PLATED



WK8/25 S BP

BRASS POLISHED



WK8/25 S CP

STEEL CHROME PLATED

SPLIT RING HARDENED

Code	Inner diameter	D
W8K/19 CP	19 mm	3 mm
W8K/25 CP	25 mm	3 mm
W8K/30 CP	30 mm	3 mm

NEW

SPLIT RING

Code	Inner diameter	D
WK8/12 BP	12 mm	1.2 mm
WK8/16 BP	16 mm	1.2 mm
WK8/20 BP	20 mm	2 mm
WK8/25 S BP	25 mm	2 mm

SPLIT RING

Code	Inner diameter	D
WK8/8 CP	8 mm	1 mm
WK8/16 CP	16 mm	2 mm
WK8/20 S CP	20 mm	2 mm
WK8/25 S CP	25 mm	2 mm
WK8/34 S CP	36 mm	3 mm



WK8/30 F CP

STEEL CHROME PLATED



WK8/25 CP

STEEL CHROME PLATED

FLAT SPLIT RING

Code	Inner diameter	D
WK8/20 F CP	20 mm	3 mm
WK8/23 F CP	23 mm	3 mm
WK8/28 CP	28 mm	3 mm
WK8/30 F CP	30 mm	3 mm

SPLIT RING PATTERNED

Code	Inner diameter	D
WK8/21 CP	21 mm	2 mm
WK8/25 CP	25 mm	2 mm

SPLIT RING

Code	Inner diameter	D
406SS/1.8x16	16 mm	2 mm
406SS/2.0x20	20 mm	2 mm
406SS/2.0x25	26 mm	2 mm



406SS/2.0x25

STAINLESS





407SS/2.0x20

STAINLESS

FLAT SPLIT RING

Code	Inner diameter	D
407SS/2.0x20	20 mm	2 mm
407SS/2.0x25	25 mm	2 mm



407 ST/2.0x20 RG

STEEL

ROSE GOLD

FLAT SPLIT RING

Code	Inner diameter	D
407 ST/2.0x20 RG	20 mm	2 mm
407 ST/2.0x25 RG	25 mm	2 mm



407 ST/2.0x20 BK

STEEL

BLACK

FLAT SPLIT RING

Code	Inner diameter	D
407 ST/2.0x20 BK	20 mm	2 mm
407 ST/2.0x25 BK	25 mm	2 mm



WK8/16 BNP

STEEL

BLACK NICKLE

SPLIT RING

Code	Inner diameter	D
WK8/16 BNP	16 mm	2 mm
WK8/20 S BNP	20 mm	2 mm



WK8/20 F BNP

STEEL

BLACK NICKLE

FLAT SPLIT RING

Code	Inner diameter	D
WK8/20 F BNP	20 mm	3 mm
WK8/23 F BNP	23 mm	3 mm
WK8/30 F BNP	30 mm	3 mm



WK8/Star CP

STEEL

CHROME PLATED

STAR SHAPED FLAT SPLIT RING

Code	Inner diameter	D
WK8/Star CP	34 mm	3 mm



WK8/Heart CP

STEEL

CHROME PLATED

HEART SHAPED FLAT SPLIT RING

Code	Inner diameter	D
WK8/Heart CP	31 mm	3 mm



H5281 CP

STEEL

CHROME PLATED

KEY RING CHARM

Code	Inner diameter	D
H5281 CP	20 mm	3 mm



H5282 CP

ZINC DIE CASTING

CHROME PLATED

METAL KEY RING CHARM

Code	Inner diameter	D
H5282 CP	22 mm	4.4 mm



Metal Belt Clips

BELT CLIP 16 MM

1239/16 NP STEEL NICKEL PLATED



BELT CLIP 26 MM

1237/26 NP STEEL NICKEL PLATED



BELT CLIP 25 MM

1238/25 NP STEEL NICKEL PLATED



BELT CLIP 16 MM

1239/16 BNP STEEL BLACK NICKLE



BELT CLIP 26 MM

1237/26 BNP STEEL BLACK NICKLE





BELT CLIP 25 MM

1238/25 BNP STEEL BLACK NICKLE



Made by Karel B. Venzara

Clasps for Bracelets



NEW BL045SS/10X5

STAINLESS

POLISHED

MAGNETIC CLASP FOR BRACELETS

Code	Inner width	Inner height	Total length
BL046SS/8X3	8 mm	3 mm	20 mm
BL045SS/10X5	10 mm	5 mm	25 mm
BL045SS/12X6	12 mm	6 mm	25 mm



NEW BL045SS/10X5 VBK

STAINLESS

BLACK

MAGNETIC CLASP FOR BRACELETS

Code	Inner width	Inner height	Total length
BL046SS/8X3 VBK	8 mm	3 mm	20 mm
BL045SS/10X5 VBK	10 mm	5 mm	25 mm
BL045SS/12X6 VBK	12 mm	6 mm	25 mm



NEW BL045SS/10X5 VGP

STAINLESS

GOLD PLATED

MAGNETIC CLASP FOR BRACELETS

Code	Inner width	Inner height	Total length
BL046SS/8X3 VGP	8 mm	3 mm	20 mm
BL045SS/10X5 VGP	10 mm	5 mm	25 mm
BL045SS/12X6 VGP	12 mm	6 mm	25 mm



Bag Clasps & Closures

**BAG CLASP SET**

CL B/34X25

BRASS

POLISHED

**BAG CLASP**

ZINC DIE CASTING

NICKEL PLATED

CL265-NP

CL243-NP

CL671-NP

**BAG CLASP**

ZINC DIE CASTING

BLACK NICKLE

CL265-BNP

CL243-BNP

CL671-BNP

BAG CLASP

ZINC DIE CASTING

BLACK NICKLE



L023/23x33 BNP



H250/31x29 BNP



H522/29x32.5 BNP



L023/44x45 BNP



H1182/24x25 BNP

BAG CLASP

ZINC DIE CASTING

NICKEL PLATED



L023/23x33 NP



H1182/24x25 NP



H250/31x29 NP

**SWING BAG LOCK**

SBL/28x34 BNP

SBL/38x45 BNP

ZINC DIE CASTING

BLACK NICKLE



L023/44x45 NP



H522/29x32.5 NP

**SWING BAG LOCK**

SBL/28x34 NP

SBL/38x45 NP

ZINC DIE CASTING

NICKEL PLATED

Other Hardware

SPRING MONEY CLIP BAR



MC 15/80 NP

STEEL

NICKEL PLATED

K-PLATE

K-WLP CP

STEEL

CHROME PLATED



SLIDE PINCH CLIP

STEEL

NICKEL PLATED



4065/12 NP



4065/13 NP



4065 U/14 NP



4065/19 NP





DISPLAY RING WITH HOOK Ø120 MM

P-ring
Height: 20 cm, Width: 12 cm

STEEL

CHROME PLATED

DISPLAY RING WITHOUT HOOK Ø120 MM

O-ring

STEEL

CHROME PLATED



CURTAIN HOOK RING

KC-01

STEEL

NICKEL PLATED



A609R/25 S

ALUMINIUM

**ALUMINUM G-HOOK
RIGHT-HANDED**

Code	Inner diameter	Height
A609R/16 S	16 mm	34 mm
A609R/20 S	20 mm	38 mm
A609R/25 S	25 mm	40 mm
A609R/38 S	38 mm	52 mm



A609R/20 BK

ALUMINIUM

BLACK

**ALUMINUM G-HOOK
RIGHT-HANDED**

Code	Inner diameter	Height
A609R/16 BK	16 mm	34 mm
A609R/20 BK	20 mm	37 mm
A609R/25 BK	25 mm	40 mm
A609R/38 BK	38 mm	52 mm



A609L/16 BK

ALUMINIUM

BLACK

**ALUMINUM G-HOOK
LEFT-HANDED**

Code	Inner diameter	Height
A609L/16 BK	16 mm	34 mm
A609L/20 BK	20 mm	37 mm
A609L/25 BK	25 mm	40 mm
A609L/38 BK	38 mm	52 mm

Side Release Plastic Buckles



PLASTIC SIDE RELEASE BUCKLE 10–39 MM, CURVED



507 PL/40



507 PL/25



507 PL/20



507 PL/17



507 PL/13



507 PL/10

PLASTIC SIDE RELEASE BUCKLE 13–39 MM, CURVED



NEW 507N PL/13



507N PL/16



507N PL/19



507N PL/25



507N PL/40



REAL SIZE

SIDE RELEASE PLASTIC BUCKLES



PLASTIC SIDE RELEASE BUCKLE 20–40 MM, FROST-PROOF



PLASTIC BUCKLES



505 PL/40 AF



505 PL/50 AF



505 PL/20 AF



505 PL/25 AF



505 PL/30 AF

PLASTIC SIDE RELEASE BUCKLE 20–30 MM, FROST-PROOF



500 PL/30 AF



500 PL/25 AF



500 PL/20 AF

PLASTIC SIDE RELEASE BUCKLE 17–40 MM, WITH SAFETY LOCK



506 PL/17



506 PL/20



506 PL/40



506 PL/25



PLASTIC SIDE RELEASE BUCKLE 11–17 MM, CURVED



505 PL/10



505 PL/17

PLASTIC SWING BUCKLE 16–25 MM



NEW LK313/16



NEW LK313/20



NEW LK313/25

PLASTIC SIDE RELEASE BUCKLE 10 MM, BREAKAWAY



512UB PL/10



507UB PL/10





REAL SIZE |

SIDE RELEASE PLASTIC BUCKLES



PLASTIC SIDE RELEASE BUCKLE 10 MM, CURVED



S6D/10

PLASTIC SIDE RELEASE BUCKLE 25 MM, WITH SAFETY LOCK



S21/25

PLASTIC SIDE RELEASE BUCKLE 20-50 MM, HEAVY-DUTY



501 PL/40



501 PL/50



501 PL/25



501 PL/30



501 PL/20

PLASTIC SIDE RELEASE BUCKLE 20-25 MM, STRAIGHT



501D PL/20



501D PL/25

PLASTIC SIDE RELEASE BUCKLE DURAFLEX 15-38 MM, STRAIGHT



NEW D/MOJAVE/15



NEW D/MOJAVE/20



NEW D/MOJAVE/25



NEW D/MOJAVE/38





PLASTIC SIDE RELEASE BUCKLE DURAFLEX 15-30 MM, CURVED



DURAFLEX®

NEW

D/WIENERLOCK/15



DURAFLEX®

NEW

D/WIENERLOCK/20



DURAFLEX®

NEW

D/WIENERLOCK/25



DURAFLEX®

NEW

D/WIENERLOCK/30



FIDLOCK MAGNETIC FASTENERS FOR DOG COLLARS 15–40 MM



V-14410/20



V-11401/25



V-13408/40



F1665_15



NEW V-11401/25 GITD


PLASTIC SIDE RELEASE BUCKLE 25–40 MM, COBRA® NG



NG COBRA/45



NG COBRA/25



Plastic Triglide Slides



AC602H/20



202 PL/20

LADDERSLOC BUCKLE 20-25 MM


Code	Inner diameter	D
AC602H/20	20 mm	4 mm
AC602H/25	25 mm	4 mm

PLASTIC TRI-GLIDE 10-50 MM

Code	Inner diameter	D	Code	Inner diameter	D
202 PL/10	10 mm	5 mm	202 PL/25	25 mm	10 mm
202 PL/13	13 mm	4.5 mm	202 PL/30	30 mm	9 mm
202 PL/17	17 mm	7 mm	202 PL/40	40 mm	10 mm
202 PL/20	20 mm	9 mm	202 PL/50	50 mm	11 mm



Plastic Loops



L8A PL/40

PLASTIC LOOP 10–40 MM, ROUNDED

Code	Inner diameter	Height	D
L8A PL/10	10 mm	4 mm	2 mm
L8A PL/16	16 mm	4 mm	2 mm
L8A PL/20	20 mm	4 mm	2 mm
L8A PL/25	25 mm	5 mm	2 mm
L8A PL/30	32 mm	6 mm	2 mm
L8A PL/40	38 mm	6 mm	2 mm



408 PL/20

PLASTIC LOOP 10–30 MM, SQUARE

Code	Inner diameter	Height	D
408 PL/10	10 mm	4 mm	2 mm
408 PL/17	17 mm	6 mm	2 mm
408 PL/20	20 mm	6 mm	2 mm
408 PL/25	25 mm	5 mm	2 mm
408 PL/30	30 mm	5 mm	2 mm



401 PL/25

PLASTIC LOOP 13–39 MM, FLAT

Code	Inner diameter	Height	D
401 PL/13	13 mm	5 mm	2.5 mm
401 PL/17	17 mm	5.5 mm	3.5 mm
401 PL/20	20 mm	6 mm	3.5 mm
401 PL/25	25 mm	7 mm	3 mm
401 PL/40	39 mm	7 mm	3.5 mm





Plastic Cord Stoppers

MINI BALL CORD LOCK



Code	Inside diameter:
AB605	7 mm

SQUARE CORD LOCK



Code	Inside diameter:
PE606	8 mm

FLAT CORD LOCK



Code	Inside diameter:
AB624	5 mm

CORD LOCK



Code	Inside diameter:
AB621	4 mm

CORD LOCK



Code	Inside diameter:
PE616	6 mm

CORD LOCK



Code	Inside diameter:
AB603	5.5 mm

CORD LOCK




Code	Inside diameter:
AB610	5 mm

CORD LOCK



Code	Inside diameter:
AC607	10 mm



Plastic Cord Ends

PLASTIC END CAP Ø 5.5 MM



Code	Inside diameter:
AB641	5.5 mm

PLASTIC END CAP Ø 5.5 MM



Code	Inside diameter:
AB642	5.5 mm

PLASTIC END CAP Ø 4.4 MM



Code	Inside diameter:
AB642D	4.4 mm

PLASTIC END CAP Ø 4.2 MM




Code	Inside diameter:
AB642B	4.2 mm



PLASTIC END CAP Ø 4.4 MM NEW

Code	Inner ø	Lenght	Width
AB645C	4.4 mm	6.4 mm	9 mm

Plastic Snap Hooks



AC103/25



AC105/12



NEW

PP644

PLASTIC SNAP HOOK SWIVEL

Code	Inner diameter	Length
AC103/20	20 mm	62 mm
AC103/25	25 mm	61 mm
AC103/40	40 mm	62 mm

PLASTIC SNAP HOOK SWIVEL – ROUND EYE

Code	Inner diameter	Length
AC105/12	12 mm	62 mm

ESKIMO HOOK BALL

Code	Total length	Eye width	Gate Opening
PP644	31 mm	14 mm	7 mm

Plastic O-Rings / D-Rings



AC307/25




AC302/40

PLASTIC O RING

Code	Inner diameter	Length
AC307/20	20 mm	62 mm
AC307/25	25 mm	61 mm
AC307/40	40 mm	62 mm

PLASTIC D RING

Code	Inner diameter	Length
AC302/10	10 mm	15 mm
AC302/20	20 mm	26 mm
AC302/25	25 mm	33 mm
AC302/30	30 mm	39 mm
AC302/40	40 mm	50 mm



Trigger Snaps

SNAP HOOKS



ZINC DIE CASTING

NEO-CHROME

TRIGGER SNAP 61 MM/13

Code	Total length	Eye width	Weight	Breaking load
TRIGG M/13 NEO	61 mm	13 mm	26 g	130 kg




ZINC DIE CASTING

NEO-CHROME

TRIGGER SNAP 59 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
TRIGG M/20Q NEO	59 mm	20 mm	26 g	120 kg




ZINC DIE CASTING

ROSE GOLD

TRIGGER SNAP 61 MM/13

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/13 RG	61 mm	13 mm	26 g	130 kg




ZINC DIE CASTING

ROSE GOLD

TRIGGER SNAP 59 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/20QRG	59 mm	20 mm	26 g	120 kg




ZINC DIE CASTING

ROSE GOLD

TRIGGER SNAP 64 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/25QRG	64 mm	25 mm	40 g	130 kg



ZINC DIE CASTING

ROSE GOLD

TRIGGER SNAP 62 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/16Q RG	62 mm	16 mm	28 g	160 kg



ZINC DIE CASTING BLACK

TRIGGER SNAP 61 MM/13

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/13 BK	61 mm	13 mm	27 g	130 kg



ZINC DIE CASTING BLACK

TRIGGER SNAP 59 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/20Q BK	59 mm	20 mm	26 g	120 kg



ZINC DIE CASTING BLACK

TRIGGER SNAP 62 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/16QBK	62 mm	16 mm	28 g	160 kg



ZINC DIE CASTING BLACK

TRIGGER SNAP 64 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/25Q BK	64 mm	25 mm	40 g	130 kg



ZINC DIE CASTING ANTIQUE BRASS

TRIGGER SNAP 61 MM/13

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/13 AB	61 mm	13 mm	26 g	130 kg



ZINC DIE CASTING ANTIQUE BRASS

TRIGGER SNAP 62 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/16Q AB	62 mm	16 mm	28 g	160 kg



ZINC DIE CASTING ANTIQUE BRASS

TRIGGER SNAP 59 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/20Q AB	59 mm	20 mm	26 g	120 kg



ZINC DIE CASTING

GRAY

TRIGGER SNAP 61 MM/13

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/13 GM	61 mm	13 mm	26 g	130 kg




ZINC DIE CASTING

GRAY

TRIGGER SNAP 59 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/20Q GM	59 mm	20 mm	26 g	120 kg



ZINC DIE CASTING

NICKEL PLATED

NEW

TRIGGER SNAP 62 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/20QNP	62 mm	20 mm	38 g	230 kg



ZINC DIE CASTING

NICKEL PLATED

NEW

TRIGGER SNAP 63 MM/13

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/13 NP	63 mm	13 mm	35 g	130 kg





BRASS

CHROME PLATED

TRIGGER SNAP 66 MM/13

Code	Total length	Eye width	Weight	Breaking load
BTRIGGER M/13 CP	66 mm	13 mm	34 g	130 kg



BRASS

POLISHED

TRIGGER SNAP 63 MM/13

Code	Total length	Eye width	Weight	Breaking load
BTRIGGER M/13	63 mm	13 mm	36 g	150 kg



BRASS

POLISHED

TRIGGER SNAP 66 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
BTRIGGER M/20Q	66 mm	20 mm	40 g	130 kg




BRASS

POLISHED

TRIGGER SNAP 61 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
BTRIGGER M/13Q	61 mm	13 mm	33 g	140 kg




BRASS

POLISHED

TRIGGER SNAP 66 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
BTRIGGER M/16Q	66 mm	16 mm	37 g	162 kg



BRASS

POLISHED

TRIGGER SNAP 66 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
BTRIGGER M/25Q	66 mm	26 mm	50 g	140 kg



BRASS

POLISHED

TRIGGER SNAP 69 MM/17

Code	Total length	Eye width	Weight	Breaking load
BTRIGGER M/17	69 mm	17 mm	36 g	120 kg



BRASS

POLISHED

TRIGGER SNAP 71 MM/20

Code	Total length	Eye width	Weight	Breaking load
BTRIGGER M/20	71 mm	20 mm	38 g	135 kg



ZINC DIE CASTING

CHROME PLATED

TRIGGER SNAP 62 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/16Q CP	62 mm	16 mm	28 g	160 kg



ZINC DIE CASTING

CHROME PLATED

TRIGGER SNAP 62 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/20Q CP	62 mm	20 mm	38 g	230 kg



ZINC DIE CASTING

CHROME PLATED

TRIGGER SNAP 65 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/25Q CP	65 mm	25 mm	34 g	130 kg



ZINC DIE CASTING

CHROME PLATED

TRIGGER SNAP 63 MM/13

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/13 CP	63 mm	13 mm	35 g	130 kg



ZINC DIE CASTING

CHROME PLATED

TRIGGER SNAP 68 MM/17

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/17 CP	68 mm	17 mm	35 g	180 kg



ZINC DIE CASTING

CHROME PLATED

TRIGGER SNAP 67 MM/20

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/20 CP	67 mm	20 mm	36 g	180 kg



STAINLESS POLISHED

TRIGGER SNAP 65 MM/13

Code	Total length	Eye width	Weight	Breaking load
SS TRIGGER/13	65 mm	13 mm	51 g	426 kg



STAINLESS POLISHED

TRIGGER SNAP 64 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
SS TRIGGER /13Q	64 mm	13 mm	52 g	426 kg



STAINLESS POLISHED

TRIGGER SNAP 51 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
SS TRIGGER S/13Q	51 mm	13 mm	20 g	250 kg



STAINLESS POLISHED

TRIGGER SNAP 65 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
SS TRIGGER/20Q	65 mm	20 mm	53 g	500 kg



STAINLESS POLISHED

TRIGGER SNAP 66 MM/17

Code	Total length	Eye width	Weight	Breaking load
SS TRIGGER/17	66 mm	17 mm	54 g	500 kg



STAINLESS POLISHED

TRIGGER SNAP 66 MM/20

Code	Total length	Eye width	Weight	Breaking load
SS TRIGGER/20	66 mm	20 mm	53 g	500 kg



STAINLESS POLISHED

TRIGGER SNAP 65 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
SS TRIGGER/25Q	65 mm	25 mm	56 g	420 kg



STAINLESS

POLISHED

NEW

TRIGGER SNAP 63 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
SS BTRIGGER/20Q	63 mm	20 mm	21 g	500 kg



STAINLESS

POLISHED

NEW

TRIGGER SNAP 66 MM/13

Code	Total length	Eye width	Weight	Breaking load
SS BTRIGGER/13	66 mm	13 mm	54 g	500 kg



ZINC DIE CASTING

BLACK

TRIGGER SNAP 45 MM/10

Code	Total length	Eye width	Weight	Breaking load
TRIGGER S/10 BK	45 mm	10 mm	12 g	100 kg



BRASS

POLISHED

TRIGGER SNAP 45 MM/10

Code	Total length	Eye width	Weight	Breaking load
BTRIGGER S/10	47 mm	10 mm	16 g	100 kg




ZINC DIE CASTING

NICKEL PLATED

TRIGGER SNAP 45 MM/10

Code	Total length	Eye width	Weight	Breaking load
TRIGGER S/10 NP	45 mm	10 mm	12 g	100 kg



ZINC DIE CASTING

ROSE GOLD

TRIGGER SNAP 45 MM/10

Code	Total length	Eye width	Weight	Breaking load
TRIGGER S/10 RG	45 mm	10 mm	12 g	100 kg



STAINLESS

POLISHED

TRIGGER SNAP 45 MM/10

Code	Total length	Eye width	Weight	Breaking load
SS TRIGGER S/10	48 mm	10 mm	19 g	250 kg



ZINC DIE CASTING

ANTIQUE BRASS

TRIGGER SNAP 45 MM/10

Code	Total length	Eye width	Weight	Breaking load
TRIGGER S/10 AB	45 mm	10 mm	12 g	100 kg



ZINC DIE CASTING

GRAY

TRIGGER SNAP 45 MM/10

Code	Total length	Eye width	Weight	Breaking load
TRIGGER S/10 GM	45 mm	10 mm	12 g	100 kg



STEEL

ANTIQUE COPPER

HUNTING SNAP HOOK 91 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
WKS 20/20 AC	91 mm	20 mm	36 g	200 kg



STEEL

NICKEL PLATED

HUNTING SNAP HOOK 91 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
WKS 20/20 NP	91 mm	20 mm	36 g	200 kg



ALUMINIUM



ALUMINUM SNAP HOOK FROG 89 MM/11.5

Code	Total length	Eye width	Weight	Breaking load
7000XGNN0KK	89 mm	11.5 mm	50 g	2500 kg



ALUMINIUM

NEW



ALUMINUM SNAP HOOK FROG ANSI 92 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
7040XHNN0XX	92 mm	25 mm	70 g	2440 kg



ALUMINIUM

NEW



ALUMINIUM SNAP HOOK FROG 360 13 CM/25Q

Code	Total length	Eye width	Weight	Breaking load
7040XNNONKK	13 cm	25 mm	131 g	2300 kg



ALUMINIUM



ALUMINIUM SNAP HOOK FROG 360 13 CM/25Q

Code	Total length	Eye width	Weight	Breaking load
7040XNNNNKK	13 cm	25 mm	131 g	2300 kg

ALUMINUM TRIGGER SNAP 75 MM/15-25Q

ALUMINIUM

NEW



Code	Total length	Eye width	Weight	Breaking load
AZ188/15 BK	75 mm	15 mm	32 g	304 kg



Code	Total length	Eye width	Weight	Breaking load
AZ188/25Q BK	75 mm	25 mm	35 g	304 kg



Code	Total length	Eye width	Weight	Breaking load
AZ188/20Q BK	75 mm	20 mm	34 g	304 kg



SNAP HOOKS




ALUMINIUM



ALUMINIUM SNAP HOOK MINI FROG 60 MM/6

Code	Total length	Eye width	Weight	Breaking load
7250X0NN0KK	60 mm	6 mm	20 g	670 kg

Fire Brigade Snap Hooks



2460SS 8x80

STAINLESS POLISHED



2460 9x90

STEEL ZINC PLATED

STAINLESS FIRE BRIGADE SNAP HOOK 50–100 MM

Code	Length	Gate opening	D	Weight	Breaking load
2460SS 5x50	50 mm	7 mm	5 mm	16 g	450 kg
2460SS 6x60	60 mm	8 mm	6 mm	27 g	500 kg
2460SS 7x70	70 mm	9 mm	7 mm	43 g	500 kg
2460SS 8x80	80 mm	11 mm	8 mm	64 g	500 kg
2460SS 10x100	100 mm	13 mm	10 mm	122 g	500 kg

STEEL FIRE BRIGADE SNAP HOOK 40 –120 MM

Code	Length	Gate opening	D	Weight	Breaking load
2460 4x40	40 mm	6 mm	4 mm	8 g	65 kg
2460 5x50	50 mm	7 mm	5 mm	15 g	200 kg
2460 6x60	60 mm	8 mm	6 mm	26 g	250 kg
2460 7x70	70 mm	8 mm	7 mm	42 g	450 kg
2460 8x80	80 mm	10 mm	8 mm	61 g	500 kg
2460 9x90	90 mm	13 mm	9 mm	92 g	500 kg
2460 10x100	100 mm	13 mm	10 mm	120 g	500 kg
2460 11x120	12 cm	16 mm	11 mm	178 g	500 kg
2460 12x140	14 cm	21 mm	12 mm	254 g	500 kg




462LD011PKK

STEEL NEW

OVAL STEEL KONG CLASSIC CARABINER SNAP – SCREW LOCK



Code	Length	Gate opening	D	Weight	Breaking load
462LD011PKK	100 mm	16 mm	11 mm	176 g	2400 kg



Scissor Snap Hooks



ZINC DIE CASTING

CHROME PLATED

SCISSOR SNAP HOOK 62 MM/8

Code	Total length	Eye width	Weight	Breaking load
028/10 CP	62 mm	8 mm	12 g	60 kg



MALLEABLE IRON

NICKEL PLATED

SCISSOR SNAP HOOK 86 MM/11

Code	Total length	Eye width	Weight	Breaking load
SGM174M/50 NP	86 mm	11 mm	30 g	80 kg



MALLEABLE IRON

NICKEL PLATED

SCISSOR SNAP HOOK 100 MM/14

Code	Total length	Eye width	Weight	Breaking load
SGM174M/60 NP	100 mm	14 mm	46 g	100 kg



ZINC DIE CASTING

CHROME PLATED

SCISSOR SNAP HOOK 62 MM/8

Code	Total length	Eye width	Weight	Breaking load
028/08 CP	62 mm	8 mm	12 g	60 kg



ZINC DIE CASTING

CHROME PLATED

SCISSOR SNAP HOOK 100 MM/15

Code	Total length	Eye width	Weight	Breaking load
028/15 CP	100 mm	15 mm	41 g	80 kg



ZINC DIE CASTING

NICKEL PLATED

SCISSOR SNAP HOOK 120 MM/20

Code	Total length	Eye width	Weight	Breaking load
Z028/70 NP	12 cm	20 mm	36 g	80 kg



MALLEABLE IRON NICKEL PLATED

SCISSOR SNAP HOOK 117 MM/20

Code	Total length	Eye width	Weight	Breaking load
SGM174M-70-06 NP	11 cm	20 mm	90 g	120 kg




ZINC DIE CASTING CHROME PLATED

SCISSOR SNAP HOOK 127 MM/18

Code	Total length	Eye width	Weight	Breaking load
028/18 CP	13 cm	18 mm	67 g	120 kg





Fashion Snap Hooks



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 39 MM/6

Code	Total length	Eye width	Weight	Breaking load
40/06 CP	39 mm	6 mm	7 g	25 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 39 MM/12

Code	Total length	Eye width	Weight	Breaking load
40/12 CP	39 mm	12 mm	7 g	20 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 39 MM/16

Code	Total length	Eye width	Weight	Breaking load
40/16 CP	39 mm	16 mm	7 g	20 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 39 MM/16

Code	Total length	Eye width	Weight	Breaking load
40/16Q CP	39 mm	16 mm	7 g	20 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 39 MM/20

Code	Total length	Eye width	Weight	Breaking load
40/20Q CP	39 mm	20 mm	7 g	25 kg



ZINC DIE CASTING

ANTIQUE BRASS

HABERDASHERY SNAP 41 MM/12

Code	Total length	Eye width	Weight	Breaking load
40/12 AB	41 mm	12 mm	7 g	20 kg



ZINC DIE CASTING

ANTIQUE BRASS

HABERDASHERY SNAP 39 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
40/16Q AB	39 mm	16 mm	7 g	20 kg



ZINC DIE CASTING

ANTIQUE BRASS

HABERDASHERY SNAP 39 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
40/20Q AB	39 mm	20 mm	7 g	25 kg



ZINC DIE CASTING

ANTIQUE BRASS

HABERDASHERY SNAP 49 MM/20

Code	Total length	Eye width	Weight	Breaking load
808/20 AB	49 mm	20 mm	14 g	60 kg



ZINC DIE CASTING

ANTIQUE BRASS

NEW

HABERDASHERY SNAP 52 MM/25

Code	Total length	Eye width	Weight	Breaking load
808/25 AB	52 mm	25 mm	15 g	60 kg



ZINC DIE CASTING

ANTIQUE BRASS

HABERDASHERY SNAP 51 MM/40

Code	Total length	Eye width	Weight	Breaking load
808/40 AB	51 mm	40 mm	20 g	35 kg



ZINC DIE CASTING

ANTIQUE BRASS

HABERDASHERY SNAP 50 MM/30

Code	Total length	Eye width	Weight	Breaking load
808/30 AB	50 mm	30 mm	15 g	30 kg



ZINC DIE CASTING

ANTIQUE BRASS

HABERDASHERY SNAP 52 MM/30Q

Code	Total length	Eye width	Weight	Breaking load
808/30Q AB	52 mm	30 mm	18 g	30 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 49 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
808/20Q CP	49 mm	20 mm	12 g	40 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 52 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
808/25Q CP	52 mm	25 mm	14 g	60 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 52 MM/30Q

Code	Total length	Eye width	Weight	Breaking load
808/30Q CP	52 mm	30 mm	18 g	30 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 54 MM/40Q

Code	Total length	Eye width	Weight	Breaking load
808/40Q CP	54 mm	40 mm	21 g	40 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 48 MM/10

Code	Total length	Eye width	Weight	Breaking load
808/10 CP	48 mm	10 mm	10 g	40 kg



ZINC DIE CASTING

CHROME PLATED

NEW

HABERDASHERY SNAP 50 MM/16

Code	Total length	Eye width	Weight	Breaking load
808/16 CP	50 mm	16 mm	11 g	60 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 49 MM/20

Code	Total length	Eye width	Weight	Breaking load
808/20 CP	49 mm	20 mm	15 g	60 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 52 MM/25

Code	Total length	Eye width	Weight	Breaking load
808/25 CP	52 mm	25 mm	15 g	60 kg



ZINC DIE CASTING

BRASS PLATED

NEW

HABERDASHERY SNAP 52 MM/25

Code	Total length	Eye width	Weight	Breaking load
808/25 BP	52 mm	25 mm	15 g	60 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 54 MM/40

Code	Total length	Eye width	Weight	Breaking load
808/40 CP	54 mm	40 mm	21 g	35 kg



ZINC DIE CASTING

CHROME PLATED

NEW

HABERDASHERY SNAP 51 MM/50

Code	Total length	Eye width	Weight	Breaking load
808/50 CP	51 mm	50 mm	19 g	35 kg



ZINC DIE CASTING

BRASS PLATED

HABERDASHERY SNAP 50 MM/30

Code	Total length	Eye width	Weight	Breaking load
808/30 BP	50 mm	30 mm	15 g	30 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 63 MM/40Q

Code	Total length	Eye width	Weight	Breaking load
704/40Q CP	63 mm	40 mm	19 g	40 kg



ZINC DIE CASTING

ANTIQUÉ BRASS

HABERDASHERY SNAP 62 MM/40Q

Code	Total length	Eye width	Weight	Breaking load
704/40Q AB	62 mm	40 mm	19 g	40 kg



ZINC DIE CASTING BLACK NEW

HABERDASHERY SNAP 54 MM/40

Code	Total length	Eye width	Weight	Breaking load
808/40 BK	54 mm	40 mm	21 g	35 kg



ZINC DIE CASTING BLACK NEW

HABERDASHERY SNAP 50 MM/30

Code	Total length	Eye width	Weight	Breaking load
808/30 BK	50 mm	30 mm	15 g	30 kg



ZINC DIE CASTING BLACK NEW

HABERDASHERY SNAP 54 MM/40Q

Code	Total length	Eye width	Weight	Breaking load
808/40Q BK	54 mm	40 mm	21 g	40 kg



STEEL CHROME PLATED

METAL SNAP HOOK 50 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
C 17/20Q CP	50 mm	20 mm	9 g	40 kg



STEEL CHROME PLATED

METAL SNAP HOOK 50 MM/30Q

Code	Total length	Eye width	Weight	Breaking load
C 17/30Q CP	50 mm	30 mm	10 g	40 kg



STEEL CHROME PLATED

METAL SNAP HOOK 50 MM/40Q

Code	Total length	Eye width	Weight	Breaking load
C 17/40Q CP	50 mm	40 mm	19 g	40 kg



ZINC DIE CASTING CHROME PLATED

HABERDASHERY SNAP 34 MM/10

Code	Total length	Eye width	Weight	Breaking load
35/6 CP	34 mm	10 mm	6 g	12 kg



ZINC DIE CASTING CHROME PLATED

HABERDASHERY SNAP 34 MM/12

Code	Total length	Eye width	Weight	Breaking load
35/12 CP	34 mm	12 mm	4 g	15 kg



LEVER SNAP 45 MM/23Q



Z3801/25 BK

ZINC DIE CASTING

BLACK

Code	Total length	Eye width	Weight	Breaking load
Z3801/25 BK	45 mm	23 mm	19 g	2 kg



Z3801/25 NP

ZINC DIE CASTING

NICKEL PLATED

Code	Total length	Eye width	Weight	Breaking load
Z3801/25 NP	45 mm	23 mm	19 g	2 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 70 MM/9

Code	Total length	Eye width	Weight	Breaking load
405 CP	70 mm	9 mm	11 g	2 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 53 MM/16

Code	Total length	Eye width	Weight	Breaking load
K-H23mm	53 mm	16 mm	3 g	2 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 66 MM/8

Code	Total length	Eye width	Weight	Breaking load
406 CP	66 mm	8 mm	9 g	2 kg

SIMPLEX HOOK 20-50 MM/18-50

STEEL

NICKEL PLATED

Code	Total length	Eye width	Weight	Breaking load
150	20 mm	18 mm	1 g	15 kg
190	30 mm	28 mm	2 g	20 kg
210	40 mm	37 mm	4 g	30 kg
230	50 mm	46 mm	8 g	50 kg



150



190




210



230

Decorative Snap Hooks



ZINC DIE CASTING

NICKEL PLATED

SPRING SNAP DELUXE 51 MM/10

Code	Total length	Eye width	Weight	Breaking load
90 S/10 NP	51 mm	10 mm	11 g	90 kg



ZINC DIE CASTING

BLACK

SPRING SNAP DELUXE 51 MM/10

Code	Total length	Eye width	Weight	Breaking load
90 S/10 BK	51 mm	10 mm	11 g	90 kg



ZINC DIE CASTING

ROSE GOLD

SPRING SNAP DELUXE 51 MM/10

Code	Total length	Eye width	Weight	Breaking load
90 S/10 RG	51 mm	10 mm	11 g	90 kg



ZINC DIE CASTING

NICKEL PLATED

SPRING SNAP DELUXE 49 MM/10Q

Code	Total length	Eye width	Weight	Breaking load
90 S/10Q NP	49 mm	10 mm	11 g	90 kg



ZINC DIE CASTING

BLACK

SPRING SNAP DELUXE 49 MM/10Q

Code	Total length	Eye width	Weight	Breaking load
90 S/10Q BK	48 mm	10 mm	11 g	90 kg




ZINC DIE CASTING

ROSE GOLD

SPRING SNAP DELUXE 49 MM/10Q

Code	Total length	Eye width	Weight	Breaking load
90 S/10Q RG	47mm	10 mm	11 g	90 kg



ZINC DIE CASTING

NICKEL PLATED

SPRING SNAP DELUXE 48 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
90 S/13Q NP	49 mm	13 mm	12 g	90 kg



ZINC DIE CASTING

BLACK

SPRING SNAP DELUXE 48 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
90 S/13Q BK	49 mm	13 mm	12 g	90 kg




ZINC DIE CASTING

ROSE GOLD

SPRING SNAP DELUXE 48 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
90 S/13Q RG	49 mm	13 mm	12 g	90 kg



ZINC DIE CASTING

NICKEL PLATED

SPRING SNAP DELUXE 50 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
90 S/16Q NP	49 mm	16 mm	12 g	90 kg




ZINC DIE CASTING

BLACK

SPRING SNAP DELUXE 50 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
90 S/16Q BK	49 mm	16 mm	12 g	90 kg



ZINC DIE CASTING

ROSE GOLD

SPRING SNAP DELUXE 50 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
90 S/16Q RG	49 mm	16 mm	12 g	90 kg



ZINC DIE CASTING

NICKEL PLATED

NEW

SPRING SNAP DELUXE 77 MM/16

Code	Total length	Eye width	Weight	Breaking load
Z505A/16 NP	77 mm	16 mm	33 g	204 kg



ZINC DIE CASTING

NICKEL PLATED

NEW

SPRING SNAP DELUXE 86 MM/26

Code	Total length	Eye width	Weight	Breaking load
Z505A/26 NP	86 mm	26 mm	40 g	240 kg





ZINC DIE CASTING NICKEL PLATED



SPRING SNAP DELUXE WITH
SAFETY LOCK 84 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
90 SL/25Q NP	84 mm	25 mm	50 g	200 kg



ZINC DIE CASTING NICKEL PLATED



SPRING SNAP DELUXE WITH
SAFETY LOCK 82 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
90 SL/20Q NP	82 mm	20 mm	47 g	200 kg



ZINC DIE CASTING NICKEL PLATED



SPRING SNAP DELUXE WITH
SAFETY LOCK 88 MM/20

Code	Total length	Eye width	Weight	Breaking load
90 SL/20 NP	88 mm	20 mm	51 g	200 kg



ZINC DIE CASTING BLACK



SPRING SNAP DELUXE WITH
SAFETY LOCK 84 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
90 SL/25Q BK	84 mm	25 mm	50 g	200 kg



ZINC DIE CASTING BLACK



SPRING SNAP DELUXE WITH
SAFETY LOCK 88 MM/20

Code	Total length	Eye width	Weight	Breaking load
90 SL/20 BK	88 mm	20 mm	51 g	200 kg



ZINC DIE CASTING BLACK



SPRING SNAP DELUXE WITH
SAFETY LOCK 82 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
90 SL/20Q BK	82 mm	20 mm	47 g	200 kg




ZINC DIE CASTING

CHROME PLATED

SPRING SNAP DELUXE 80 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
90/25Q CP	80 mm	25 mm	48 g	200 kg




ZINC DIE CASTING

CHROME PLATED

SPRING SNAP DELUXE 80 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
90/20Q CP	80 mm	20 mm	44 g	200 kg




ZINC DIE CASTING

CHROME PLATED

SPRING SNAP DELUXE 80 MM/22Q

Code	Total length	Eye width	Weight	Breaking load
90/22Q CP	80 mm	22 mm	44 g	200 kg



ZINC DIE CASTING

CHROME PLATED

NEW

SPRING SNAP DELUXE 86 MM/13

Code	Total length	Eye width	Weight	Breaking load
90/13 CP	86 mm	13 mm	40 g	300 kg



ZINC DIE CASTING

CHROME PLATED

SPRING SNAP DELUXE 90 MM/17

Code	Total length	Eye width	Weight	Breaking load
90/17 CP	90 mm	17 mm	43 g	200 kg



ZINC DIE CASTING

BLACK

NEW

SPRING SNAP DELUXE 86 MM/13

Code	Total length	Eye width	Weight	Breaking load
90/13 BK	86 mm	13 mm	40 g	300 kg




ZINC DIE CASTING

CHROME PLATED

SPRING SNAP DELUXE 90 MM/20

Code	Total length	Eye width	Weight	Breaking load
90/20 CP	90 mm	20 mm	49 g	200 kg



ZINC DIE CASTING

BLACK

SPRING SNAP DELUXE 80 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
90/25Q BK	80 mm	25 mm	48 g	200 kg



ZINC DIE CASTING

BRASS PLATED

SPRING SNAP DELUXE 80 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
90/25Q BP	80 mm	25 mm	48 g	200 kg




ZINC DIE CASTING

NEO-CHROME

SPRING SNAP DELUXE 80 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
90/25Q NEO	80 mm	25 mm	48 g	200 kg




ZINC DIE CASTING

ROSE GOLD

SPRING SNAP DELUXE 80 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
90/25Q RG	80 mm	25 mm	48 g	200 kg



Solid Brass Snap Hooks



BRASS POLISHED

SNAP HOOK 51 MM/7

Code	Total length	Eye width	Weight	Breaking load
B38/06	51 mm	7 mm	13 g	100 kg



BRASS POLISHED

SNAP HOOK 45 MM/10

Code	Total length	Eye width	Weight	Breaking load
B45/10	45 mm	10 mm	13 g	80 kg



BRASS POLISHED

SNAP HOOK 52 MM/10

Code	Total length	Eye width	Weight	Breaking load
98B/10	52 mm	10 mm	12 g	70 kg



BRASS POLISHED

SNAP HOOK 56 MM/10

Code	Total length	Eye width	Weight	Breaking load
350B/10	56 mm	10 mm	18 g	70 kg



BRASS POLISHED

SNAP HOOK 57 MM/13

Code	Total length	Eye width	Weight	Breaking load
350B/13	57 mm	13 mm	18 g	100 kg



BRASS POLISHED

SNAP HOOK 62 MM/10

Code	Total length	Eye width	Weight	Breaking load
B50/10	62 mm	10 mm	20 g	70 kg



BRASS POLISHED

SNAP HOOK 62 MM/13

Code	Total length	Eye width	Weight	Breaking load
B50/13	62 mm	13 mm	26 g	80 kg



BRASS POLISHED

SNAP HOOK 65 MM/17

Code	Total length	Eye width	Weight	Breaking load
5055B/17	65 mm	17 mm	24 g	95 kg



SNAP HOOK 67 MM/10 BRASS POLISHED

Code	Total length	Eye width	Weight	Breaking load
B60/10L	67 mm	10 mm	26 g	170 kg



SNAP HOOK 75 MM/13 BRASS POLISHED

Code	Total length	Eye width	Weight	Breaking load
505AB/13	75 mm	13 mm	24 g	95 kg



SNAP HOOK 70 MM/13 BRASS POLISHED

Code	Total length	Eye width	Weight	Breaking load
B55/13	70 mm	13 mm	26 g	170 kg



SNAP HOOK 76 MM/14 BRASS POLISHED

Code	Total length	Eye width	Weight	Breaking load
B225/14	76 mm	14 mm	47 g	95 kg



BRASS CHROME PLATED

SNAP HOOK 80 MM/17

Code	Total length	Eye width	Weight	Breaking load
B225/17 CP	80 mm	17 mm	49 g	224 kg



BRASS CHROME PLATED

SNAP HOOK 79 MM/13


Code	Total length	Eye width	Weight	Breaking load
B70/13 CP	79 mm	13 mm	33 g	114 kg



BRASS POLISHED

SNAP HOOK 79 MM/13

Code	Total length	Eye width	Weight	Breaking load
B70/13	79 mm	13 mm	33 g	114 kg



BRASS POLISHED

SNAP HOOK 85 MM/20

Code	Total length	Eye width	Weight	Breaking load
B70/20	85 mm	20 mm	55 g	114 kg



BRASS POLISHED

SNAP HOOK 81 MM/17

Code	Total length	Eye width	Weight	Breaking load
B70/17	81 mm	17 mm	34 g	114 kg



BRASS POLISHED

SNAP HOOK 80 MM/17


Code	Total length	Eye width	Weight	Breaking load
B225/17	80 mm	17 mm	52 g	224 kg



BRASS POLISHED

SNAP HOOK 82 MM/17

Code	Total length	Eye width	Weight	Breaking load
505AB/17	82 mm	17 mm	44 g	200 kg



BRASS POLISHED

SNAP HOOK 80 MM/20


Code	Total length	Eye width	Weight	Breaking load
B225/20	80 mm	20 mm	48 g	170 kg



BRASS POLISHED

SNAP HOOK 81 MM/14


Code	Total length	Eye width	Weight	Breaking load
B004-12	81 mm	14 mm	51 g	220 kg



BRASS POLISHED

SNAP HOOK 100 MM/28

Code	Total length	Eye width	Weight	Breaking load
B225/28 LIGHT	100 mm	28 mm	77 g	280 kg



BRASS POLISHED

SNAP HOOK 120 MM/32

Code	Total length	Eye width	Weight	Breaking load
B225/28	12 cm	32 mm	123 g	300 kg



BRASS POLISHED

SNAP HOOK 57 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
B50/13Q	57 mm	13 mm	23 g	138 kg



BRASS POLISHED

SNAP HOOK 72 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
HB0171/16Q	72 mm	16 mm	41 g	188 kg




BRASS POLISHED

SNAP HOOK 73 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
0170B/17Q	73 mm	17 mm	31 g	122 kg






BRASS POLISHED

SNAP HOOK 73 MM/20Q


Code	Total length	Eye width	Weight	Breaking load
HB0171/20Q	73 mm	20 mm	53 g	188 kg



BRASS POLISHED

SNAP HOOK 75 MM/20Q


Code	Total length	Eye width	Weight	Breaking load
5026BS/20Q	75 mm	20 mm	31 g	95 kg



BRASS POLISHED

SNAP HOOK 75 MM/20Q


Code	Total length	Eye width	Weight	Breaking load
B017/20Q	75 mm	20 mm	53 g	200 kg



BRASS CHROME PLATED

SNAP HOOK 75 MM/20Q


Code	Total length	Eye width	Weight	Breaking load
B017/20Q CP	75 mm	20 mm	53 g	200 kg



BRASS POLISHED

SNAP HOOK 75 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
0170B/25Q	76 mm	25 mm	33 g	122 kg



BRASS POLISHED

SNAP HOOK 75 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
B017/17Q	75 mm	17 mm	53 g	220 kg



BRASS POLISHED NEW

SNAP HOOK 58 MM/21Q


Code	Total length	Eye width	Weight	Breaking load
5055B/21Q	58 mm	21 mm	20 g	120 kg



BRASS POLISHED NEW

SNAP HOOK 58 MM/26Q


Code	Total length	Eye width	Weight	Breaking load
5055B/26Q	58 mm	26 mm	20 g	120 kg



BRASS POLISHED

SNAP HOOK 75 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
B017/25Q	75 mm	25 mm	70 g	250 kg



BRASS POLISHED

SNAP HOOK 75 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
0170B/20Q	75 mm	20 mm	36 g	122 kg



BRASS POLISHED

SNAP HOOK 80 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
B80/20Q	80 mm	20 mm	48 g	200 kg



BRASS POLISHED

SNAP HOOK 62 MM/17

Code	Total length	Eye width	Weight	Breaking load
56BR/17	62 mm	17 mm	32 g	60 kg



BRASS POLISHED

SNAP HOOK 82 MM/25

Code	Total length	Eye width	Weight	Breaking load
25B/25	82 mm	25 mm	63 g	200 kg



BRASS POLISHED

SNAP HOOK 67 MM/22

Code	Total length	Eye width	Weight	Breaking load
56BR/22	67 mm	22 mm	35 g	80 kg



BRASS POLISHED

SNAP HOOK 65 MM/20

Code	Total length	Eye width	Weight	Breaking load
56BR/20	65 mm	20 mm	33 g	70 kg



BRASS POLISHED

SNAP HOOK 63 MM/20Q


Code	Total length	Eye width	Weight	Breaking load
56B/20Q	63 mm	20 mm	34 g	80 kg



BRASS POLISHED

SNAP HOOK 61 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
56B/17Q	61 mm	16 mm	33 g	80 kg



BRASS POLISHED

SNAP HOOK 65/17Q


Code	Total length	Eye width	Weight	Breaking load
56B/25Q	65 mm	25 mm	40 g	80 kg



BRASS POLISHED

SNAP HOOK 61 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
3726B/17	61 mm	17 mm	34 g	80 kg



BRASS POLISHED

SNAP HOOK 66 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
3726B/20	66 mm	20 mm	42 g	100 kg




SNAP HOOK 68 MM/25Q

BRASS POLISHED

Code	Total length	Eye width	Weight	Breaking load
3726B/25	68 mm	25 mm	48 g	100 kg




Stainless Snap Hooks



STAINLESS
POLISHED

SNAP HOOK 66 MM/10

Code	Total length	Eye width	Weight	Breaking load
SS60/10	66 mm	10 mm	21 g	220 kg



SNAP HOOK 82 MM/17
 STAINLESS
POLISHED

Code	Total length	Eye width	Weight	Breaking load
SS225/17	82 mm	17 mm	50 g	400 kg



STAINLESS
POLISHED

SNAP HOOK 66 MM/10

Code	Total length	Eye width	Weight	Breaking load
SS5026/10	66 mm	10 mm	21 g	220 kg



STAINLESS
POLISHED

SNAP HOOK 83 MM/17

Code	Total length	Eye width	Weight	Breaking load
SS227/17	83 mm	17 mm	38 g	250 kg



STAINLESS
POLISHED

SNAP HOOK 69 MM/13

Code	Total length	Eye width	Weight	Breaking load
SS5026/13	69 mm	13 mm	26 g	230 kg



STAINLESS
POLISHED

SNAP HOOK 64 MM/13

Code	Total length	Eye width	Weight	Breaking load
SS5026R/13	64 mm	13 mm	22 g	230 kg



STAINLESS
POLISHED

SNAP HOOK 120 MM/32

Code	Total length	Eye width	Weight	Breaking load
SS225/32	12 cm	32 mm	120 g	450 kg



STAINLESS POLISHED

SNAP HOOK 87 MM/20

Code	Total length	Eye width	Weight	Breaking load
SS80/20	87 mm	20 mm	47 g	350 kg



STAINLESS POLISHED

SNAP HOOK 78 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
017SS/25Q	78 mm	25 mm	55 g	250 kg



STAINLESS POLISHED

SNAP HOOK 84 MM/13

Code	Total length	Eye width	Weight	Breaking load
SS70/13	84 mm	13 mm	35 g	310 kg



STAINLESS POLISHED

SNAP HOOK 64 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
017SS/17Q	64 mm	13 mm	22 g	230 kg



STAINLESS POLISHED

SNAP HOOK 58 MM/12Q

Code	Total length	Eye width	Weight	Breaking load
2309SS/12Q	58 mm	12 mm	19 g	230 kg



STAINLESS POLISHED

SNAP HOOK 67 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
SS5026/13Q	67 mm	13 mm	27 g	230 kg



STAINLESS POLISHED

SNAP HOOK 64 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
017SS/20Q	64 mm	13 mm	22 g	230 kg



STAINLESS POLISHED NEW

SNAP HOOK 58 MM/13

Code	Total length	Eye width	Weight	Breaking load
709SS/13	58 mm	13 mm	18 g	230 kg





STAINLESS POLISHED

SNAP HOOK 60 MM/17Q


Code	Total length	Eye width	Weight	Breaking load
SS5026/17Q	60 mm	17 mm	22 g	250 kg



STAINLESS POLISHED

SNAP HOOK 67 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
SS5026/20Q	67 mm	20 mm	28 g	220 kg



STAINLESS POLISHED

SNAP HOOK 74 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
SS5026/25Q	74 mm	25 mm	41 g	250 kg



STAINLESS POLISHED

SNAP HOOK 82 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
SS80/20Q	82 mm	20 mm	48 g	350 kg



STAINLESS POLISHED

SNAP HOOK 79 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
2309SS/20Q	79 mm	20 mm	41 g	220 kg



STAINLESS POLISHED

SNAP HOOK 82 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
2309SS/25Q	82 mm	25 mm	63 g	250 kg



STAINLESS POLISHED

SNAP HOOK 80 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
SS80/25Q	80 mm	25 mm	52 g	350 kg



STAINLESS POLISHED

SNAP HOOK 77 MM/26Q

Code	Total length	Eye width	Weight	Breaking load
ZM017SS/26Q	77 mm	26 mm	50 g	250 kg



STAINLESS POLISHED

SNAP HOOK 78 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
SS5025/20Q	78 mm	20 mm	33 g	220 kg



STAINLESS POLISHED

SNAP HOOK 51 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
56SS/13	51 mm	13 mm	23 g	130 kg



STAINLESS POLISHED

SNAP HOOK 65 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
56SS/17	65 mm	17 mm	35 g	140 kg



STAINLESS POLISHED NEW

SNAP HOOK 75 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
200SS/20	75 mm	20 mm	56 g	150 kg



STAINLESS POLISHED

SNAP HOOK 65 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
56SS/20	65 mm	20 mm	41 g	150 kg



STAINLESS POLISHED

SNAP HOOK 79 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
200SS/25	79 mm	25 mm	63 g	150 kg



STAINLESS POLISHED

SNAP HOOK 66 MM/26Q

Code	Total length	Eye width	Weight	Breaking load
56SS/26	66 mm	26 mm	43 g	150 kg



STAINLESS POLISHED

SNAP HOOK 84 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
830SS/17	84 mm	17 mm	43 g	302 kg



STAINLESS POLISHED

SNAP HOOK 85 MM/12

Code	Total length	Eye width	Weight	Breaking load
830SS/12	58 mm	12 mm	16 g	150 kg




STAINLESS POLISHED

SNAP HOOK 70 MM/15

Code	Total length	Eye width	Weight	Breaking load
830SS/15	70 mm	15 mm	27 g	240 kg



Stainless Steel Snap Shackles



SS106/12 STAINLESS POLISHED

STAINLESS STEEL SNAP SHACKLE 12-22Q

Code	Total length	Eye width	Weight	Breaking load
SS106/12	70 mm	12 mm	64 g	1900 kg
S2476 90MM	90 mm	13 mm	131 g	3000 kg
S2476 127MM	13 cm	22 mm	340 g	3800 kg



S2482 65MM STAINLESS POLISHED

STAINLESS STEEL SNAP SHACKLE 12-24

Code	Total length	Eye width	Weight	Breaking load
S2482 65MM	65 mm	12 mm	61 g	1900 kg
S2482 88MM	88 mm	17 mm	115 g	2800 kg
S2482 122MM	12 cm	24 mm	272 g	3800 kg



S2470-65MM/20 STAINLESS POLISHED

STAINLESS STEEL SNAP SHACKLE 20-25

Code	Total length	Eye width	Weight	Breaking load
S2470-65MM/20	65 mm	21 mm	40 g	1500 kg
S2470-76MM/25	76 mm	25 mm	68 g	1500 kg



S2483 52MM STAINLESS POLISHED


STAINLESS STEEL SNAP SHACKLE 8-22

Code	Total length	Eye width	Weight	Breaking load
S2483 35MM	35 mm	8 mm	39 g	1800 kg
S2483 52MM	52 mm	12 mm	44 g	1800 kg
S2483 66MM	66 mm	16 mm	77 g	2800 kg
S2483 96MM	95 mm	22 mm	210 g	3800 kg



REAL SIZE

ALUMINUM KEYCHAIN CARABINERS



Aluminum Keychain Carabiners

SNAP HOOKS



AL 5x50 B



AL 6x60 R

ALUMINIUM

ANODIZED

ALUMINUM KEYCHAIN CARABINER 47 MM, D-SHAPE

Code		Color	Length	Inner diameter	Gate opening	Weight	Breaking load
AL 5x50 S		Silver	47 mm	38 mm	12 mm	6 g	15 kg
AL 5x50 B		Black	47 mm	38 mm	12 mm	6 g	15 kg
AL 5x50 R		Red	47 mm	38 mm	12 mm	6 g	15 kg
AL 5x50 V		Purple	47 mm	38 mm	12 mm	6 g	15 kg
AL 5x50 BL		Blue	47 mm	38 mm	12 mm	6 g	15 kg
AL 5x50 O		Orange	47 mm	38 mm	12 mm	6 g	15 kg
AL 5x50 G		Green	47 mm	38 mm	12 mm	6 g	15 kg
AL 5x50 MIX		MIX	47 mm	38 mm	12 mm	6 g	15 kg

ALUMINIUM

ANODIZED

ALUMINUM KEYCHAIN CARABINER 57 MM, D-SHAPE

Code		Color	Length	Inner diameter	Gate opening	Weight	Breaking load
AL 6x60 S		Silver	57 mm	46 mm	13 mm	7 g	20 kg
AL 6x60 B		Black	57 mm	46 mm	13 mm	9 g	20 kg
AL 6x60 R		Red	57 mm	46 mm	13 mm	7 g	20 kg
AL 6x60 V		Purple	60 mm	49 mm	15 mm	7 g	20 kg
AL 6x60 BL		Blue	57 mm	46 mm	13 mm	7 g	20 kg
AL 6x60 O		Orange	60 mm	49 mm	14 mm	7 g	20 kg
AL 6x60 G		Green	57 mm	46 mm	13 mm	7 g	20 kg
AL 6x60 MIX		MIX	57 mm	46 mm	13 mm	7 g	20 kg

ALUMINUM KEYCHAIN CARABINER 48 MM, BRASS SCREW LOCK



AL S Screw Lock

ALUMINIUM

ANODIZED

Code		Color	Length	Inner diameter	Gate opening	Weight	Breaking load
AL S Screw Lock		Silver	48 mm	41 mm	4 mm	4 g	20 kg
AL B Screw Lock		Black	48 mm	41 mm	4 mm	4 g	20 kg



AL 7x70 BL

ALUMINIUM

ANODIZED

ALUMINUM KEYCHAIN CARABINER 68 MM, D-SHAPE

Code		Color	Length	Inner diameter	Gate opening	Weight	Breaking load
AL 7x70 S		Silver	68 mm	55 mm	15 mm	11 g	20 kg
AL 7x70 B		Black	67 mm	55 mm	17 mm	11 g	20 kg
AL 7x70 R		Red	67 mm	55 mm	17 mm	11 g	20 kg
AL 7x70 V		Purple	67 mm	55 mm	17 mm	11 g	20 kg
AL 7x70 BL		Blue	67 mm	55 mm	17 mm	11 g	20 kg
AL 7x70 O		Orange	67 mm	55 mm	17 mm	11 g	20 kg
AL 7x70 G		Green	67 mm	55 mm	17 mm	11 g	20 kg
AL 7x70 MIX		MIX	67 mm	55 mm	17 mm	11 g	20 kg



AL-2 6x60 S

ALUMINIUM

ANODIZED

ALUMINUM KEYCHAIN CARABINER 59 MM, PEAR-SHAPED

Code		Color	Length	Inner diameter	Gate opening	Weight	Breaking load
AL-2 6x60 S		Silver	59 mm	50 mm	10 mm	5 g	15 kg
AL-2 6x60 B		Black	59 mm	50 mm	10 mm	5 g	15 kg
AL-2 6x60 R		Red	59 mm	50 mm	10 mm	5 g	15 kg
AL-2 6x60 O		Orange	59 mm	50 mm	10 mm	5 g	15 kg
AL-2 6x60 BL		Blue	59 mm	50 mm	10 mm	5 g	15 kg



AL-2 5x50 O

ALUMINIUM

ANODIZED

ALUMINUM KEYCHAIN CARABINER 49 MM, PEAR-SHAPED

Code		Color	Length	Inner diameter	Gate opening	Weight	Breaking load
AL-2 5x50 S		Silver	49 mm	42 mm	9 mm	3 g	5 kg
AL-2 5x50 B		Black	49 mm	42 mm	9 mm	3 g	5 kg
AL-2 5x50 R		Red	49 mm	42 mm	9 mm	3 g	5 kg
AL-2 5x50 O		Orange	49 mm	42 mm	9 mm	3 g	5 kg



AL-SL 7x70 BL

ALUMINIUM


ANODIZED

ALUMINUM KEYCHAIN CARABINER 74 MM, D-SHAPED (SCREW LOCK)

Code		Color	Length	Inner diameter	Gate opening	Weight	Breaking load
AL-SL 7x70 S		Silver	74 mm	61 mm	17 mm	15 g	50 kg
AL-SL 7x70 B		Black	74 mm	61 mm	17 mm	15 g	50 kg
AL-SL 7x70 R		Red	74 mm	61 mm	17 mm	15 g	50 kg
AL-SL 7x70 O		Orange	74 mm	61 mm	17 mm	15 g	50 kg
AL-SL 7x70 BL		Blue	74 mm	61 mm	17 mm	15 g	50 kg



High-Strength Aluminum Carabiners



A135/16/S

ALUMINIUM

ANODIZED

ALUMINIUM CARABINER 74 MM/16 MM – WITHOUT LOCK



A135/20Q/BK

ALUMINIUM

ANODIZED

ALUMINIUM CARABINER 71 MM/20Q MM – WITHOUT LOCK



Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A135/16/S		Silver	74 mm	16 mm	8 mm	15 g	400 kg
A135/16/BK		Black	74 mm	16 mm	8 mm	15 g	400 kg

Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A135/20Q/S		Silver	71 mm	20 mm	8 mm	14 g	400 kg
A135/20Q/BK		Black	71 mm	20 mm	8 mm	14 g	400 kg



A135/25Q/S

ALUMINIUM

ANODIZED

ALUMINIUM CARABINER 71 MM/25Q MM – WITHOUT LOCK



A7805D1S/16/GM

ALUMINIUM

ANODIZED

ALUMINIUM CARABINER 75 MM/16 MM – WITHOUT LOCK



Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A135/25Q/S		Silver	71 mm	25 mm	8 mm	15 g	400 kg
A135/25Q/BK		Black	71 mm	25 mm	8 mm	15 g	400 kg

Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A7805D1S/16/S		Silver	75 mm	16 mm	11 mm	18 g	400 kg
A7805D1S/16/GM		Gray	75 mm	16 mm	11 mm	18 g	400 kg
A7805D1S/16/BK		Black	75 mm	16 mm	11 mm	18 g	400 kg



A7805D4S/20Q/S

ALUMINIUM

ANODIZED

ALUMINIUM CARABINER 71 MM/20Q MM - WITHOUT LOCK



A7805D2S/25Q/BK

ALUMINIUM

ANODIZED

ALUMINIUM CARABINER 72 MM/25Q MM - WITHOUT LOCK



Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A7805D4S/20Q/S		Silver	71 mm	20 mm	11 mm	16 g	550 kg
A7805D4S/20Q/GM		Gray	71 mm	20 mm	11 mm	16 g	550 kg
A7805D4S/20Q/BK		Black	71 mm	20 mm	11 mm	16 g	550 kg

Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A7805D2S/25Q/S		Silver	72 mm	25 mm	11 mm	18 g	400 kg
A7805D2S/25Q/GM		Gray	72 mm	25 mm	11 mm	18 g	400 kg
A7805D2S/25Q/BK		Black	72 mm	25 mm	11 mm	18 g	400 kg



A7810D5B/10/S

ALUMINIUM

ANODIZED

ALUMINIUM CARABINER 67 MM/10 MM - TWIST-LOCK



A7801D3TN/16/BK

ALUMINIUM

ANODIZED

ALUMINIUM CARABINER 86 MM/16 MM - TWIST-LOCK



Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A7810D5B/10/S		Silver	67 mm	10 mm	5 mm	14 g	490 kg
A7810D5B/10/BK		Black	67 mm	10 mm	5 mm	14 g	490 kg

Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A7801D3TN/16/S		Silver	86 mm	16 mm	11 mm	24 g	400 kg
A7801D3TN/16/BK		Black	86 mm	16 mm	11 mm	24 g	400 kg



A7810D4B/20Q/S

ALUMINIUM

ANODIZED

ALUMINIUM CARABINER 69 MM/20Q MM - SCREW LOCK



Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A7810D4B/20Q/S		Silver	69 mm	20 mm	5 mm	15 g	490 kg
A7810D4B/20Q/BK		Black	69 mm	20 mm	5 mm	15 g	490 kg



A7803D2TN/25Q/BK

ALUMINIUM

ANODIZED

ALUMINIUM CARABINER 86 MM/25Q MM
- TWIST-LOCK



A7801D4TN/20Q/S

ALUMINIUM

ANODIZED

ALUMINIUM CARABINER 86 MM/20Q MM
- TWIST-LOCK



SNAP HOOKS

Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A7803D2TN/25Q/S		Silver	86 mm	25 mm	12 mm	26 g	400 kg
A7803D2TN/25Q/BK		Black	86 mm	25 mm	12 mm	26 g	400 kg

Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A7801D4TN/20Q/S		Silver	86 mm	20 mm	12 mm	26 g	400 kg
A7801D4TN/20Q/BK		Black	86 mm	20 mm	12 mm	26 g	400 kg





A7803TN/S

ALUMINIUM

ANODIZED

ALUMINIUM CARABINER 78 MM – TWIST-LOCK



A7802TN/BK

ALUMINIUM

ANODIZED

ALUMINUM SNAP HOOK 80 MM – BAYONET LOCKING



Code		Color	Length	Inner diameter	Gate opening	Weight	Breaking load
A7803TN/S		Silver	78 mm	56 mm	19 mm	30 g	400 kg
A7803TN/GM		Gray	78 mm	56 mm	19 mm	30 g	400 kg
A7803TN/BK		Black	78 mm	56 mm	19 mm	30 g	400 kg

Code		Color	Length	Inner diameter	Gate opening	Weight	Breaking load
A7802TN/S		Silver	80 mm	56 mm	20 mm	30 g	400 kg
A7802TN/BK		Black	80 mm	56 mm	20 mm	30 g	400 kg



A7802B/GM

ALUMINIUM


ANODIZED

ALUMINIUM CARABINER 80 MM – TWIST-LOCK



Code		Color	Length	Inner diameter	Gate opening	Weight	Breaking load
A7802B/S		Silver	80 mm	56 mm	20 mm	30 g	400 kg
A7802B/GM		Gray	80 mm	56 mm	20 mm	30 g	400 kg
A7802B/BK		Black	80 mm	56 mm	20 mm	30 g	400 kg





Special Snap Hooks



STEEL ZINC PLATED

SWEDISH SNAP HOOK 49 MM/11

Code	Total length	Eye width	Weight	Breaking load
830X/11 ZP	49 mm	11 mm	12 g	120 kg



STEEL ZINC PLATED

SWEDISH SNAP HOOK 58 MM/16

Code	Total length	Eye width	Weight	Breaking load
830X/16 ZP	58 mm	16 mm	18 g	140 kg



STEEL ZINC PLATED

SWEDISH SNAP HOOK 67 MM/20

Code	Total length	Eye width	Weight	Breaking load
830X/20 ZP	67 mm	20 mm	25 g	170 kg



STEEL ZINC PLATED

SWEDISH SNAP HOOK 61 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
830X/20Q ZP	61 mm	20 mm	24 g	170 kg



STEEL ZINC PLATED

SWEDISH SNAP HOOK 64 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
830XS/25Q ZP	64 mm	25 mm	25 g	190 kg



STEEL ZINC PLATED

SWEDISH SNAP HOOK 71 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
830X/25Q ZP	71 mm	25 mm	47 g	300 kg



STEEL BLACK

SWEDISH SNAP HOOK 49 MM/11

Code	Total length	Eye width	Weight	Breaking load
830X/11 BK	49 mm	11 mm	12 g	120 kg



STEEL BLACK

SWEDISH SNAP HOOK 58 MM/16

Code	Total length	Eye width	Weight	Breaking load
830X/16 BK	58 mm	16 mm	18 g	140 kg



STEEL BLACK

SWEDISH SNAP HOOK 67 MM/20

Code	Total length	Eye width	Weight	Breaking load
830X/20 BK	67 mm	20 mm	25 g	170 kg



STEEL BLACK

STEEL BLACK

STEEL BLACK

SWEDISH SNAP HOOK 61 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
830X/20Q BK	61 mm	20 mm	24 g	170 kg

SWEDISH SNAP HOOK 63 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
830XS/25Q BK	63 mm	25 mm	25 g	190 kg


SWEDISH SNAP HOOK 71 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
830X/25Q BK	71 mm	25 mm	47 g	300 kg





Double Ended Snap Hooks



STAINLESS

POLISHED

DOUBLE ENDED BOLT SNAP 90 MM/10

Code	Total length	Eye width	Weight	Breaking load
161SS/90	90 mm	10 mm	59 g	200 kg




STAINLESS

POLISHED

DOUBLE ENDED BOLT SNAP 100 MM/10

Code	Total length	Eye width	Weight	Breaking load
161SS/100	100 mm	10 mm	68 g	200 kg



BRASS

POLISHED

DOUBLE ENDED BOLT SNAP 100 MM/10

Code	Total length	Eye width	Weight	Breaking load
162B	100 mm	12 mm	62 g	200 kg



BRASS

POLISHED

NEW

DOUBLE ENDED BOLT SNAP 89 MM/10

Code	Total length	Eye width	Weight	Breaking load
161B	89 mm	10 mm	49 g	160 kg




ZINC DIE CASTING

CHROME PLATED

DOUBLE ENDED BOLT SNAP 88 MM/10

Code	Total length	Eye width	Weight	Breaking load
DOUBLE CP	88 mm	10 mm	42 g	200 kg

Small-sized Snap Hooks <65mm



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 39 MM/6

Code	Total length	Eye width	Weight	Breaking load
38/06 CP	39 mm	6 mm	6 g	60 kg




ZINC DIE CASTING

CHROME PLATED

BABY SNAP HOOK 46 MM/10

Code	Total length	Eye width	Weight	Breaking load
45/10 CP	46 mm	10 mm	6 g	35 kg




ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 52 MM/10

Code	Total length	Eye width	Weight	Breaking load
50/10 CP	52 mm	10 mm	11 g	115 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 52 MM/8

Code	Total length	Eye width	Weight	Breaking load
50/08 CP	52 mm	8 mm	11 g	100 kg




ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 61 MM/10

Code	Total length	Eye width	Weight	Breaking load
55/10 CP	61 mm	10 mm	17 g	200 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 61 MM/13

Code	Total length	Eye width	Weight	Breaking load
55/13 CP	61 mm	13 mm	18 g	200 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 59 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
55/13Q CP	59 mm	13 mm	18 g	200 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 45 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
45/17Q CP	45 mm	17 mm	6 g	30 kg



ZINC DIE CASTING

BLACK

SNAP HOOK 45 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
45/20Q BK	45 mm	20 mm	6 g	30 kg



ZINC DIE CASTING

ANTIQUE BRASS

SNAP HOOK 56 MM/12

Code	Total length	Eye width	Weight	Breaking load
50/10 AB	56 mm	12 mm	11 g	115 kg



ZINC DIE CASTING

BLACK

SNAP HOOK 53 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
50/13Q BK	53 mm	13 mm	11 g	100 kg



ZINC DIE CASTING

BLACK

BABY SNAP HOOK 46 MM/10

Code	Total length	Eye width	Weight	Breaking load
45/10 BK	46 mm	10 mm	6 g	35 kg



ZINC DIE CASTING

GRAY

BABY SNAP HOOK 46 MM/10

Code	Total length	Eye width	Weight	Breaking load
45/10 GM	46 mm	10 mm	6 g	35 kg



ZINC DIE CASTING

BLACK

SNAP HOOK 55 MM/10

Code	Total length	Eye width	Weight	Breaking load
50/10 BK	55 mm	10 mm	12 g	90 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 52 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
50/13Q CP	52 mm	13 mm	11 g	100 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 45 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
45/25Q CP	45 mm	25 mm	6 g	30 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 45 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
45/20Q CP	45 mm	20 mm	6 g	30 kg



ZINC DIE CASTING

GRAY

SNAP HOOK 52 MM/10

Code	Total length	Eye width	Weight	Breaking load
50/10 GM	52 mm	10 mm	11 g	115 kg



ZINC DIE CASTING

ANTIQUE BRASS

SNAP HOOK 42 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
45/20Q AB	42 mm	20 mm	6 g	30 kg



ZINC DIE CASTING

ANTIQUE BRASS

SNAP HOOK 46 MM/12

Code	Total length	Eye width	Weight	Breaking load
45/12 AB	46 mm	12 mm	7 g	30 kg



ZINC DIE CASTING

BRASS PLATED

SNAP HOOK 45 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
45/17Q BP	45 mm	17 mm	6 g	30 kg



ZINC DIE CASTING

BRASS PLATED

SNAP HOOK 45 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
45/20Q BP	45 mm	20 mm	6 g	30 kg



ZINC DIE CASTING

BRASS PLATED

SNAP HOOK 45 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
45/25Q BP	45 mm	25 mm	6 g	30 kg




ZINC DIE CASTING

BRASS PLATED

BABY SNAP HOOK 46 MM/10

Code	Total length	Eye width	Weight	Breaking load
45/10 BP	46 mm	10 mm	6 g	35 kg




ZINC DIE CASTING

ROSE GOLD

SNAP HOOK 42 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
45/20Q RG	42 mm	20 mm	6 g	30 kg




ZINC DIE CASTING

ROSE GOLD

BABY SNAP HOOK 46 MM/10

Code	Total length	Eye width	Weight	Breaking load
45/10 RG	46 mm	10 mm	6 g	35 kg




ZINC DIE CASTING

ROSE GOLD

SNAP HOOK 55 MM/10

Code	Total length	Eye width	Weight	Breaking load
50/10 RG	55 mm	10 mm	12 g	90 kg



ZINC DIE CASTING

ROSE GOLD

SNAP HOOK 52 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
50/13Q RG	52 mm	13 mm	11 g	100 kg



ZINC DIE CASTING

NEO-CHROME

BABY SNAP HOOK 46 MM/10

Code	Total length	Eye width	Weight	Breaking load
45/10 NEO	46 mm	10 mm	6 g	35 kg



ZINC DIE CASTING

NEO-CHROME

SNAP HOOK 52 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
50/13Q NEO	52 mm	13 mm	11 g	100 kg



ZINC DIE CASTING

NEO-CHROME

SNAP HOOK 42 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
45/20Q NEO	42 mm	20 mm	6 g	30 kg




ZINC DIE CASTING

NEO-CHROME

SNAP HOOK 55 MM/10

Code	Total length	Eye width	Weight	Breaking load
50/10 NEO	55 mm	10 mm	12 g	90 kg



ZINC DIE CASTING

NICKEL PLATED

NEW

SNAP HOOK 52 MM/10

Code	Total length	Eye width	Weight	Breaking load
50/10 NP	52 mm	10 mm	11 g	115 kg



ZINC DIE CASTING

NICKEL PLATED

NEW

SNAP HOOK 52 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
50/13Q NP	52 mm	13 mm	11 g	100 kg



ZINC DIE CASTING


NICKEL PLATED

NEW

BABY SNAP HOOK 46 MM/10

Code	Total length	Eye width	Weight	Breaking load
45/10 NP	46 mm	10 mm	6 g	35 kg

SNAP HOOKS



Snap Hook for Leashes




ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 67 MM/10

Code	Total length	Eye width	Weight	Breaking load
60/10 CP	67 mm	10 mm	18 g	166 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 68 MM/13

Code	Total length	Eye width	Weight	Breaking load
60/13 CP	68 mm	13 mm	18 g	166 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 70 MM/17

Code	Total length	Eye width	Weight	Breaking load
60/17 CP	71 mm	17 mm	24 g	166 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 75 MM/13

Code	Total length	Eye width	Weight	Breaking load
70/13 CP	75 mm	13 mm	28 g	197 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 80 MM/17

Code	Total length	Eye width	Weight	Breaking load
70/17 CP	80 mm	17 mm	31 g	197 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 80 MM/20

Code	Total length	Eye width	Weight	Breaking load
70/20 CP	80 mm	20 mm	30 g	193 kg




ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 66 MM/17

Code	Total length	Eye width	Weight	Breaking load
60/17Q CP	66 mm	17 mm	19 g	166 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 67 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
60/20Q CP	67 mm	20 mm	22 g	155 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 67 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
60/25Q CP	67 mm	25 mm	21 g	125 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 76 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
70/17Q CP	76 mm	17 mm	29 g	197 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 76 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
70/20Q CP	76 mm	20 mm	30 g	197 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 77 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
70/25Q CP	77 mm	25 mm	33 g	197 kg



ZINC DIE CASTING BLACK

BOLD SNAP 66 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
60/20Q BK	66 mm	19 mm	20 g	130 kg



ZINC DIE CASTING BLACK

BOLD SNAP 66 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
60/17Q BK	66 mm	17 mm	20 g	166 kg



ZINC DIE CASTING BLACK

BOLD SNAP 66 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
60/25Q BK	66 mm	25 mm	21 g	125 kg



ZINC DIE CASTING BLACK

BOLD SNAP 80 MM/20

Code	Total length	Eye width	Weight	Breaking load
70/20 BK	80 mm	20 mm	30 g	150 kg



ZINC DIE CASTING BLACK

BOLD SNAP 70 MM/13

Code	Total length	Eye width	Weight	Breaking load
60/13 BK	70 mm	13 mm	18 g	150 kg



ZINC DIE CASTING BLACK NEW

BOLD SNAP 75 MM/13

Code	Total length	Eye width	Weight	Breaking load
70/13 BK	75 mm	13 mm	24 g	197 kg



ZINC DIE CASTING BLACK

BOLD SNAP 76 MM/20Q


Code	Total length	Eye width	Weight	Breaking load
70/20Q BK	76 mm	20 mm	27 g	197 kg



ZINC DIE CASTING BLACK

BOLD SNAP 76 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
70/17Q BK	76 mm	17 mm	27 g	197 kg




ZINC DIE CASTING

ROSE GOLD

BOLD SNAP 70 MM/13

Code	Total length	Eye width	Weight	Breaking load
60/13 RG	70 mm	13 mm	18 g	166 kg




ZINC DIE CASTING

ROSE GOLD

BOLD SNAP 80 MM/20

Code	Total length	Eye width	Weight	Breaking load
70/20 RG	80 mm	20 mm	30 g	150 kg




ZINC DIE CASTING

ROSE GOLD

BOLD SNAP 66 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
60/17Q RG	66 mm	17 mm	20 g	166 kg




ZINC DIE CASTING

ROSE GOLD

BOLD SNAP 67 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
60/20Q RG	67 mm	20 mm	22 g	130 kg




ZINC DIE CASTING

ROSE GOLD

BOLD SNAP 76 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
70/20Q RG	76 mm	20 mm	27 g	197 kg



ZINC DIE CASTING

ROSE GOLD

BOLD SNAP 76 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
70/17Q RG	76 mm	17 mm	29 g	197 kg



ZINC DIE CASTING

ANTIQUE BRASS

BOLD SNAP 67 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
60/20Q AB	67 mm	20 mm	22 g	130 kg



ZINC DIE CASTING

ANTIQUE BRASS

BOLD SNAP 70 MM/13

Code	Total length	Eye width	Weight	Breaking load
60/13 AB	70 mm	13 mm	18 g	166 kg



ZINC DIE CASTING

ANTIQUE BRASS

BOLD SNAP 76 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
70/20Q AB	76 mm	20 mm	27 g	197 kg



ZINC DIE CASTING

ANTIQUE BRASS

BOLD SNAP 80 MM/20

Code	Total length	Eye width	Weight	Breaking load
70/20 AB	80 mm	20 mm	30 g	150 kg



ZINC DIE CASTING

ANTIQUE BRASS

BOLD SNAP 66 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
60/17Q AB	66 mm	17 mm	21 g	166 kg



ZINC DIE CASTING

NEO-CHROME

BOLD SNAP 66 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
60/17Q NEO	66 mm	17 mm	20 g	166 kg



ZINC DIE CASTING

NEO-CHROME

BOLD SNAP 67 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
60/20Q NEO	67 mm	20 mm	22 g	130 kg



ZINC DIE CASTING

NEO-CHROME

BOLD SNAP 70 MM/13

Code	Total length	Eye width	Weight	Breaking load
60/13 NEO	70 mm	13 mm	18 g	166 kg




ZINC DIE CASTING

NEO-CHROME

BOLD SNAP 76 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
70/17Q NEO	76 mm	17 mm	29 g	197 kg




ZINC DIE CASTING

NEO-CHROME

BOLD SNAP 76 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
70/20Q NEO	76 mm	20 mm	27 g	197 kg



ZINC DIE CASTING

NEO-CHROME

BOLD SNAP 80 MM/20

Code	Total length	Eye width	Weight	Breaking load
70/20 NEO	80 mm	20 mm	30 g	150 kg



ZINC DIE CASTING

GRAY

BOLD SNAP 68 MM/13

Code	Total length	Eye width	Weight	Breaking load
60/13 GM	68 mm	13 mm	19 g	166 kg



ZINC DIE CASTING

GRAY

BOLD SNAP 67 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
60/17Q GM	67 mm	17 mm	19 g	166 kg



ZINC DIE CASTING

GRAY

BOLD SNAP 67 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
60/20Q GM	67 mm	20 mm	22 g	130 kg



ZINC DIE CASTING

GRAY

BOLD SNAP 67 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
60/25Q GM	67 mm	25 mm	21 g	125 kg



ZINC DIE CASTING

GRAY

BOLD SNAP 76 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
70/20Q GM	76 mm	20 mm	30 g	197 kg



SNAP HOOKS



ZINC DIE CASTING GRAY

BOLD SNAP 80 MM/20

Code	Total length	Eye width	Weight	Breaking load
70/20 GM	80 mm	20 mm	30 g	150 kg



ZINC DIE CASTING NICKEL PLATED NEW

BOLD SNAP 80 MM/20

Code	Total length	Eye width	Weight	Breaking load
70/20 NP	80 mm	20 mm	30 g	193 kg



ZINC DIE CASTING NICKEL PLATED NEW

BOLD SNAP 68 MM/13


Code	Total length	Eye width	Weight	Breaking load
60/13 NP	68 mm	13 mm	18 g	166 kg



ZINC DIE CASTING NICKEL PLATED NEW

BOLD SNAP 80 MM/17

Code	Total length	Eye width	Weight	Breaking load
70/17 NP	80 mm	17 mm	31 g	190 kg



ZINC DIE CASTING NICKEL PLATED NEW

BOLD SNAP 66 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
60/17Q NP	66 mm	17 mm	19 g	166 kg



ZINC DIE CASTING NICKEL PLATED NEW

BOLD SNAP 67 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
60/20Q NP	67 mm	20 mm	22 g	155 kg



ZINC DIE CASTING NICKEL PLATED NEW

BOLD SNAP 76 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
70/20Q NP	76 mm	20 mm	30 g	197 kg



ZINC DIE CASTING NICKEL PLATED NEW

BOLD SNAP 75 MM/13

Code	Total length	Eye width	Weight	Breaking load
70/13 NP	75 mm	13 mm	28 g	197 kg



ZINC DIE CASTING

NICKEL PLATED

NEW

BOLD SNAP 64 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
Z1921/20Q NP	64 mm	20 mm	38 g	204 kg



ZINC DIE CASTING

NICKEL PLATED

NEW

BOLD SNAP 64 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
Z1921/25Q NP	64 mm	25 mm	48 g	240 kg



ZINC DIE CASTING

BLACK

NEW

BOLD SNAP 64 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
Z1921/20Q BK	64 mm	20 mm	38 g	204 kg



ZINC DIE CASTING

BLACK

NEW

BOLD SNAP 64 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
Z1921/25Q BK	64 mm	25 mm	48 g	240 kg



ZINC DIE CASTING

NICKEL PLATED

BOLD SNAP 72 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER V/20QNP	72 mm	20 mm	45 g	200 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 77 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER V/20QCP	77 mm	20 mm	49 g	200 kg

ZINC DIE CASTING

NICKEL PLATED

BOLD SNAP

Code	Total length	Eye width	Weight	Breaking load
Z1923/13 NP	55 mm	13 mm	18 g	113 kg
Z1923/17 NP	75 mm	18 mm	38 g	204 kg
Z1923/16Q NP	52 mm	16 mm	20 g	113 kg
Z1923/20Q NP	70 mm	20 mm	38 g	204 kg
Z1923/25Q NP	71 mm	25 mm	48 g	240 kg



Z1923/13 NP



Z1923/16Q NP



Z1923/20Q NP



Z1923/25Q NP



Z1923/17 NP

ZINC DIE CASTING

ROSE GOLD

BOLD SNAP


Code	Total length	Eye width	Weight	Breaking load
Z1923/13 RG	55 mm	13 mm	18 g	113 kg
Z1923/17 RG	75 mm	18 mm	38 g	204 kg
Z1923/16Q RG	52 mm	16 mm	19 g	113 kg
Z1923/20Q RG	70 mm	20 mm	36 g	204 kg
Z1923/25Q RG	71 mm	25 mm	48 g	240 kg




Z1923/13 RG




Z1923/16Q RG



Z1923/20Q RG



Z1923/25Q RG



Z1923/17 RG



ZINC DIE CASTING

BLACK

BOLD SNAP

Code	Total length	Eye width	Weight	Breaking load
Z1923/13 BK	55 mm	13 mm	18 g	113 kg
Z1923/17 BK	75 mm	18 mm	38 g	204 kg
Z1923/16Q BK	52 mm	16 mm	19 g	113 kg
Z1923/20Q BK	70 mm	20 mm	36 g	204 kg
Z1923/25Q BK	71 mm	25 mm	48 g	240 kg



Z1923/13 BK



Z1923/16Q BK



Z1923/20Q BK




Z1923/25Q BK



Z1923/17 BK



Large-sized Snap Hooks >80mm



ZINC DIE CASTING CHROME PLATED

SNAP HOOK LARGE 82 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
80/25Q CP	82 mm	25 mm	47 g	260 kg



ZINC DIE CASTING CHROME PLATED

SNAP HOOK LARGE 80 MM/30Q

Code	Total length	Eye width	Weight	Breaking load
80/30Q CP	82 mm	30 mm	50 g	260 kg



ZINC DIE CASTING CHROME PLATED

SNAP HOOK LARGE 82 MM/22Q

Code	Total length	Eye width	Weight	Breaking load
80/22Q CP	82 mm	22 mm	45 g	260 kg



ZINC DIE CASTING CHROME PLATED

SNAP HOOK LARGE 85 MM/17

Code	Total length	Eye width	Weight	Breaking load
80/17 CP	85 mm	17 mm	43 g	338 kg



ZINC DIE CASTING CHROME PLATED

SNAP HOOK LARGE 92 MM/20

Code	Total length	Eye width	Weight	Breaking load
80/20 CP	92 mm	20 mm	44 g	260 kg



ZINC DIE CASTING CHROME PLATED

SNAP HOOK LARGE 82 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
80/20Q CP	82 mm	20 mm	42 g	260 kg




SNAP HOOK LARGE 80 MM/40Q

ZINC DIE CASTING

CHROME PLATED

Code	Total length	Eye width	Weight	Breaking load
80/40Q CP	82 mm	40 mm	54 g	260 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK LARGE 80 MM/13

Code	Total length	Eye width	Weight	Breaking load
80/13 CP	85 mm	13 mm	40 g	300 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK LARGE 95 MM/25

Code	Total length	Eye width	Weight	Breaking load
80/25 CP	95 mm	25 mm	48 g	260 kg



ZINC DIE CASTING

GRAY

SNAP HOOK LARGE 82 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
80/25Q GM	82 mm	25 mm	47 g	260 kg



ZINC DIE CASTING

GRAY

SNAP HOOK LARGE 80 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
80/20Q GM	82 mm	20 mm	42 g	260 kg



ZINC DIE CASTING

BLACK

SNAP HOOK LARGE 81 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
80/25Q BK	81 mm	25 mm	46 g	190 kg



ZINC DIE CASTING

BLACK

SNAP HOOK LARGE 81 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
80/20Q BK	81 mm	20 mm	43 g	230 kg



ZINC DIE CASTING

BLACK

SNAP HOOK LARGE 85 MM/13

Code	Total length	Eye width	Weight	Breaking load
80/13 BK	85 mm	13 mm	40 g	300 kg



ZINC DIE CASTING

BLACK

SNAP HOOK LARGE 86 MM/17

Code	Total length	Eye width	Weight	Breaking load
80/17 BK	86 mm	17 mm	41 g	230 kg




ZINC DIE CASTING

BLACK

SNAP HOOK LARGE 90 MM/20

Code	Total length	Eye width	Weight	Breaking load
80/20 BK	90 mm	20 mm	46 g	230 kg




ZINC DIE CASTING

ROSE GOLD

SNAP HOOK LARGE 90 MM/20

Code	Total length	Eye width	Weight	Breaking load
80/20 RG	90 mm	20 mm	46 g	230 kg




ZINC DIE CASTING

ROSE GOLD

SNAP HOOK LARGE 86 MM/17

Code	Total length	Eye width	Weight	Breaking load
80/17 RG	86 mm	17 mm	41 g	230 kg




ZINC DIE CASTING

ROSE GOLD

SNAP HOOK LARGE 80 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
80/20Q RG	81 mm	20 mm	45 g	260 kg



ZINC DIE CASTING

ROSE GOLD

SNAP HOOK LARGE 80 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
80/25Q RG	81 mm	25 mm	46 g	190 kg



ZINC DIE CASTING

ANTIQUE BRASS

SNAP HOOK LARGE 80 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
80/25Q AB	81 mm	25 mm	47 g	260 kg



ZINC DIE CASTING

ANTIQUE BRASS

SNAP HOOK LARGE 81 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
80/20Q AB	81 mm	20 mm	43 g	260 kg




ZINC DIE CASTING

ANTIQUE BRASS

SNAP HOOK LARGE 85 MM/17

Code	Total length	Eye width	Weight	Breaking load
80/17 AB	85 mm	17 mm	43 g	338 kg



ZINC DIE CASTING

NEO-CHROME

SNAP HOOK LARGE 81 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
80/20Q NEO	81 mm	20 mm	45 g	260 kg



ZINC DIE CASTING

NEO-CHROME

SNAP HOOK LARGE 81 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
80/25Q NEO	81 mm	25 mm	46 g	190 kg



ZINC DIE CASTING

NEO-CHROME

SNAP HOOK LARGE 90 MM/20

Code	Total length	Eye width	Weight	Breaking load
80/20 NEO	90 mm	20 mm	46 g	230 kg



ZINC DIE CASTING

NEO-CHROME

SNAP HOOK LARGE 86 MM/17

Code	Total length	Eye width	Weight	Breaking load
80/17 NEO	86 mm	17 mm	41 g	230 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK LARGE 100 MM/28

Code	Total length	Eye width	Weight	Breaking load
ZC225/28 CP	100 mm	28 mm	68 g	340 kg




ZINC DIE CASTING

BRASS PLATED

SNAP HOOK LARGE 100 MM/28

Code	Total length	Eye width	Weight	Breaking load
ZB225/28 BP	100 mm	28 mm	68 g	340 kg



ZINC DIE CASTING

NICKEL PLATED

NEW

SNAP HOOK LARGE 85 MM/17

Code	Total length	Eye width	Weight	Breaking load
80/17 NP	85 mm	17 mm	43 g	338 kg



ZINC DIE CASTING

NICKEL PLATED

NEW

SNAP HOOK LARGE 90 MM/20

Code	Total length	Eye width	Weight	Breaking load
80/20 NP	92 mm	20 mm	44 g	260 kg



ZINC DIE CASTING

NICKEL PLATED

NEW

SNAP HOOK LARGE 82 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
80/20Q NP	82 mm	20 mm	42 g	260 kg



ZINC DIE CASTING

NICKEL PLATED


NEW

SNAP HOOK LARGE 82 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
80/25Q NP	82 mm	25 mm	47 g	260 kg




Snap hook for horses



HEAVY BOLT SNAP HORSE

ZINC DIE CASTING
CHROME PLATED

Code	Total length	Eye width	Weight	Breaking load
Horse/25 CP	12 cm	25 mm	108 g	250 kg



HEAVY BOLT SNAP HORSE

ZINC DIE CASTING
NICKEL PLATED

Code	Total length	Eye width	Weight	Breaking load
Z225HR/25 NP	12 cm	25 mm	97 g	250 kg



STAINLESS
POLISHED

SNAP HOOK FOR HALTERS

Code	Total length	Eye width	Weight	Breaking load
25SS/26	81 mm	25 mm	58 g	240 kg



BRASS
CHROME PLATED

SNAP HOOK FOR HALTERS

Code	Total length	Eye width	Weight	Breaking load
25B/25 CP	81 mm	25 mm	58 g	240 kg



ZINC DIE CASTING

CHROME PLATED

LEADING REIN SNAP HOOK

Code	Total length	Eye width	Weight	Breaking load
2001/25Q CP	60 mm	25 mm	44 g	130 kg



ZINC DIE CASTING

CHROME PLATED

FLAT SPRING HOOK

Code	Total length	Eye width	Weight	Breaking load
65/17Q CP	69 mm	17 mm	29 g	180 kg



ZINC DIE CASTING


NICKEL PLATED

WIVEL SNAP FOR HORSE BLANKET LEG STRAPS

Code	Total length	Eye width	Weight	Breaking load
2119HZ/25 NP	65 mm	24 mm	42 g	200 kg



Bull Snaps



ZINC DIE CASTING

CHROME PLATED

ZINC BULL SNAP 11 CM/25

Code	Total length	Eye width	Weight	Breaking load
Bull ZN/25 CP	11 cm	25 mm	153 g	500 kg



MALLEABLE IRON

NICKEL PLATED

STEEL BULL SNAP 100 MM/25

Code	Total length	Eye width	Weight	Breaking load
Bull FE/25 NP	100 mm	25 mm	147 g	500 kg



BRASS

POLISHED

BRASS BULL SNAP 84 MM/17

Code	Total length	Eye width	Weight	Breaking load
251B-1/17	84 mm	17 mm	64 g	120 kg



BRASS

POLISHED

BRASS BULL SNAP 97 MM/14

Code	Total length	Eye width	Weight	Breaking load
Bull B/25	97 mm	14 mm	134 g	300 kg



ZINC DIE CASTING

NICKEL PLATED

ZINC BULL SNAP 100 MM/28


Code	Total length	Eye width	Weight	Breaking load
Z3142-LT/29 NP	100 mm	28 mm	121 g	500 kg

STAINLESS

POLISHED

STAINLESS STEEL BULL SNAP 100 MM/26

Code	Total length	Eye width	Weight	Breaking load
3142LT SS/26	100 mm	26 mm	150 g	500 kg



Panic Snap Hooks



STAINLESS

POLISHED

PANIC SNAP 100 MM/14

Code	Total length	Eye width	Weight	Breaking load
1000SS/13	100 mm	14 mm	159 g	500 kg



BRASS

POLISHED

PANIC SNAP 100 MM/14

Code	Total length	Eye width	Weight	Breaking load
1001B/13	100 mm	14 mm	150 g	380 kg



BRASS

POLISHED

PANIC SNAP 97 MM/27

Code	Total length	Eye width	Weight	Breaking load
B2002/27	97 mm	27 mm	105 g	380 kg



ZINC DIE CASTING CHROME PLATED

PANIC SNAP 100 MM/12

Code	Total length	Eye width	Weight	Breaking load
PANIC BT/12 CP	100 mm	12 mm	127 g	340 kg



ZINC DIE CASTING CHROME PLATED

PANIC SNAP 11 CM/25


Code	Total length	Eye width	Weight	Breaking load
PANIC/25Q CP	11 cm	25 mm	136 g	220 kg



ZINC DIE CASTING CHROME PLATED

PANIC SNAP 12 CM/25

Code	Total length	Eye width	Weight	Breaking load
PANIC/25 CP	12 cm	25 mm	169 g	250 kg



Twist Panic Snaps



ZINC DIE CASTING

CHROME PLATED

TWIST PANIC SNAP HOOK 11 CM/25

Code	Total length	Eye width	Weight	Breaking load
C1006/25 CP	11 cm	25 mm	118 g	290 kg



STAINLESS

POLISHED

NEW

TWIST PANIC SNAP HOOK 11 CM/32

Code	Total length	Eye width	Weight	Breaking load
3002SS/32	11 cm	32 mm	163 g	380 kg



STEEL

BRASS PLATED

NEW

TWIST PANIC SNAP HOOK 11 CM/32

Code	Total length	Eye width	Weight	Breaking load
3002M/32 BP	11 cm	32 mm	163 g	380 kg




BRASS

POLISHED

TWIST PANIC SNAP HOOK 11 CM/28

Code	Total length	Eye width	Weight	Breaking load
B3002/28	11 cm	28 mm	163 g	380 kg

Roller Buckles



1407 W/35 NP

STEEL NICKEL PLATED

Code	Inner diameter	Height	D
1407 W/10 NP	10 mm	6 mm	2 mm
1407 W/12 NP	12 mm	8 mm	2 mm
1407 W/14 NP	14 mm	8 mm	3 mm
1407 W/16 NP	16 mm	10 mm	3 mm
1407 W/18 NP	18 mm	14 mm	3 mm
1407 W/20 NP	20 mm	14 mm	3 mm
1407 W/22 NP	22 mm	13 mm	3 mm

Code	Inner diameter	Height	D
1407 W/24 NP	24 mm	15 mm	3 mm
1407 W/26 NP	26 mm	15 mm	3 mm
1407 W/28 NP	28 mm	17 mm	3 mm
1407 W/30 NP	30 mm	18 mm	4 mm
1407 W/35 NP	35 mm	22 mm	4 mm
1407 W/40 NP	40 mm	23 mm	5 mm
1407 W/50 NP	50 mm	31 mm	6 mm




1407WB/30

BRASS POLISHED



1407 W/26 GM

STEEL GRAY



1407 W/30 RG

STEEL ROSE GOLD

Code	Inner diameter	Height	D
1407WB/13	13 mm	8 mm	3 mm
1407WB/16	16 mm	9 mm	3 mm
1407WB/20	20 mm	13 mm	3 mm
1407WB/26	26 mm	14 mm	3 mm
1407WB/30	30 mm	17 mm	4 mm
1407WB/40	40 mm	22 mm	4 mm

Code	Inner diameter	Height	D
1407 W/16 GM	16 mm	9 mm	3 mm
1407 W/20 GM	20 mm	13 mm	3 mm
1407 W/26 GM	26 mm	14 mm	3 mm
1407 W/30 GM	30 mm	17 mm	4 mm
1407 W/40 GM	40 mm	22 mm	5 mm

Code	Inner diameter	Height	D
1407 W/16 RG	16 mm	9 mm	3 mm
1407 W/20 RG	20 mm	13 mm	3 mm
1407 W/26 RG	26 mm	14 mm	3 mm
1407 W/30 RG	30 mm	17 mm	4 mm
1407 W/40 RG	40 mm	22 mm	5 mm



1407 W/26 AB

STEEL

ANTIQUE BRASS



1407 W/26 BK

STEEL

BLACK



50B/32

BRASS

POLISHED

Code	Inner diameter	Height	D
1407 W/16 AB	16 mm	10 mm	3 mm
1407 W/20 AB	20 mm	14 mm	3 mm
1407 W/26 AB	26 mm	15 mm	3 mm
1407 W/30 AB	30 mm	18 mm	4 mm
1407 W/40 AB	40 mm	23 mm	5 mm
1407 W/50 AB	50 mm	31 mm	6 mm

Code	Inner diameter	Height	D
1407 W/16 BK	16 mm	9 mm	3 mm
1407 W/20 BK	20 mm	13 mm	3 mm
1407 W/26 BK	26 mm	14 mm	3 mm
1407 W/30 BK	30 mm	17 mm	4 mm
1407 W/40 BK	40 mm	22 mm	5 mm
1407 W/50 BK	50 mm	31 mm	6 mm

Code	Inner diameter	Height	D
50B/16	16 mm	14 mm	3 mm
50B/20	20 mm	18 mm	3 mm
50B/26	26 mm	21 mm	3 mm
50B/32	32 mm	23 mm	4 mm
50B/38	38 mm	25 mm	4 mm



40B/20

BRASS

POLISHED



DBBRB/22

BRASS

POLISHED



49B/35

BRASS

POLISHED

HEAVY DUTY ROLLER BUCKLE

Code	Inner diameter	Height	D
40B/11	11 mm	8 mm	3 mm
40B/13	14 mm	9 mm	3 mm
40B/17	17 mm	10 mm	3 mm
40B/20	20 mm	16 mm	3 mm
40B/25	25 mm	8 mm	3 mm

HEAVY DUTY ROLLER BUCKLE

Code	Inner diameter	Height	D
DBBRB/22	22 mm	12 mm	4 mm
1214B-10R/25	25 mm	14 mm	5 mm
1214B-12R/30	32 mm	17 mm	5 mm

HEAVY DUTY ROLLER BUCKLE

Code	Inner diameter	Height	D
49B/20	20 mm	21 mm	3 mm
49B/25	25 mm	30 mm	4 mm
49B/30	30 mm	32 mm	5 mm
49B/35	32 mm	34 mm	5 mm
49B/40	40 mm	41 mm	3 mm
49B/50	50 mm	41 mm	3 mm



ROLLER BUCKLES



150B/17

BRASS

POLISHED

HEAVY DUTY ROLLER BUCKLE

Code	Inner diameter	Height	D
150B/17	17 mm	15 mm	3 mm
150B/20	20 mm	17 mm	4 mm
150B/25	25 mm	23 mm	5 mm
150B/30	30 mm	22 mm	5 mm



999/50 D

STEEL

CHROME PLATED

DOUBLE PRONG ROLLER BUCKLE

Code	Inner diameter	Height	D
999/50 D	52 mm	31 mm	7 mm
999/60 D	65 mm	38 mm	7 mm



1407B/50

BRASS

POLISHED

BRASS ROLLER BUCKLE

Code	Inner diameter	Height	D
1407B/20	20 mm	12 mm	4.3 mm
1407B/25	25 mm	13 mm	4.4 mm
1407B/32	33 mm	19 mm	4 mm
1407B/40	40 mm	21 mm	5 mm
1407B/50	50 mm	22 mm	5 mm



Z40-LT/20 BK

ZINC DIE CASTING

BLACK

ROLLER BUCKLE WITH LOCKING TONGUE

Code	Inner diameter	Height	D
Z40-LT/20 BK	20 mm	11 mm	3 mm
Z40-LT/25 BK	26 mm	11 mm	3.5 mm



Z40-LT/20 NP

ZINC DIE CASTING

NICKEL PLATED

ROLLER BUCKLE WITH LOCKING TONGUE

Code	Inner diameter	Height	D
Z40-LT/20 NP	20 mm	11 mm	3 mm
Z40-LT/25 NP	26 mm	11 mm	3.5 mm



NEW

40SS LT/20

STAINLESS

POLISHED

ROLLER BUCKLE WITH LOCKING TONGUE

Code	Inner width	Height	ø Prong	D
40SS LT/20	20 mm	11 mm	3.2 mm	3 mm
40SS LT/25	26 mm	11 mm	3.2 mm	3.5 mm





ROLLER BUCKLES



10758SS/20

STAINLESS

POLISHED



1305RSS/20

STAINLESS

POLISHED



49SS/20

STAINLESS

POLISHED

CONTOURED STAINLESS STEEL ROLLER BUCKLE

Code	Inner diameter	Height	D
49SS/20	20 mm	25 mm	5 mm
49SS/25	25 mm	29 mm	6 mm
49SS/30	30 mm	34 mm	6 mm
49SS/32	34 mm	40 mm	6 mm
49SS/40	39 mm	42 mm	7 mm

ROLLER BUCKLE

Code	Inner diameter	Height	D
10758SS/13	14 mm	11 mm	3 mm
10758SS/17	17 mm	12 mm	4 mm
10758SS/20	20 mm	16 mm	4 mm

ROLLER BUCKLE

Code	Inner diameter	Height	D
1305RSS/13	12 mm	11 mm	4 mm
1305RSS/17	16 mm	11 mm	4 mm
1305RSS/20	20 mm	11 mm	4 mm



121B/20

BRASS

POLISHED

CENTER BAR BRASS BUCKLE

Code	Inner diameter	Height	D
121B/13	13 mm	12 mm	3 mm
121B/17	16 mm	14 mm	3 mm
121B/20	20 mm	17 mm	4 mm
121B/25	25 mm	18 mm	5 mm



121SS/13

STAINLESS

POLISHED

CENTER BAR BUCKLE

Code	Inner diameter	Height	D
121SS/13	13 mm	12 mm	3 mm
121SS/17	18 mm	13 mm	3 mm
121SS/20	21 mm	16 mm	3 mm
121SS/25	27 mm	21 mm	3 mm



121Z/13 CP

ZINC DIE CASTING

POLISHED

CENTER BAR BUCKLE

Code	Inner diameter	Height	D
121Z/13 CP	13 mm	12 mm	3 mm
121Z/17 CP	17 mm	14 mm	3 mm
121Z/20 CP	20 mm	14 mm	3 mm
121Z/25 CP	25 mm	20 mm	3 mm



150SS/20

STAINLESS

POLISHED

CENTER BAR ROLLER BUCKLE

NEW

Code	Inner diameter	Height	D
150SS/13	13 mm	13 mm	3 mm
150SS/17	17 mm	14 mm	3 mm
150SS/20	20 mm	15 mm	4 mm
150SS/25	25 mm	23 mm	4 mm
150SS/30	30 mm	25 mm	5 mm



NEW 122SS/26

STAINLESS

POLISHED

CENTER BAR BUCKLE

Code	Inner diameter	Height	D
122SS/20	21 mm	15 mm	3 mm
122SS/26	25 mm	19 mm	3 mm



999SS/40 D

STAINLESS

POLISHED

DOUBLE PRONG ROLLER BUCKLE

Code	Inner diameter	Height	D
999SS/40 D	40 mm	24 mm	6 mm
NEW 999SS/50 D	50 mm	27 mm	6 mm



999SS/40

STAINLESS

POLISHED

Code	Inner diameter	Height	D
999SS/25	25 mm	18 mm	5 mm
999SS/30	30 mm	25 mm	6 mm
999SS/40	40 mm	24 mm	6 mm
NEW 999SS/50	50 mm	27 mm	6 mm



1407SS/26

STAINLESS

POLISHED

Code	Inner diameter	Height	D
1407SS/13	13 mm	8 mm	3 mm
1407SS/16	16 mm	9 mm	3 mm
1407SS/20	20 mm	13 mm	3 mm
1407SS/26	26 mm	14 mm	4 mm
1407SS/30	30 mm	16 mm	4 mm
1407SS/40	40 mm	23 mm	5 mm
1407SS/50	50 mm	29 mm	6 mm



40SS/20

STAINLESS

POLISHED

CENTER BAR ROLLER BUCKLE

Code	Inner diameter	Height	D
40SS/20	21 mm	12 mm	3 mm
40SS/25	27 mm	11 mm	3 mm



2507SS/25

STAINLESS

POLISHED

Code	Inner diameter	Height	D
2507SS/25	27 mm	4 mm	5 mm



1179/25 CP

STEEL

CHROME PLATED

GIRTH BUCKLE

Code	Inner diameter	Height	D
1179/25 CP	25 mm	14 mm	5 mm



150Z/25 NP

ZINC DIE CASTING


NICKEL PLATED

CENTER BAR ROLLER BUCKLE

Code	Inner diameter	Height	D
150Z/13 NP	13 mm	12 mm	3 mm
150Z/17 NP	17 mm	14 mm	3 mm
150Z/20 NP	20 mm	14 mm	3 mm
150Z/25 NP	25 mm	20 mm	3 mm



Belt Buckles



SOLID BRASS BELT BUCKLE 41 MM

B001/40

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 38 MM

B027/38

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 40 MM

B028/40

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 41 MM

B003/40

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 39 MM

B030/40

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 39 MM

B007/40

BRASS

POLISHED



SOLID BRASS BELT
BUCKLE 32 MM

980B/30

BRASS POLISHED



SOLID BRASS BELT
BUCKLE 40 MM

B005/40

BRASS POLISHED



SOLID BRASS BELT
BUCKLE 30 MM

B007/30

BRASS POLISHED



SOLID BRASS BELT
BUCKLE 38 MM

B017/40

BRASS POLISHED



SOLID BRASS BELT
BUCKLE 31 MM

B031/30

BRASS POLISHED



SOLID BRASS BELT
BUCKLE 40 MM

B019/40

BRASS POLISHED



SOLID BRASS BELT
BUCKLE 30 MM

B019/30

BRASS POLISHED



SOLID BRASS BELT
BUCKLE 38 MM

980B/40

BRASS POLISHED





BELT BUCKLES

SOLID BRASS BELT BUCKLE 35 MM

B035/35

BRASS

POLISHED

NEW



SOLID BRASS BELT BUCKLE 40 MM

B035/40

BRASS

POLISHED

NEW



SOLID BRASS BELT BUCKLE 26 MM

B025/26

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 21 MM

B026/20

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 30 MM

B006/30

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 40 MM

B006/40

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 35-40 MM

B1049/40

B1049/35

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 45 MM

B034/45

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 30 MM

B006/30 CP

- BRASS
- CHROME PLATED



SOLID BRASS BELT BUCKLE 40 MM

B006/40 CP

- BRASS
- CHROME PLATED



METAL BUCKLES





BELT BUCKLES

BELT BUCKLE 40 MM

XGJ 805/40 AS

ZINC DIE CASTING

ANTIQUE SILVER



BELT BUCKLE 35 MM

XGJ 816/35 AS

ZINC DIE CASTING

ANTIQUE SILVER



BELT BUCKLE 30 MM

XGJ 817/30 AS

ZINC DIE CASTING

ANTIQUE SILVER



BELT BUCKLE 40 MM

XGJ 812/40 AS

ZINC DIE CASTING

ANTIQUE SILVER



BELT BUCKLE 40 MM

XGJ 805/40 CP

ZINC DIE CASTING

CHROME PLATED



BELT BUCKLE 25 MM

XGJ 336/25 CP

ZINC DIE CASTING

CHROME PLATED



BELT BUCKLE 29 MM

XGJ 826/29 CP

ZINC DIE CASTING

CHROME PLATED



BELT BUCKLE 30 MM

XGJ 814/30 CP

ZINC DIE CASTING

CHROME PLATED



BELT BUCKLE 35 MM

XGJ 806/35 CP

ZINC DIE CASTING

CHROME PLATED



BELT BUCKLE 35 MM

XGJ 816/35 CP

ZINC DIE CASTING

CHROME PLATED



BELT BUCKLE 40 MM

XGJ 502/40 CP

ZINC DIE CASTING

CHROME PLATED



BELT BUCKLE 30 MM

XGJ 566/30 AS

ZINC DIE CASTING

ANTIQUÉ SILVER





BELT BUCKLES

BELT BUCKLE WITH KEEPER 30 MM

Z6333/30 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 30 MM

XGJ 565/30 CP

ZINC DIE CASTING

CHROME PLATED



BELT BUCKLE 30 MM

PH75405/30

ZINC DIE CASTING

BRUSHED



BELT BUCKLE 30 MM

Z3919/30 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 30 MM

Z3919/30 BGM

ZINC DIE CASTING

BRUSHED GUN METAL



SLIDER STYLE BUCKLE 35 MM

PH32843/35

ZINC DIE CASTING

BRUSHED



SLIDER STYLE BUCKLE 32 MM

K83256/32 BK

STEEL

BLACK



BELT BUCKLE 30 MM

LJ0242/30 CP

ZINC DIE CASTING

CHROME PLATED



BELT BUCKLE 30 MM

LJ0242/30 Gold

ZINC DIE CASTING

GOLD PLATED



SLIDER STYLE BUCKLE 32 MM

K83256/32 NFM

STEEL





BELT BUCKLES

BELT BUCKLE WITH KEEPER 35 MM

NEW DK9948BSS/35

STAINLESS

POLISHED



SLIDER STYLE BUCKLE 40 MM

NEW SZ2186/40 BGM

STEEL

BRUSHED GUN METAL



BELT BUCKLE WITH KEEPER 35 MM

NEW DK9951SS/35

STAINLESS

POLISHED



NEW DK9946SS/35

STAINLESS

BRUSHED



BELT BUCKLE 30 MM

PH33456/30

ZINC DIE CASTING



PH33466/30

ZINC DIE CASTING



PH33994/30

ZINC DIE CASTING




PH33995/30

ZINC DIE CASTING




BELT PIN BUCKLE 35 MM

NEW 9901BSS/35
STAINLESS BRUSHED



NEW 9906BSS/35
STAINLESS BRUSHED



NEW 9907BSS/35
STAINLESS BRUSHED



BELT STAINLESS STEEL PIN BUCKLE BRUSHED 40 MM

9940BSS/40

STAINLESS

BRUSHED



9945BSS/40

STAINLESS

BRUSHED



NEW 9985BSS/40

STAINLESS


BRUSHED



NEW 9987BSS/40

STAINLESS

BRUSHED



NEW 9906BSS/40

STAINLESS

BRUSHED



NEW 9996BSS/40

STAINLESS

BRUSHED



NEW 9998BSS/40
STAINLESS BRUSHED



NEW 9913BSS/40
STAINLESS BRUSHED



NEW 9939BSS/40
STAINLESS BRUSHED



METAL BUCKLES



BELT STAINLESS STEEL PIN BUCKLE 40 MM

9940SS/40

STAINLESS

POLISHED



9945SS/40

STAINLESS

POLISHED



BELT STAINLESS STEEL PIN BUCKLE BRUSHED 30 MM

9913BSS/30

STAINLESS

BRUSHED



9917BSS/30

STAINLESS

BRUSHED

NEW



9922BSS/30

STAINLESS

BRUSHED

NEW



BELT PIN BUCKLE BRUSHED 35 MM

9916BSS/35

STAINLESS BRUSHED



BELT PIN BUCKLE 35 MM

9916SS/35

STAINLESS POLISHED



BELT PIN BUCKLE 42 MM

9942SS/40

STAINLESS POLISHED



BELT PIN BUCKLE BRUSHED 40 MM

9942BSS/40

STAINLESS BRUSHED



BELT PIN BUCKLE 35 MM

9938SS/35

STAINLESS POLISHED



BELT PIN BUCKLE BRUSHED 35 MM

9938BSS/35

STAINLESS BRUSHED



BELT PIN BUCKLE 30 MM

6333N BSS/30

STAINLESS

BRUSHED



BELT PIN BUCKLE 30 MM

6333N SS/30

STAINLESS

POLISHED



BELT BUCKLE 40 MM

PH75497/40

ZINC DIE CASTING



BELT BUCKLE 40 MM

PH76118/40

ZINC DIE CASTING



BELT BUCKLE 40 MM

PH76804/40

ZINC DIE CASTING

ZINC PLATED



**HUNTING BELT BUCKLE
40 MM – NICKEL FREE**

PH76548/40 ONF

ZINC DIE CASTING

ANTIQUE SILVER







BELT BUCKLES

BELT BUCKLE 40 MM

Z8411/40 AS

ZINC DIE CASTING

ANTIQUE SILVER



BELT BUCKLE 39 MM

ZK1228/40 AS

ZINC DIE CASTING

ANTIQUE SILVER



BELT BUCKLE 39 MM

ZK3630/40 AS

ZINC DIE CASTING

ANTIQUE SILVER



BELT BUCKLE 30 MM

ZK0296/30 AS

ZINC DIE CASTING

ANTIQUE SILVER



BELT BUCKLE 30 MM

ZK1370/30 AS

ZINC DIE CASTING

ANTIQUE SILVER



SMALL BELT BUCKLE 20 MM

PH75364/20

ZINC DIE CASTING

ANTIQUE SILVER



HUNTING BELT BUCKLE 40 MM

PH76548/40 AB

ZINC DIE CASTING


ANTIQUE BRASS



MASSIVE BELT BUCKLE 40 MM

PH78067/40 AB

ZINC DIE CASTING
ANTIQUE BRASS



DOUBLE PRONG BUCKLE 52 MM

22312

STEEL NICKEL PLATED



BELT BUCKLE 35 MM

NEW B1049/35 BK
BRASS BLACK



BELT BUCKLE 40 MM

Z4430/40 BK
ZINC DIE CASTING BLACK



SOLID BRASS BELT BUCKLE 40 MM

B1049/40 BK

BRASS BLACK





BELT BUCKLES

BELT BUCKLE 38 MM

PH4269/38

ZINC DIE CASTING

ANTIQUE SILVER




MASSIVE BELT BUCKLE 40 MM

PH78067/40 AS

ZINC DIE CASTING

ANTIQUE SILVER



BELT BUCKLE 35 MM

Z0289/35 AS

ZINC DIE CASTING

ANTIQUE SILVER



BELT BUCKLE 30 MM

Z2498/30 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 30 MM

Z6724/30 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 30 MM

Z2912/30 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 30 MM

ZK2175/30 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 35 MM

Z0365/35 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 35 MM

ZK1106/35 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 35 MM

Z9601/35 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 40 MM

ZK1776/40 BrNP

ZINC DIE CASTING

BRUSHED NICKEL





BELT BUCKLES

BELT BUCKLE 40 MM

ZK2049/40 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 40 MM

Z2986/40 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 30 MM

ZK1333/30 BGM

- ZINC DIE CASTING
- BRUSHED GUN METAL



BELT BUCKLE 30 MM

Z2498/30 BGM

- ZINC DIE CASTING
- BRUSHED GUN METAL



BELT BUCKLE 35 MM

ZK3841/35 BGM

- ZINC DIE CASTING
- BRUSHED GUN METAL



BELT BUCKLE 30 MM

Z2912/30 BGM

- ZINC DIE CASTING
- BRUSHED GUN METAL



BELT BUCKLE 30 MM

Z6724/30 BGM

- ZINC DIE CASTING
- BRUSHED GUN METAL



BELT BUCKLE 30 MM

ZK2175/30 BGM

- ZINC DIE CASTING
- BRUSHED GUN METAL






BELT BUCKLES

BELT BUCKLE 35 MM

ZK1106/35 BGM

ZINC DIE CASTING

BRUSHED GUN METAL



BELT BUCKLE 35 MM

Z9601/35 BGM

ZINC DIE CASTING

BRUSHED GUN METAL



BELT BUCKLE 35 MM

Z0365/35 BGM

ZINC DIE CASTING

BRUSHED GUN METAL



BELT BUCKLE 40 MM

ZY9958/40 BGM

ZINC DIE CASTING

BRUSHED GUN METAL



BELT BUCKLE 40 MM

Z2986/40 BGM

ZINC DIE CASTING

BRUSHED GUN METAL



BELT BUCKLE 40 MM

ZK1776/40 BGM

ZINC DIE CASTING

BRUSHED GUN METAL



BELT BUCKLE 40 MM

ZK2049/40 BGM

ZINC DIE CASTING

BRUSHED GUN METAL



BELT BUCKLE 40 MM

ZK1583/40 BGM

ZINC DIE CASTING

BRUSHED GUN METAL



DOUBLE PRONG BUCKLE 40 MM


ZY5777/40 BGM

ZINC DIE CASTING

BRUSHED GUN METAL




Collar Buckles



Z9913/20 NP

ZINC DIE CASTING

NICKEL PLATED



Z9913/20 RG

ZINC DIE CASTING

ROSE GOLD



Z9913/20 NEO


ZINC DIE CASTING

NEO-CHROME

Code	Inner diameter	Shank	Lenght
Z9913/16 NP	16 mm	3 mm	21 mm
Z9913/20 NP	20 mm	3.1 mm	26 mm
Z9913/25 NP	25 mm	3.8 mm	33 mm
Z9913/30 NP	30 mm	4 mm	40 mm

Code	Inner diameter	Shank	Lenght
Z9913/16 RG	16 mm	3 mm	21 mm
Z9913/20 RG	20 mm	3.1 mm	26 mm
Z9913/25 RG	25 mm	3.8 mm	33 mm
Z9913/30 RG	30 mm	4 mm	40 mm

Code	Inner diameter	Shank	Lenght
Z9913/16 NEO	16 mm	3 mm	21 mm
Z9913/20 NEO	20 mm	3.1 mm	26 mm
Z9913/25 NEO	25 mm	3.8 mm	33 mm
Z9913/30 NEO	30 mm	4 mm	40 mm



XGJ/25 NEO

ZINC DIE CASTING

NEO-CHROME

Code	Inner diameter	Shank	Lenght
XGJ/16 NEO	16 mm	2.5 mm	34 mm
XGJ/20 NEO	20 mm	2.6 mm	42 mm
XGJ/25 NEO	25 mm	3.3 mm	54 mm





XGJ/20 NP

ZINC DIE CASTING

NICKEL PLATED

Code	Inner diameter	Shank	Lenght	Code	Inner diameter	Shank	Lenght
XGJ/10 NP	10 mm	2.5 mm	25 mm	XGJ/20 NP	20 mm	2.7 mm	42 mm
XGJ-L/10 NP	10 mm	2.5 mm	26 mm	XGJ/25 NP	25 mm	3.1 mm	54 mm
XGJ/13 NP	13 mm	2.5 mm	30 mm	XGJ/30 NP	30 mm	3.1 mm	63 mm
XGJ-L/13 NP	13 mm	2.7 mm	28 mm	XGJ/40 NP	40 mm	4 mm	62 mm
XGJ/16 NP	16 mm	2.5 mm	35 mm				



XGJ/25 BK

ZINC DIE CASTING

BLACK

Code	Inner diameter	Shank	Lenght	Code	Inner diameter	Shank	Lenght
XGJ/10 BK	10 mm	2.5 mm	25 mm	XGJ/20 BK	20 mm	2.6 mm	42 mm
XGJ-L/10 BK	10 mm	2.5 mm	26 mm	XGJ/25 BK	25 mm	3.3 mm	54 mm
XGJ/13 BK	13 mm	2.3 mm	30 mm	XGJ/30 BK	30 mm	4 mm	63 mm
XGJ-L/13 BK	13 mm	2.7 mm	33 mm	XGJ/40 BK	40 mm	4 mm	63 mm
XGJ/16 BK	16 mm	2.3 mm	34 mm				



XGJ/20 RG

ZINC DIE CASTING

ROSE GOLD



147SS/20

STAINLESS

POLISHED



XGJ/25 AB

ZINC DIE CASTING

ANTIQUE BRASS

Code	Inner diameter	Shank	Lenght
XGJ/10 RG	10 mm	2.5 mm	25 mm
XGJ-L/10 RG	10 mm	2.5 mm	26 mm
XGJ/13 RG	13 mm	2.3 mm	30 mm
XGJ-L/13 RG	13 mm	2.7 mm	33 mm
XGJ/16 RG	16 mm	2.3 mm	33 mm
XGJ/20 RG	20 mm	2.6 mm	42 mm
XGJ/25 RG	25 mm	3.3 mm	55 mm
XGJ/40 RG	40 mm	4.2 mm	62 mm

Code	Inner diameter	Shank	Lenght
147SS/10	10 mm	2.5 mm	26 mm
147SS/13	13 mm	2.5 mm	31 mm
147SS/17	16 mm	2.8 mm	36 mm
147LSS/16	16 mm	2.7 mm	37 mm
147SS/20	20 mm	2.7 mm	42 mm
147SS/25	26 mm	3.5 mm	55 mm
147SS/38	38 mm	3.6 mm	68 mm

Code	Inner diameter	Shank	Lenght
XGJ/10 AB	10 mm	2.5 mm	26 mm
XGJ/13 AB	13 mm	2.8 mm	33 mm
XGJ/16 AB	16 mm	2.5 mm	34 mm
XGJ/20 AB	20 mm	2.6 mm	41 mm
XGJ/25 AB	25 mm	3.3 mm	55 mm
XGJ/40 AB	40 mm	4 mm	63 mm



COLLAR BUCKLES



XGJ/20 GM

ZINC DIE CASTING

GRAY



147B/20

BRASS

POLISHED



147B/20 CP

BRASS

CHROME PLATED

Code	Inner diameter	Shank	Lenght
XGJ/16 GM	16 mm	2.2 mm	34 mm
XGJ/20 GM	20 mm	2.5 mm	42 mm
XGJ/25 GM	25 mm	3.5 mm	54 mm

Code	Inner diameter	Shank	Lenght
147B/17	16 mm	3.1 mm	37 mm
147B/20	20 mm	3.5 mm	46 mm
147B/25	25 mm	4.4 mm	57 mm

Code	Inner diameter	Shank	Lenght
147B/17 CP	16 mm	3.1 mm	37 mm
147B/20 CP	20 mm	3.2 mm	46 mm
147B/25 CP	25 mm	4.5 mm	56 mm



146BS/32

BRASS

POLISHED

Code	Inner diameter	Shank	Lenght
146B/13	13 mm	3 mm	35 mm
146BS/17	17 mm	3.3 mm	43 mm
146BS/20	20 mm	4 mm	50 mm
146BS/25	25 mm	4.4 mm	57 mm
146BS/32	32 mm	4.9 mm	67 mm
146BS/40	40 mm	4.4 mm	81 mm



12 S/13 CP

ZINC DIE CASTING

CHROME PLATED

RHINESTONE BUCKLE

Code	Inner diameter	Shank	Lenght
12 S/10 CP	10 mm	2.4 mm	17 mm
12 S/13 CP	13 mm	2.7 mm	22 mm



146SS/20

STAINLESS

POLISHED




12JB/21

BRASS

POLISHED

Code	Inner diameter	Shank	Lenght
146SS/20	20 mm	4 mm	45 mm
146SS/25	25 mm	4.2 mm	52 mm

Code	Inner diameter	Shank	Lenght
12JB/21	20 mm	2.5 mm	30 mm
12JB/26	25 mm	3 mm	37 mm



Cam Buckles



CAM 01/20

ZINC DIE CASTING

ZINC PLATED

SELF-LOCKING BUCKLE

Code	Inner diameter
CAM 01/20	20 mm
CAM 01/25	25 mm
CAM 01/40	40 mm



CAM02 SS/50


STAINLESS

POLISHED


SELF-LOCKING BUCKLE

Code	Inner diameter
CAM02 SS/25	25 mm
CAM02 SS/50	50 mm

METAL BUCKLES



Special Buckles



888K/30 NP

STEEL

NICKEL PLATED

SAFETY CAR BUCKLE

Code	Inner diameter
888K/25 NP	25 mm
888K/30 NP	30 mm



888K/25 CP

STEEL


CHROME PLATED

SAFETY CAR BUCKLE

Code	Inner diameter
888K/25 CP	25 mm



3 & 2 Way Halter Squares



3 SIDED HALTER SQUARE 13 MM

Z370/13 CP

ZINC DIE CASTING

CHROME PLATED



3 SIDED HALTER SQUARE 16 MM

Z370/16 CP

ZINC DIE CASTING

CHROME PLATED



3 SIDED HALTER SQUARE 20 MM

Z370/20 CP

ZINC DIE CASTING

CHROME PLATED



3 SIDED HALTER SQUARE 25 MM

Z370/25 CP

ZINC DIE CASTING

CHROME PLATED



3 SIDED HALTER SQUARE 25 MM

S373/25 CP

STEEL

CHROME PLATED



3 SIDED HALTER SQUARE 20 MM

B370/20

BRASS

POLISHED



3 SIDED HALTER SQUARE 25 MM

B370/25

BRASS

POLISHED



3 SIDED HALTER SQUARE 20 MM

SS370/20

STAINLESS

POLISHED




3 SIDED HALTER SQUARE 25 MM

SS370/25

STAINLESS

POLISHED



3 SIDED HALTER SQUARE 25 MM

Z370/25 RG

ZINC DIE CASTING

ROSE GOLD



3 SIDED HALTER SQUARE 25 MM

Z370/25 BK

ZINC DIE CASTING

BLACK



2 SIDED HALTER SQUARE 20 MM

B369/20

BRASS

POLISHED



2 SIDED HALTER SQUARE 25 MM

B369/25

BRASS

POLISHED



2 SIDED HALTER SQUARE 20 MM

NEW

B3690/20

BRASS

POLISHED



2 SIDED HALTER SQUARE 25 MM

369SS/25

STAINLESS

POLISHED



2 SIDED HALTER SQUARE 20 MM

369SS/20

STAINLESS


POLISHED



Made by Tereza Klvaňová



Bridle Buckles



12ST/25 NP

STEEL

NICKEL PLATED



12SS/25

STAINLESS

POLISHED

BRIDLE BUCKLE PREMIUM

Code	Inner width	Inner height	Shank	D
12ST/14 NP	14 mm	17 mm	3.1 mm	4 mm
12ST/16 NP	16 mm	20 mm	3.1 mm	4 mm
12ST/18 NP	18 mm	20 mm	3.1 mm	4 mm
12ST/20 NP	20 mm	25 mm	3.5 mm	4 mm
12ST/25 NP	25 mm	34 mm	4 mm	4 mm
12ST/30 NP	30 mm	40 mm	4 mm	4 mm

Code	Inner width	Inner height	Shank	D
12SS/13	13 mm	18 mm	2.7 mm	3 mm
12SS/17	16 mm	18 mm	3.1 mm	3 mm
12SS/20	20 mm	25 mm	3.1 mm	3 mm
12SS/23	23 mm	27 mm	3.6 mm	3 mm
12SS/25	26 mm	30 mm	4 mm	4 mm



12RSS/25

STAINLESS

POLISHED



12ST/25 BK

STEEL

BLACK

Code	Inner width	Inner height	Shank	D
12RSS/10	10 mm	15 mm	3 mm	3.3 mm
12RSS/14	14 mm	19 mm	3 mm	3.3 mm
12RSS/16	16 mm	21 mm	3.3 mm	4 mm
12RSS/20	20 mm	27 mm	4 mm	4.6 mm
12RSS/23	23 mm	28 mm	4 mm	4.6 mm
12RSS/25	25 mm	32 mm	5 mm	5.5 mm

Code	Inner width	Inner height	Shank	D
12ST/16 BK	16 mm	20 mm	3.1 mm	4 mm
12ST/20 BK	20 mm	25 mm	3.5 mm	4 mm
12ST/25 BK	25 mm	34 mm	4 mm	4 mm
12ST/30 BK	30 mm	40 mm	4 mm	4 mm



12z/25 NP

ZINC DIE CASTING

NICKEL PLATED



12z/25 CP

ZINC DIE CASTING

CHROME PLATED

Code	Inner width	Inner height	Shank	D
12z/13 NP	13 mm	17 mm	3.1 mm	2 mm
12z/17 NP	17 mm	19 mm	3.1 mm	2 mm
12z/20 NP	19 mm	24 mm	3.5 mm	3 mm
12z/25 NP	25 mm	30 mm	5 mm	4 mm

Code	Inner width	Inner height	Shank	D
12z/13 CP	13 mm	17 mm	2.5 mm	2 mm
12z/17 CP	17 mm	20 mm	3 mm	3 mm
12z/20 CP	19 mm	24 mm	3.1 mm	3 mm
12z/25 CP	25 mm	30 mm	3.6 mm	4 mm





BRIDLE BUCKLES



299SS/20

STAINLESS

POLISHED



12Z/20 AB

ZINC DIE CASTING

ANTIQUÉ BRASS

STAMPED BRIDLE BUCKLE

Code	Inner width	Inner height	Shank	D
299SS/13	13 mm	9 mm	2.7 mm	2 mm
299SS/17	16 mm	12.5 mm	2.5 mm	3 mm
299SS/20	20 mm	13 mm	2.7 mm	3 mm

Code	Inner width	Inner height	Shank	D
12Z/17 AB	17 mm	19 mm	3.1 mm	3 mm
12Z/20 AB	19 mm	24 mm	3.5 mm	3 mm
12Z/25 AB	25 mm	30 mm	5 mm	4 mm



12B/25

BRASS

POLISHED




5B/25

BRASS

POLISHED

Code	Inner width	Inner height	Shank	D
12B/13	13 mm	18 mm	2.7 mm	2 mm
12B/17	16 mm	20 mm	3.1 mm	4 mm
12B/20	20 mm	25 mm	3.5 mm	3 mm
12B/25	25 mm	30 mm	4.5 mm	4.5 mm
12B/32	32 mm	32 mm	4.7 mm	6 mm

Code	Inner width	Inner height	Shank	D
5B/13	15 mm	19 mm	3.1 mm	3 mm
5B/17	18 mm	21 mm	3.5 mm	3 mm
5B/20	20 mm	25 mm	4 mm	4 mm
5B/25	26 mm	33 mm	5 mm	4 mm



Halter Buckles



705B/17

BRASS

POLISHED

Code	Inner width	Inner height	Shank
705B/13	13 mm	10 mm	3.6 mm
705B/17	17 mm	12 mm	4 mm
705B/20	20 mm	13 mm	4 mm
705B/25	25 mm	17 mm	4.5 mm
705B/30	32 mm	21 mm	4.5 mm



705Z/20 CP

ZINC DIE CASTING

CHROME PLATED

Code	Inner width	Inner height	Shank
705Z/17 CP	17 mm	14 mm	3.6 mm
705Z/20 CP	20 mm	15 mm	4 mm
705Z/25 CP	25 mm	18 mm	4 mm



5706B/25

BRASS

POLISHED

Code	Inner width	Inner height	Shank
5706B/25	25 mm	13 mm	4 mm
5706B/30	30 mm	14 mm	4.5 mm



132SS/20

STAINLESS

POLISHED

Code	Inner width	Inner height	Shank
132-LSS/14	14 mm	11 mm	3 mm
132-LSS/16	16 mm	14 mm	3 mm
132-LSS/20	20 mm	17 mm	3.3 mm
132-LSS/26	26 mm	16 mm	3.3 mm



NEW 5705SZ/13 NP

ZINC DIE CASTING

NICKEL PLATED

Code	Inner width	Inner height	Shank
5705SZ/13 NP	13 mm	11 mm	2.7 mm



Made by Koller Brigitte



5709Z/28 CP

ZINC DIE CASTING CHROME PLATED




5705SS/25

STAINLESS POLISHED

DOUBLE BAR HALTER BUCKLE

Code	Inner width	Inner height	Shank
5709Z/28 CP	28 mm	16 mm	4 mm

Code	Inner width	Inner height	Shank
5705SS/17	17 mm	14 mm	3.6 mm
5705SS/20	20 mm	13 mm	4.5 mm
5705SS/25	25 mm	17 mm	4 mm
5705SS/32	32 mm	21 mm	5.5 mm



Conway Buckles



210Z/20 CP

ZINC DIE CASTING

CHROME PLATED



210SS/17

STAINLESS

POLISHED



210B/13

BRASS

POLISHED

Code	Inner diameter	Ø Spike
210Z/13 CP	13 mm	4.5 mm
210Z/17 CP	17 mm	4 mm
210Z/20 CP	20 mm	5 mm
210Z/25 CP	25 mm	5 mm

Code	Inner diameter	Ø Spike
210SS/13	13 mm	3 mm
210SS/17	17 mm	4.8 mm
210SS/20	20 mm	5 mm
210SS/25	25 mm	5 mm

Code	Inner diameter	Ø Spike
210B/13	13 mm	4.2 mm
210B/17	16 mm	4.6 mm
210B/20	20 mm	4.8 mm



NEW 210Z/20 BK

ZINC DIE CASTING

BLACK

Code	Inner diameter	Ø Spike
210Z/13 BK	13 mm	4.5 mm
210Z/17 BK	17 mm	4 mm
210Z/20 BK	20 mm	5 mm
210Z/25 BK	25 mm	5 mm



Blanket Buckles

HORSE BLANKET SURCINGLE BUCKLE SET

B3181/50

BRASS

POLISHED



HORSE BLANKET SURCINGLE BUCKLE SET

SS 3181/50

STAINLESS

POLISHED



HORSE BLANKET SURCINGLE BUCKLE SET


S 3181/50 CP

STEEL

CHROME PLATED



Inner Diameter



Girth Buckles



FLAT GIRTH BUCKLE

1280/25 CP

STEEL

CHROME PLATED



BRASS FLAT GIRTH BUCKLE

B1280/25

BRASS

POLISHED

STAINLESS STEEL GIRTH BUCKLE



1240SP-SS/26

STAINLESS


POLISHED



1140SS/25

STAINLESS

POLISHED



1140SP-SS/25

STAINLESS

POLISHED

Inner Diameter



Center Bar Buckles



ENGLISH STIRRUP BUCKLE

1180/25 CP

STEEL

CHROME PLATED



**STAINLESS STEEL
ENGLISH STIRRUP BUCKLE**

1180SS/25

STAINLESS

POLISHED



ENGLISH STIRRUP BUCKLE

NEW

1180ST/26 NP

STEEL

NICKEL PLATED



Horse Lead Ropes



POLY LEAD ROPE WITH SNAP

Code	Length	ø
VKL Z225 CP	2 m	14 mm



CHAIN LEASH FOR HORSE WITHOUT HANDLE

STEEL CHROME PLATED

Code	Length	ø
V 40/60C	60 cm	4 mm




1954SSF/25

STAINLESS POLISHED

CLIP WITH D RING

Code	Inner diameter	Height	D
1954SSF/25	25 mm	40 mm	6 mm



RIGGING DEE FLAT

3335SS/76

STAINLESS POLISHED

RIGGING „C“

32708SS/90

STAINLESS POLISHED




9102/20 NP

STEEL NICKEL PLATED

CLIP WITH D RING

Code	Inner diameter	Height	D
9102/16 NP	16 mm	13 mm	3 mm
9102/20 NP	20 mm	17 mm	3 mm



Single Cap Rivets

SINGLE CAP RIVET

STEEL

NICKEL PLATED



20 O

A	B	C
3 mm	6 mm	6 mm



63 O

A	B	C
3 mm	8 mm	8 mm



66 O

A	B	C
3 mm	7 mm	7 mm



70 O

A	B	C
3 mm	10 mm	10 mm



70 O 13 mm

A	B	C
3 mm	13 mm	10 mm



70 O 8 mm

A	B	C
3 mm	8 mm	10 mm



72 O

A	B	C
4 mm	11 mm	12 mm



75 O

A	B	C
4 mm	13 mm	12 mm

SINGLE CAP RIVET

STEEL

ANTIQUE COPPER



70 O - AC

A	B	C
3 mm	10 mm	10 mm



72 O - AC

A	B	C
4 mm	11 mm	12 mm



75 O - AC

A	B	C
4 mm	13 mm	12 mm



75 O - AB

A	B	C
4 mm	13 mm	12 mm

SINGLE CAP RIVET

STEEL

ANTIQUE BRASS

COPPER RIVETS & BURRS

COPPER



RCH09 B/9x3.3x14

A	B	C
3 mm	14 mm	9 mm



RCH12 B/12x4x14

A	B	C
4 mm	14 mm	12 mm




RCH09 B/9x3.3x20

A	B	C
3 mm	20 mm	9 mm


COPPER RIVETS & BURRS


COPPER



BRASS RIVETS & BURRS

BRASS





Double Cap Rivets

DOUBLE CAP RIVET

STEEL

NICKEL PLATED

														
A	B	C	A	B	C	A	B	C	A	B	C	A	B	C
3 mm	6 mm	6 mm	3 mm	7 mm	7 mm	3 mm	8 mm	8 mm	3 mm	8 mm	10 mm	2 mm	8 mm	6 mm

														
A	B	C	A	B	C	A	B	C	A	B	C	A	B	C
4 mm	8 mm	12 mm	3 mm	10 mm	10 mm	4 mm	11 mm	12 mm	4 mm	13 mm	12 mm	4 mm	15 mm	13 mm

DOUBLE CAP RIVET

STAINLESS

														
A	B	C	A	B	C	A	B	C	A	B	C	A	B	C
4 mm	7 mm	7 mm	3 mm	8 mm	8 mm	3 mm	8 mm	8 mm	3 mm	10 mm	10 mm	3 mm	8 mm	10 mm

DOUBLE CAP RIVET

STEEL

GRAY

														
A	B	C	A	B	C	A	B	C	A	B	C	A	B	C
3 mm	12 mm	12 mm	3 mm	7 mm	7 mm	3 mm	10 mm	10 mm	3 mm	13 mm	10 mm	4 mm	11 mm	12 mm

DOUBLE CAP RIVET

BRASS

														
A	B	C	A	B	C	A	B	C	A	B	C	A	B	C
3 mm	7 mm	7 mm	3 mm	8 mm	8 mm	3 mm	10 mm	10 mm	4 mm	11 mm	12 mm	3 mm	10 mm	8 mm

DOUBLE CAP RIVET

STEEL

BLACK

																	
A	B	C	A	B	C	A	B	C	A	B	C	A	B	C	A	B	C
3 mm	6 mm	6 mm	3 mm	8 mm	8 mm	3 mm	8 mm	10 mm	3 mm	10 mm	10 mm	3 mm	13 mm	10 mm	3 mm	11 mm	12 mm

DOUBLE CAP RIVETS

DOUBLE CAP RIVET

STEEL

ANTIQUE COPPER

														
66 Z - AC			70 Z - AC			70 Z 13mm AC			72 Z - AC			75 Z - AC		
A	B	C	A	B	C	A	B	C	A	B	C	A	B	C
3 mm	7 mm	7 mm	3 mm	10 mm	10 mm	3 mm	13 mm	10 mm	4 mm	11 mm	12 mm	4 mm	13 mm	12 mm

DOUBLE CAP RIVET

STEEL

NEO-CHROME

														
66 Z - NEO			70 Z - NEO			B70 Z - NF			B72 Z - NF			B75 Z - NF		
A	B	C	A	B	C	A	B	C	A	B	C	A	B	C
3 mm	7 mm	7 mm	3 mm	10 mm	10 mm	3 mm	10 mm	10 mm	4 mm	11 mm	12 mm	4 mm	13 mm	12 mm

DOUBLE CAP RIVET - NICKEL FREE

BRASS

DOUBLE CAP RIVET

STEEL

ANTIQUE BRASS

														
66 Z - AB			70 Z 8 mm - AB			70 Z - AB			70 Z 13mm AB			72 Z - AB		
A	B	C	A	B	C	A	B	C	A	B	C	A	B	C
3 mm	7 mm	7 mm	3 mm	8 mm	10 mm	3 mm	10 mm	10 mm	3 mm	13 mm	10 mm	4 mm	11 mm	12 mm

DOUBLE CAP RIVET

STEEL

ROSE GOLD


														
66 Z - RG			70 Z 8mm - RG			70 Z - RG			70 Z 13mm RG			72 Z - RG		
A	B	C	A	B	C	A	B	C	A	B	C	A	B	C
3 mm	7 mm	7 mm	3 mm	8 mm	10 mm	3 mm	10 mm	10 mm	3 mm	13 mm	10 mm	4 mm	11 mm	12 mm

DOUBLE CAP RIVET

STEEL

BRASS PLATED

														
66 Z - BP			70 Z 8 mm - BP			70 Z - BP			70 Z 13mm BP			72 Z - BP		
A	B	C	A	B	C	A	B	C	A	B	C	A	B	C
3 mm	7 mm	7 mm	3 mm	8 mm	10 mm	3 mm	10 mm	10 mm	3 mm	13 mm	10 mm	4 mm	11 mm	12 mm
														
75 Z - BP			B66 Z - BP			B63 Z - BP			B70 Z - BP			B72 Z - BP		
A	B	C	A	B	C	A	B	C	A	B	C	A	B	C
4 mm	13 mm	12 mm	3 mm	7 mm	7 mm	3 mm	8 mm	8 mm	3 mm	10 mm	10 mm	4 mm	11 mm	12 mm



Chicago Screws

STAINLESS STEEL SCREW POST 4-10 MM

STAINLESS

POLISHED



SS SPH8-4

A	4 mm
B	4 mm
C	8 mm
S	4 mm



SS SPH8-5

A	5 mm
B	4 mm
C	8 mm
S	4 mm



SS SPH8-6

A	6 mm
B	4 mm
C	8 mm
S	6 mm



SS SPH-4

A	4 mm
B	4 mm
C	10 mm
S	4 mm



SS SPH-5

A	4 mm
B	5 mm
C	10 mm
S	5 mm



SS SPH-6

A	4 mm
B	6 mm
C	10 mm
S	6 mm



SS SPH-8

A	5 mm
B	8 mm
C	10 mm
S	6 mm



SS SPH8-4

NEW

A	4 mm
B	4 mm
C	8 mm
S	4 mm



SS SPH8-5

NEW

A	4 mm
B	5 mm
C	8 mm
S	4 mm



SS SPH8-6

NEW

A	4 mm
B	6 mm
C	8 mm
S	6 mm



SS SPH8-8

NEW

A	4 mm
B	8 mm
C	8 mm
S	6 mm



SS SPH-10

A	5 mm
B	8 mm
C	10 mm
S	6 mm

STEEL SCREW POST 4-15 MM

STEEL

NICKEL PLATED



SPH6-4

A	4 mm
B	4 mm
C	6 mm
S	4 mm



SPH6-5

A	5 mm
B	4 mm
C	6 mm
S	4 mm



SPH6-6

A	6 mm
B	4 mm
C	6 mm
S	5 mm



SPH8-4

A	4 mm
B	4 mm
C	8 mm
S	4 mm



SPH8-5

A	5 mm
B	4 mm
C	8 mm
S	4 mm



SPH8-6

A	6 mm
B	4 mm
C	8 mm
S	5 mm



SPH-4

A	5 mm
B	4 mm
C	10 mm
S	3 mm



SPH-5

A	5 mm
B	5 mm
C	10 mm
S	3 mm



SPH-6

A	5 mm
B	6 mm
C	10 mm
S	4 mm



SPH-8

A	5 mm
B	8 mm
C	10 mm
S	5 mm



SPH-10

A	5 mm
B	10 mm
C	10 mm
S	5 mm




SPH-12

A	5 mm
B	12 mm
C	10 mm
S	5 mm



SPH-15

A	5 mm
B	15 mm
C	10 mm
S	5 mm



STEEL SCREW POST 4-10 MM

STEEL

ANTIQUE BRASS



SPH-4 AB

A	5 mm
B	4 mm
C	10 mm
S	3 mm



SPH-5 AB

A	5 mm
B	5 mm
C	10 mm
S	4 mm



SPH-6 AB

A	5 mm
B	6 mm
C	5 mm
S	5 mm



SPH6-4 AB NEW

A	4 mm
B	4 mm
C	6 mm
S	4 mm



SPH6-5 AB NEW

A	5 mm
B	4 mm
C	6 mm
S	4 mm



SPH6-6 AB NEW

A	6 mm
B	4 mm
C	6 mm
S	5 mm



SPH-8 AB NEW

A	mm
B	8 mm
C	10 mm
S	6 mm



SPH8-4 AB NEW

A	4 mm
B	4 mm
C	8 mm
S	4 mm



SPH8-5 AB NEW

A	5 mm
B	4 mm
C	8 mm
S	4 mm



SPH8-6 AB NEW

A	6 mm
B	4 mm
C	8 mm
S	5 mm



SPH-10 AB NEW

A	5 mm
B	10 mm
C	10 mm
S	6 mm

STEEL SCREW POST 4-10 MM

STEEL

BLACK NICKLE



SPH6-4 BNP

A	2.8 mm
B	4 mm
C	6 mm
S	4 mm



SPH6-5 BNP

A	2.8 mm
B	5 mm
C	6 mm
S	5 mm



SPH6-6 BNP

A	2.8 mm
B	6 mm
C	6 mm
S	5 mm



SPH8-4 BNP

A	3.6 mm
B	4 mm
C	8 mm
S	4 mm



SPH8-5 BNP

A	3.6 mm
B	5 mm
C	8 mm
S	4 mm



SPH8-6 BNP

A	3.6 mm
B	6 mm
C	8 mm
S	5 mm



SPH-4 BNP

A	4 mm
B	4 mm
C	10 mm
S	4 mm



SPH-5 BNP

A	4 mm
B	5 mm
C	10 mm
S	4 mm



SPH-6 BNP

A	4 mm
B	6 mm
C	10 mm
S	5 mm



SPH-8 BNP NEW

A	5 mm
B	8 mm
C	10 mm
S	5 mm



SPH-10 BNP NEW

A	5 mm
B	10 mm
C	10 mm
S	5 mm



SPH-4 BN

A	5 mm
B	4 mm
C	10 mm
S	4 mm



SPH-6 BN


A	5 mm
B	6 mm
C	10 mm
S	4 mm



SPH-6 BN

A	5 mm
B	6 mm
C	10 mm
S	4 mm





STEEL SCREW POST 4-10 MM

STEEL

ROSE GOLD

SPH-4 RG	SPH-5 RG	SPH-6 RG	SPH6-5 RG NEW	SPH6-6 RG NEW	SPH6-4 RG NEW
A 4 mm	A 4 mm	A 4 mm	A 5 mm	A 6 mm	A 4 mm
B 4 mm	B 5 mm	B 6 mm	B 4 mm	B 4 mm	B 4 mm
C 10 mm	C 10 mm	C 10 mm	C 6 mm	C 6 mm	C 6 mm
S 3 mm	S 4 mm	S 4 mm	S 4 mm	S 5 mm	S 4 mm

SPH-8 RG	SPH8-4 RG NEW	SPH8-5 RG NEW	SPH8-6 RG NEW	SPH-10 RG
A 5 mm	A 4 mm	A 5 mm	A 6 mm	A 5 mm
B 8 mm	B 4 mm	B 4 mm	B 4 mm	B 10 mm
C 10 mm	C 8 mm	C 8 mm	C 8 mm	C 10 mm
S 6 mm	S 4 mm	S 4 mm	S 5 mm	S 6 mm

STEEL SCREW POST 4-10 MM

STEEL

BRASS PLATED

SPH-4 BP	SPH-5 BP	SPH-6 BP	SPH-8 BP NEW	SPH-10 BP NEW
A 5 mm	A 5 mm	A 5 mm	A 5 mm	A 5 mm
B 4 mm	B 5 mm	B 6 mm	B 8 mm	B 10 mm
C 10 mm	C 10 mm	C 10 mm	C 10 mm	C 10 mm
S 3 mm	S 4 mm	S 5 mm	S 5 mm	S 5 mm

STEEL SCREW POST 4-10 MM

BRASS

POLISHED

B SPH-4	B SPH-5	B SPH-6	B SPH-8	B SPH-8-4 NEW	B SPH-8-5 NEW
A 4 mm	A 4 mm	A 4 mm	A 4 mm	A 4 mm	A 4 mm
B 4 mm	B 5 mm	B 6 mm	B 8 mm	B 4 mm	B 5 mm
C 10 mm	C 10 mm	C 10 mm	C 10 mm	C 10 mm	C 10 mm
S 4 mm	S 5 mm	S 6 mm	S 6 mm	S 4 mm	S 5 mm

STEEL SCREW POST 4-6 MM

STEEL

NEO-CHROME

B SPH-8-6	B SPH-8-8 NEW	B SPH-10	SPH-4 NEO	SPH-5 NEO	SPH-6 NEO
A 4 mm	A 4 mm	A 5 mm	A 4 mm	A 4 mm	A 4 mm
B 6 mm	B 8 mm	B 10 mm	B 4 mm	B 5 mm	B 6 mm
C 10 mm	C 8 mm	C 10 mm	C 10 mm	C 10 mm	C 10 mm
S 6 mm	S 6 mm	S 6 mm	S 3 mm	S 4 mm	S 4 mm

STEEL SCREW POST 4-10 MM

STEEL

BLACK

NEW



SPH-4 BK

A	4 mm
B	4 mm
C	10 mm
S	3 mm

SPH-5 BK

A	4 mm
B	5 mm
C	10 mm
S	4 mm

SPH-6 BK

A	4 mm
B	6 mm
C	10 mm
S	5 mm

SPH-8 BK

A	5 mm
B	8 mm
C	10 mm
S	5 mm

SPH-10 BK

A	5 mm
B	10 mm
C	10 mm
S	5 mm

ECONOMY CHICAGO SCREW 3-6 MM

STEEL

NICKEL PLATED



SP-2

A	4 mm
B	3 mm
C	8 mm
S	3 mm

SP-4

A	4 mm
B	4 mm
C	9 mm
S	3 mm

SP-5

A	4 mm
B	5 mm
C	9 mm
S	5 mm

SP-6

A	4 mm
B	6 mm
C	9 mm
S	5 mm

DECORATIVE CHICAGO SCREW 6 MM

STEEL

NICKEL PLATED



SPH-6/D1

A	4 mm
B	6 mm
C	10 mm
S	5.5 mm

SPH-6/D2

A	4 mm
B	6 mm
C	12 mm
S	5.5 mm

SPH-6/D3

A	4 mm
B	6 mm
C	10 mm
S	5.5 mm

SPH-5/D5

A	4 mm
B	6 mm
C	10 mm
S	5.5 mm

DECORATIVE CHICAGO SCREW 6 MM

STEEL

BLACK NICKLE



SPH-6/D4

A	4 mm
B	6 mm
C	10 mm
S	5.5 mm

STEEL SCREW POST 4-20 MM

STEEL

NICKEL PLATED

NEW



SPH6-4

A	2.8 mm
B	4 mm
C	10 mm
S	4 mm

SPH6-5

A	2.8 mm
B	5 mm
C	6 mm
S	4 mm

SPH6-6

A	2.8 mm
B	6 mm
C	6 mm
S	5 mm

SPH8-4

A	3.6 mm
B	4 mm
C	8 mm
S	4 mm

SPH8-5

A	3.6 mm
B	5 mm
C	8 mm
S	4 mm

SPH8-6

A	3.6 mm
B	6 mm
C	8 mm
S	3.6 mm

SPH-20

A	5 mm
B	10 mm
C	20 mm
S	5 mm

DOUBLE-SIDED STEEL SCREW POST 6-8 MM

STEEL

NICKEL PLATED



DSPH-6

A	5 mm
B	6 mm
C	10 mm
S	4 mm

DSPH-8

A	5 mm
B	8 mm
C	10 mm
S	5 mm

DOUBLE-SIDED STEEL SCREW POST 6-8 MM

STEEL

ANTIQUE BRASS



DSPH-6 AB

A	5 mm
B	6 mm
C	10 mm
S	4 mm

DSPH-8 AB

A	5 mm
B	8 mm
C	10 mm
S	5 mm

DOUBLE-SIDED STEEL SCREW POST 6-8 MM

STEEL

BLACK NICKLE



DSPH-6 BNP


A	5 mm
B	6 mm
C	10 mm
S	4 mm

DSPH-8 BNP

A	5 mm
B	8 mm
C	10 mm
S	5 mm



Chaton Rivets



GRACIA SQUARE WHITE CHATON RIVET

BRASS NICKEL PLATED



GRACIA Z7x7/K GRACIA Z4x4/K

A	3 mm	2.7 mm
B	8 mm	4.5 mm
C	8x8 mm	4x4 mm

GRACIA SQUARE GOLD CHATON RIVET

BRASS NICKEL PLATED



GRACIA Z7x7/AM GRACIA Z4x4/AM

A	3 mm	2.7 mm
B	8 mm	4.5 mm
C	8x8 mm	4x4 mm

CHATON RIVET RED SELF TAPPING

BRASS NICKEL PLATED



GRACIA 7/R GRACIA 6/R

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm

CHATON RIVET WHITE SELF TAPPING

BRASS NICKEL PLATED



GRACIA 7/K GRACIA 6/K

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm

CHATON RIVET LIGHT BLUE SELF TAPPING

BRASS NICKEL PLATED



GRACIA 6/BL

A	3 mm
B	6 mm
C	6 mm

CHATON RIVET DARK BLUE SELF TAPPING

BRASS NICKEL PLATED



GRACIA 7/B GRACIA 6/B

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm

CHATON RIVET SELF TAPPING OLD PINK

BRASS NICKEL PLATED



GRACIA 6/P

A	3 mm
B	6 mm
C	6 mm

CHATON RIVET PINK CLOSED

BRASS NICKEL PLATED



GRACIA Z7/PI GRACIA Z6/PI

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm

CHATON RIVET RAINBOW CLOSED

BRASS NICKEL PLATED



GRACIA Z7/ABAB GRACIA Z6/ABAB

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm

CHATON RIVET WHITE CLOSED

BRASS NICKEL PLATED



GRACIA Z7/K GRACIA Z6/K

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm

CHATON RIVET BLUE CLOSED

BRASS NICKEL PLATED



GRACIA Z6/B GRACIA Z7/B

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm

CHATON RIVET BLUE CLOSED

BRASS NICKEL PLATED



GRACIA Z6/BL

A	3 mm
B	6 mm
C	6 mm

CHATON RIVET ANTIQUE GOLD CLOSED

BRASS NICKEL PLATED



GRACIA Z7/AM GRACIA Z6/AM

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm

CHATON RIVET ANTIQUE PINK CLOSED

BRASS NICKEL PLATED



GRACIA Z7/PU GRACIA Z6/PU

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm

CHATON RIVET RED CLOSED

BRASS NICKEL PLATED



GRACIA Z7/RE GRACIA Z6/RE

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm

CHATON RIVET GREEN CLOSED

BRASS NICKEL PLATED



GRACIA Z7/GR GRACIA Z6/GR

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm

CHATON RIVET GOLD CLOSED

BRASS CHROME PLATED




GRACIA Z7/AM BP GRACIA Z6/AM BP

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm





Cone Rivets



ROUND SPOT RIVET

Ø 10X10

STEEL

NICKEL PLATED

PECKA V

A	B	C
3 mm	10 mm	10 mm



CONE RIVET Ø10X9

STEEL

NICKEL PLATED

KUZEL S

A	B	C	D
3 mm	8 mm	10 mm	6 mm



CONE RIVET Ø12X7

STEEL


NICKEL PLATED

KUZEL V

A	B	C	D
3 mm	7 mm	12 mm	6 mm



Made by Saartje Declercq and Lucifera's Vice



Snap Fasteners

SNAP BUTTON

STEEL

NICKEL PLATED



Code	A	B	C
1249-08	4 mm	4 mm	8 mm



Code	A	B	C
1249-10	3 mm	7 mm	10 mm



Code	A	B	C
1249-12	3 mm	7 mm	12 mm

SNAP BUTTON

STEEL

BLACK NICKLE



Code	A	B	C
1249-08 BN	3 mm	4 mm	8 mm



Code	A	B	C
1249-10 BN	3 mm	6 mm	10 mm



Code	A	B	C
1249-12 BN	3 mm	7 mm	12 mm



SNAP BUTTON

STEEL

ANTIQUE BRASS

Code	A	B	C
1249-12 AB	3 mm	7 mm	12 mm




SNAP BUTTON

STEEL

BRASS PLATED

Code	A	B	C
1249-12 BP	3 mm	7 mm	12 mm



HEAVY-DUTY SNAP FASTENER

STEEL

ANTIQUE BRASS

Code	A	B	C
805-12.5 AB	2.5 mm	4 mm	12.5 mm
805-15 AB	2.5 mm	4 mm	15 mm



HEAVY-DUTY SNAP FASTENER

STEEL

ANTIQUÉ COPPER

Code	A	B	C
805-12.5 AC	3 mm	4 mm	12.5 mm
805-15 AC	3.5 mm	4 mm	15 mm



HANDBAG FEET



HEAVY-DUTY SNAP FASTENER

STEEL

BRASS PLATED

Code	A	B	C
805-12.5 BP	3 mm	4 mm	12.5 mm
805-15 BP	3.5 mm	4 mm	15 mm




HEAVY-DUTY SNAP FASTENER

STEEL

NICKEL PLATED

Code	A	B	C
805-12.5 NP	3 mm	4 mm	12.5 mm
805-15 NP	3.5 mm	4 mm	15 mm

Handbag Feet



BRASS FEET FOR HAND BAGS

BRASS

BLACK

Code	Height	D
BLN B/12x7 BK	7 mm	12 mm



BRASS FEET FOR HAND BAGS

BRASS

BRASS PLATED

Code	Height	D
BLN B/12x7	7 mm	12 mm



BRASS FEET FOR HAND BAGS

BRASS


NICKEL PLATED

Code	Height	D
BLN B/12x7 NP	7 mm	12 mm



Made by Aliaksandr Lazdouski

Eyelets



EYELET Ø 3.6 MM

STEEL

NICKEL PLATED

Code	#	A	B	C
E 6x5.0	E	6 mm	3.6 mm	5 mm
W 6	W	6 mm	3.6 mm	0 mm



EYELET Ø 5.2 MM

STEEL

NICKEL PLATED

Code	#	A	B	C
E10x5.2	E	10 mm	5.2 mm	6 mm
E10x5.2x9.0	E	10 mm	5.2 mm	9 mm
W 10	W	10 mm	5.2 mm	0 mm



EYELET Ø 6 MM

STEEL

NICKEL PLATED

Code	#	A	B	C
E12x6.0	E	12 mm	6 mm	7 mm
E12x6.0x10	E	12 mm	6 mm	10 mm
W 12	W	12 mm	6 mm	0 mm



EYELET Ø 7 MM

STEEL

NICKEL PLATED

Code	#	A	B	C
E13x7.0	E	13 mm	7 mm	7 mm
W 13	W	13 mm	7 mm	0 mm



GROMMET Ø 13 MM

STEEL

NICKEL PLATED

Code	#	A	B	C
E23x7.0+W	E	23 mm	13 mm	7 mm
E25x7.0+W	E	25 mm	13 mm	7 mm



EYELET Ø 5.2 MM

STEEL

GRAY

Code	#	A	B	C
E10x5.2 GM	E	10 mm	5 mm	6 mm
W 10 GM	W	10 mm		



EYELET Ø 6 MM

STEEL

GRAY

Code	#	A	B	C
E12x6.0 GM	E	12 mm	6 mm	7 mm
W 12 GM	W	12 mm		



EYELET Ø 5.2 MM

STEEL

ANTIQUE COPPER

Code	#	A	B	C
E10x5.2 AC	E	10 mm	5 mm	6 mm
W 10 AC	W	10 mm		



EYELET Ø 6 MM

STEEL

ANTIQUE COPPER

Code	#	A	B	C
E12x6.0 AC	E	12 mm	6 mm	7 mm
W 12 AC	W	12 mm		



EYELET Ø 5.2 MM

STEEL

ANTIQUE BRASS

Code	#	A	B	C
E10x5.2 AB	E	10 mm	5.2 mm	5.5 mm
W 10 AB	W	10 mm		



EYELET Ø 6 MM

STEEL

ANTIQUE BRASS

Code	#	A	B	C
E12x6.0 AB	E	12 mm	6 mm	7 mm
W 12 AB	W	12 mm		



EYELET Ø 5.2 MM

STEEL

ROSE GOLD

Code	#	A	B	C
E10x5.2 RG	E	10 mm	5 mm	6 mm
W 10 RG	W	10 mm		



EYELET Ø 6 MM

STEEL

ROSE GOLD

Code	#	A	B	C
E12x6.0 RG	E	12 mm	6 mm	7 mm
W 12 RG	W	12 mm		



EYELET Ø 5.2 MM

STAINLESS

POLISHED

Code	#	A	B	C
SSE10x5.2	E	10 mm	5.5 mm	5.2 mm
SS W 10	W	10 mm		



EYELET Ø 6 MM

STAINLESS

POLISHED

Code	#	A	B	C
SS E12x6.0	E	12 mm	6 mm	7 mm
SS W 12	W	12 mm		



EYELET Ø 7 MM

STAINLESS

POLISHED

Code	#	A	B	C
SS E13x7.0	E	13 mm	7 mm	7 mm
SS W 13	W	13 mm		



EYELET Ø 5.2 MM

BRASS

BRASS PLATED

Code	A	B	C
BE10x5.2	10 mm	5 mm	6 mm
BW10x3	10 mm	5 mm	3 mm
NEW BW10	10 mm		



EYELET Ø 6 MM

BRASS

BRASS PLATED

Code	A	B	C
BE12x6.0	12 mm	6 mm	7 mm
BW12x3	12 mm	6 mm	3 mm
NEW BW12	12 mm		



EYELET Ø 4 MM

STEEL

NICKEL PLATED

NEW

Code	#	A	B	C
E9x5.5	E	9 mm	5.5 mm	4 mm
W9x2.5	W	9 mm	2.5 mm	



EYELET Ø 5.2 MM – NICKEL FREE

BRASS


Code	A	B	C
BE10x5.2 NF	10 mm	5 mm	6 mm
BW10x3 NF	10 mm	5 mm	3 mm
NEW BW10 NF	10 mm		




EYELET Ø 6 MM – NICKEL FREE

BRASS

Code	A	B	C
BE12x6.0 NF	12 mm	6 mm	7 mm
BW12x3 NF	12 mm	6 mm	3 mm
NEW BW12 NF	12 mm		



Made by Saartje Declercq and Lucifera's Vice



Button Studs

BRASS BUTTON STUDS
 BRASS
NICKEL PLATED

		Code	A	B	C
		SK-6	6 mm	7 mm	9 mm
	NEW	SK-6-LP	6 mm	8 mm	7 mm
		SK-10	8 mm	10 mm	10 mm

BRASS BUTTON STUDS
 BRASS
BLACK NICKLE

		Code	A	B	C
		SK-6 BN	6 mm	8 mm	9 mm
		SK-10 BN	8 mm	10 mm	10 mm

BRASS BUTTON STUDS
 BRASS
ANTIQUE BRASS


		Code	A	B	C
		SK-6 AB	6 mm	8 mm	9 mm
	NEW	SK-6-LP AB	6 mm	8 mm	7 mm
		SK-10 AB	8 mm	8 mm	9 mm

BRASS BUTTON STUDS
 BRASS
BRASS PLATED

		Code	A	B	C
		SK-6 BP	6 mm	7 mm	9 mm
	NEW	SK-10 BP	8 mm	10 mm	10 mm



LOXX Fasteners



LOXX® FASTENER – TOP

BRASS NICKEL PLATED NEW

Code	Height	Width	Inner ø
09140.05000	15 mm	20 mm	10 mm



LOXX® FASTENER – BOTTOM

BRASS NICKEL PLATED NEW

Code	Height	Width	Inner ø
95121.05000	13 mm	20 mm	10 mm



LOXX® FASTENER – TOP

BRASS POLISHED NEW

Code	Height	Width	Inner ø
05140.14000	15 mm	20 mm	10 mm



LOXX® FASTENER – BOTTOM

BRASS POLISHED NEW

Code	Height	Width	Inner ø
95121.14000	13 mm	20 mm	10 mm



LOXX® FASTENER – TOP

STAINLESS POLISHED NEW

Code	Height	Width	Inner ø
09865.02098	15 mm	20 mm	10 mm



LOXX® FASTENER – BOTTOM

STAINLESS POLISHED NEW

Code	Height	Width	Inner ø
95121.14000	13 mm	20 mm	10 mm



LOXX® FASTENER – TOP

BRASS ANTIQUE BRASS NEW

Code	Height	Width	Inner ø
05140.25000	15 mm	20 mm	10 mm



LOXX® FASTENER – BOTTOM

BRASS ANTIQUE BRASS NEW

Code	Height	Width	Inner ø
95121.25000	13 mm	20 mm	10 mm



LOXX® FASTENER – TOP

BRASS BLACK NEW

Code	Height	Width	Inner ø
05140.79098	15 mm	20 mm	10 mm



LOXX® FASTENER – BOTTOM

BRASS BLACK NEW

Code	Height	Width	Inner ø
95121.79098	13 mm	20 mm	10 mm

LOXX®



LOXX® FASTENER SET

BRASS NICKEL PLATED NEW

Code	Height	Width	Inner ø
999020	15 mm	20 mm	10 mm



LOXX® FASTENER SET

BRASS POLISHED NEW

Code	Height	Width	Inner ø
999020B	15 mm	20 mm	10 mm



LOXX® FASTENER SET

BRASS ANTIQUE BRASS NEW

Code	Height	Width	Inner ø
999020AB	15 mm	20 mm	10 mm



SMALL LOXX® FASTENER WRENCH

STEEL NICKEL PLATED NEW

Code	Height	Width	Inner ø
04492.05000	31 mm	24 mm	13 mm




LARGE LOXX® FASTENER WRENCH

NEW

Code	Height	Width	Inner ø
04500.00000	30 mm	13 cm	14 mm



Magnetic Snaps



DOUBLE RIVET MAGNETIC SNAPS

STEEL

NICKEL PLATED

Code	A	B	C
MB-10 NP	10 mm	4.5 mm	10 mm
MB-14	14 mm	6 mm	12 mm
MB-18	18 mm	6 mm	12 mm



DOUBLE RIVET MAGNETIC SNAPS

STEEL

ANTIQUE BRASS

Code	A	B	C
MB-10 AB	10 mm	4.5 mm	10 mm
MB-14 AB	14 mm	6 mm	12 mm



DOUBLE RIVET MAGNETIC SNAPS

STEEL

BLACK NICKLE

Code	A	B	C
MB-10 BN	10 mm	4.5 mm	10 mm
MB-14 BN	14 mm	6 mm	12 mm



Zippers



**METAL YKK ZIPPER ONE-WAY
– GOLD/BROWN RIBBON**

BRASS

Code	Size	Color
6012862-#236	3	BROWN TAPE
6012862-#580	3	BLACK TAPE
6012864-#236	5	BROWN TAPE
6012864-#580	5	BLACK TAPE



**METAL YKK ZIPPER TWO-WAY
– GOLD/BLACK RIBBON**

BRASS

Code	Size	Color
6015105-#236	5	BROWN TAPE
6012862-#580	5	BLACK TAPE



**METAL YKK ZIPPER ONE-WAY
– SILVER/BROWN RIBBON**

BRASS

Code	Size	Color
6614528-#236	3	BROWN TAPE
6614528-#580	3	BLACK TAPE
6015106-#236	5	BROWN TAPE
6015106-#580	5	BLACK TAPE



**METAL YKK ZIPPER TWO-WAY
– GOLD/BROWN RIBBON**

NEW

BRASS

Code	Size	Color
6015105-#236	5	BROWN TAPE



**METAL YKK ZIPPER TWO-WAY
– SILVER/BLACK RIBBON**

BRASS

Code	Size	Color
6015107-#236	5	BROWN TAPE
6015107-#580	5	BLACK TAPE



3420938

ZINC DIE CASTING

BRASS PLATED

ZIPPER SLIDER

Code	Size
6359864	3
3420938	5



3706805

ZINC DIE CASTING

BRASS PLATED

ZIPPER SLIDER

Code	Size
6725900	3
3706805	5



6289386

ZINC DIE CASTING

ZIPPER SLIDER – NICKEL FREE

Code	Size
6295310	3
6289386	5



3785725

ZINC DIE CASTING

ZIPPER SLIDER – NICKEL FREE

Code	Size
3589089	3
3785725	5



0281049

ZINC DIE CASTING

ZIPPER TOP STOPS – NICKEL FREE

Code	Size
0339318	3
0281049	5



0003485

ZINC DIE CASTING

BRASS PLATED

ZIPPER TOP STOP

Code	Size
0236369	3
0003485	5



0008264

ZINC DIE CASTING

BRASS PLATED

ZIPPER BOTTOM STOPS

Code	Size
0008264	5



0003516

ZINC DIE CASTING

BRASS PLATED

ZIPPER BOTTOM STOPS

Code	Size
0003516	3



0280871

ZINC DIE CASTING

ZIPPER BOTTOM STOPS – NICKEL FREE

Code	Size
0280871	5





6940133

ZINC DIE CASTING

ZIPPER BOTTOM STOPS – NICKEL FREE

Code	Size
6940133v	3





Spike Rivets



SPIKE – CONICAL SPOT

ZINC DIE CASTING

NICKEL PLATED

Code	ø	Height	Shank
LK 15	9 mm	5 mm	4 mm



SPIKE – CONICAL SPOT

ZINC DIE CASTING

NICKEL PLATED

Code	ø	Height	Shank
LK 07	10 mm	5.5 mm	5 mm



SPIKE

ZINC DIE CASTING

NICKEL PLATED

Code	ø	Height	Shank
LK 17	8 mm	7 mm	4 mm



SPIKE

ZINC DIE CASTING

NICKEL PLATED

Code	ø	Height	Shank
LK 02Z NP	8 mm	12 mm	11 mm



SPIKE

ZINC DIE CASTING

BRASS PLATED

Code	ø	Height	Shank
LK 02Z BP	8 mm	12 mm	11 mm



SPIKE

ZINC DIE CASTING


NICKEL PLATED

Code	ø	Height	Shank
0563	12 mm	14 mm	5 mm



Made by Vladimír Tlustý

Cone Screw Spikes



REPLACEMENT EXTRA LONG SCREW

STEEL NICKEL PLATED

Code	ø	Height
LK S	3 mm	9 mm



SPIKE SMALL

ZINC DIE CASTING NICKEL PLATED

Code	ø	Height
LK 97	7 mm	10 mm



SPIKE

ZINC DIE CASTING NICKEL PLATED

Code	ø	Height
LK 02	8 mm	12 mm



SPIKE

ZINC DIE CASTING
NICKEL PLATED

Code	ø	Height
LK 99	13 mm	12 mm



SPIKE NOT SHARP

ZINC DIE CASTING
NICKEL PLATED

Code	ø	Height
LK 100	8 mm	12 mm



SPIKE HEXAGON

ZINC DIE CASTING
NICKEL PLATED

Code	ø	Height
LK 32	8 mm	14 mm



SPIKE NOT SHARP

ZINC DIE CASTING
NICKEL PLATED

Code	ø	Height
LK 26	8 mm	12 mm



SPIKE

ZINC DIE CASTING
NICKEL PLATED NEW

Code	ø	Height
LK 1 13mm	8 mm	13 mm



SPIKE

ZINC DIE CASTING
NICKEL PLATED NEW

Code	ø	Height
LK 1 17mm	8 mm	17 mm



SPIKE

ZINC DIE CASTING
NICKEL PLATED

Code	ø	Height
LK 09	10 mm	20 mm



SPIKE

ZINC DIE CASTING
NICKEL PLATED

Code	ø	Height
LK 08	10 mm	26 mm



CLAW SPIKE

ZINC DIE CASTING

NICKEL PLATED

Code	ø	Height
LK 101	10 mm	25 mm



SUPER TALL SPIKE

ZINC DIE CASTING

NICKEL PLATED

Code	ø	Height
LK 102	10 mm	55 mm



SUPER TALL SPIKE 39 MM

ZINC DIE CASTING

NICKEL PLATED

Code	ø	Height
LK 137	7 mm	39 mm



SPIKE 40 MM

ZINC DIE CASTING

NICKEL PLATED

Code	ø	Height
LK 138	7 mm	40 mm



**CLAW SPIKES
21 MM**

ZINC DIE CASTING

NICKEL PLATED

Code	ø	Height
LK 129	6.8 mm	21 mm



**CLAW SPIKES
26 MM**


ZINC DIE CASTING

NICKEL PLATED

Code	ø	Height
LK 131	6.8 mm	26 mm



Pyramid Rivets



PYRAMID RIVET 10X10 MM

ZINC DIE CASTING

NICKEL PLATED



PYRAMID RIVET 12X12 MM

ZINC DIE CASTING

NICKEL PLATED



FANCY PYRAMID 13X13 MM

ZINC DIE CASTING

NICKEL PLATED

Code	LK 77	LK 37	LK 74
Shank	4 mm	4 mm	5 mm
Length	10 mm	12 mm	13 mm
Width	10 mm	12 mm	13 mm



BRASS LEATHER STAPLE

BRASS

NICKEL PLATED



BRASS LEATHER STAPLE

BRASS

BRASS PLATED



BRASS LEATHER STAPLE

BRASS

ANTIQUE BRASS

Code	BLS/8x5x6 NP	BLS/8x5x6 BP	BLS/8x5x6 AB
Height	5 mm	5 mm	5 mm
Width	8 mm	8 mm	8 mm
Shank	6 mm	6 mm	6 mm



BRASS LEATHER STAPLE

BRASS

BLACK NICKLE




STAINLESS STEEL LEATHER STAPLE

STAINLESS

POLISHED

Code	BLS/8x5x6 BNP	SSLS/8x5x6 NP
Height	5 mm	5 mm
Width	8 mm	8 mm
Shank	6 mm	6 mm



Decorative Rivets



DOG DACHSHUND

ZINC DIE CASTING

NICKEL PLATED



DOG SHEPHERD

ZINC DIE CASTING

NICKEL PLATED



DOG FRENCH BULLDOG

ZINC DIE CASTING

NICKEL PLATED

Code	DOG 1	DOG 2	DOG 8
Width	24 mm	29 mm	23 mm
Height	15 mm	22 mm	20 mm
Shank	4 mm	5 mm	4 mm



DOG ENGLISH BULLDOG



DOG PUG

ZINC DIE CASTING

NICKEL PLATED

DECORATIVE RIVET SPOT

ZINC DIE CASTING

NICKEL PLATED



DECORATIVE RIVET PAW

ZINC DIE CASTING

NICKEL PLATED

Code	DOG 9	DOG 10	LK 34	LK 63
Width	21 mm	22 mm	9 mm	4 mm
Height	18 mm	20 mm	9 mm	12 mm
Shank	5 mm	4 mm	4 mm	10 mm



BIG PAW

ZINC DIE CASTING

NICKEL PLATED



PAW RED

ZINC DIE CASTING

NICKEL PLATED



PAW

ZINC DIE CASTING

NICKEL PLATED



BONE BLACK

ZINC DIE CASTING

NICKEL PLATED

Code	LK 65	LK 63/R	LK 67	LK 64/B
Width	12.5 mm	22 mm	8 mm	12.5 mm
Height	15 mm	20 mm	8 mm	15 mm
Shank	5 mm	4 mm	4 mm	5 mm



BONE

ZINC DIE CASTING

NICKEL PLATED



BONE

ZINC DIE CASTING

NICKEL PLATED



BONE

ZINC DIE CASTING

NICKEL PLATED

Code	LK 70	LK 71	LK 72
Width	13 mm	20 mm	16 mm
Height	9 mm	14 mm	10 mm
Shank	4 mm	5 mm	4 mm



DECORATIVE RIVET STAR

ZINC DIE CASTING

NICKEL PLATED

Code	LK 61	LK 10	LK 62	LK 16
Width	8 mm	13 mm	18 mm	15 mm
Height	8 mm	13 mm	18 mm	15 mm
Shank	4 mm	4 mm	4 mm	4 mm



DECORATIVE RIVET SHERIFF STAR

ZINC DIE CASTING

NICKEL PLATED

Code	LK 162	LK 54 NP	LK 163	LK 165
Width	24 mm	24 mm	19 mm	13 mm
Height	24 mm	24 mm	19 mm	13 mm
Shank	4 mm	5 mm	4 mm	4 mm



SKULL

ZINC DIE CASTING

NICKEL PLATED

Code	LK 13	LK 30
Width	25 mm	18 mm
Height	19 mm	13 mm
Shank	5 mm	4 mm



DECORATIVE RIVET ORNAMENT

ZINC DIE CASTING

NICKEL PLATED

Code	LK 47	LK 161	LK 155
Width	12 mm	12 mm	16 mm
Height	13 mm	13 mm	16 mm
Shank	4 mm	4 mm	4 mm

Leathercraft Conchos



SLIDER CHARM CROWN

ZINC DIE CASTING
CHROME PLATED

Code	LKN 1/10
Height	10 mm



SLIDER CHARM PAW

ZINC DIE CASTING
CHROME PLATED

Code	LKN 6/10
Height	10 mm



SLIDER CHARM SKULL

ZINC DIE CASTING
CHROME PLATED

Code	LKN 8/10
Height	10 mm



SLIDER CHARM HORSESHOE

ZINC DIE CASTING
CHROME PLATED

Code	LKN 10/10
Height	10 mm



SLIDER CHARM HEART

ZINC DIE CASTING
CHROME PLATED


Code	LKN 2/10
Height	10 mm



Made by Vladimír Tlustý



Collar Charms

**CHARM CROWN**

ZINC DIE CASTING

CHROME PLATED

**CHARM HEART**

ZINC DIE CASTING

CHROME PLATED

**CHARM HEART**

ZINC DIE CASTING

CHROME PLATED

**CHARM BONE**

ZINC DIE CASTING

CHROME PLATED

**CHARM BONE LARGE**

ZINC DIE CASTING

CHROME PLATED

Code	LKP 1	LKP 2	LKP 3	LKP 36	LKP 5
Width	10 mm	13 mm	10 mm	3 mm	9 mm
Height	13 mm	13 mm	10 mm	15 mm	25 mm

**CHARM PAW**

ZINC DIE CASTING

CHROME PLATED

**CHARM BONE**

ZINC DIE CASTING

CHROME PLATED

**CHARM SKULL**

ZINC DIE CASTING

CHROME PLATED

**CHARM BONE**

ZINC DIE CASTING

CHROME PLATED

Code	LKP 6	LKP 7	LKP 8	LKP 9
Width	10 mm	3 mm	9 mm	25 mm
Height	10 mm	15 mm	15 mm	16 mm

**CHARM WHITE DOGGIE**

ZINC DIE CASTING

CHROME PLATED

**CHARM PAW**

ZINC DIE CASTING

CHROME PLATED

**CHARM HEART**

ZINC DIE CASTING

CHROME PLATED

**CHARM HEART RED**

ZINC DIE CASTING

CHROME PLATED

**CHARM HEART**

ZINC DIE CASTING

CHROME PLATED

Code	LKP 10	LKP 13	LKP 30	LKP 33	LKP 34
Width	10 mm	16 mm	13 mm	13 mm	4 mm
Height	20 mm	16 mm	13 mm	13 mm	4 mm



CHARM
WHITE CAT

ZINC DIE CASTING
CHROME PLATED



CHARM
BLACK CAT

ZINC DIE CASTING
CHROME PLATED



CHARM DOGGIE

ZINC DIE CASTING
CHROME PLATED

Code	LKP 31	LKP 32	LKP 4
Width	25 mm	20 mm	15 mm
Height	17 mm	20 mm	20 mm



Dog ID Tags



ALUMINUM BONE-SHAPED PET ID



ALUMINIUM

ANODIZED

Code INP AL 1

Width 27 mm

Height 40 mm



ALUMINIUM

ANODIZED

Code INP AL 2

Width 27 mm

Height 40 mm



ALUMINIUM

ANODIZED

Code INP AL 3

Width 27 mm

Height 40 mm



ALUMINIUM

ANODIZED

Code INP AL 4

Width 27 mm

Height 40 mm



ALUMINIUM

ANODIZED

Code INP AL 10

Width 33 mm

Height 38 mm

Code INP AL 14

Width 29 mm

Height 30 mm





PAW BLUE

ZINC DIE CASTING

CHROME PLATED



PAW PINK

ZINC DIE CASTING

CHROME PLATED



HEART RED

ZINC DIE CASTING

CHROME PLATED



BONE PINK

ZINC DIE CASTING

CHROME PLATED

Code	LKP 14	LKP 15	LKP 16	LKP 18
Width	30 mm	30 mm	30 mm	30 mm
Height	25 mm	25 mm	25 mm	25 mm



PAW PINK

ZINC DIE CASTING

CHROME PLATED



PAW BLUE

ZINC DIE CASTING

CHROME PLATED



BONE PINK

ZINC DIE CASTING

CHROME PLATED

Code	LKP 15 PINK	LKP 20	LKP 14 BLUE	LKP 19	LKP 24	LKP 23	LKP 28
Width	22 mm	30 mm	22 mm	30 mm	38 mm	30 mm	38 mm
Height	22 mm	30 mm	22 mm	30 mm	38 mm	30 mm	38 mm







HEART PINK

ZINC DIE CASTING

CHROME PLATED

Code LKP 16 PINK

Width 22 mm

Height 22 mm



HEART RED

ZINC DIE CASTING

CHROME PLATED

Code LKP 21

Width 30 mm

Height 30 mm



Code LKP 26

Width 38 mm

Height 38 mm



STAINLESS
DOG ID TAG

INP CIR SS/30

STAINLESS

POLISHED

Code INP CIR SS/30

Width 30 mm

Height 30 mm



STAINLESS DOG ID TAG

INP CIR SS/30 BP

STAINLESS

BRASS PLATED

Code INP CIR SS/30 BP

Width 30 mm

Height 30 mm



STAINLESS
DOG ID TAG

INP CIR SS/30 BK

STAINLESS

BLACK NICKLE

Code INP CIR SS/30 BK

Width 30 mm

Height 30 mm



STAINLESS
DOG ID TAG

INP CIR SS/30 RG

STAINLESS

ROSE GOLD

Code INP CIR SS/30 RG

Width 30 mm

Height 30 mm



ID ADDRESS TUBE

ATL/CP

BRASS

CHROME PLATED



ID ADDRESS TUBE

ATL/BP

BRASS

BRASS PLATED



Dog Whistles



WHISTLE

WH

BRASS

NICKEL PLATED



WHISTLE GREEN

WHA/G

ALUMINIUM

ANODIZED



WHISTLE SILVER

WHA/S

ALUMINIUM

ANODIZED




WHISTLE WITH CHAIN
AND SNAP HOOK

WHC

BRASS

NICKEL PLATED





Paracord



**PARACORD Ø 4 MM
– BLACK**

Code	Diameter	Length
PAR550/B/1036	4 mm	30 m
PAR550/B/1036h	4 mm	100 m



**PARACORD Ø 4 MM
– GRAY**

NEW

Code	Diameter	Length
PAR550/GR/030	4 mm	30 m



**PARACORD Ø 4 MM
– CHOCOLATE**

NEW

Code	Diameter	Length
PAR550/CHOC/178	4 mm	30 m



**PARACORD Ø 4 MM
– COYOTE BROWN**

Code	Diameter	Length
PAR550/CBR/1029	4 mm	30 m
PAR550/CBR/1029h	4 mm	100 m



**PARACORD Ø 4 MM
– TAN**

Code	Diameter	Length
PAR550/T/1975	4 mm	30 m
PAR550/T/1975h	4 mm	100 m



**PARACORD Ø 4 MM
– ARMY GREEN**

Code	Diameter	Length
PAR550/AG/1060	4 mm	30 m
PAR550/AG/1060h	4 mm	100 m



**PARACORD Ø 4 MM
– NEON GREEN**

Code	Diameter	Length
PAR550/NG/2121	4 mm	30 m
PAR550/NG/2121h	4 mm	100 m



**PARACORD Ø 4 MM
– GREEN**

Code	Diameter	Length
PAR550/M/1702	4 mm	30 m
PAR550/M/1702h	4 mm	100 m



**PARACORD Ø 4 MM
– EMERALD GREEN**

NEW

Code	Diameter	Length
PAR550/EG/086	4 mm	30 m





PARACORD Ø 4 MM
– SKY BLUE

NEW

Code	Diameter	Length
PAR550/SL/028	4 mm	30 m



PARACORD Ø 4 MM
– ICE MINT

NEW

Code	Diameter	Length
PAR550/IM/086	4 mm	30 m




PARACORD Ø 4 MM
– BLUE

Code	Diameter	Length
PAR550/BL/1040	4 mm	30 m
PAR550/BL/1040h	4 mm	100 m



PARACORD Ø 4 MM
– CHERRY RED

Code	Diameter	Length
PAR550/CH/4678	4 mm	30 m
PAR550/CH/4678h	4 mm	100 m



PARACORD Ø 4 MM
– PURPLE

NEW

Code	Diameter	Length
PAR550/PUR/026	4 mm	30 m



PARACORD Ø 4 MM
– NEON PINK

Code	Diameter	Length
PAR550/NP/4680	4 mm	30 m
PAR550/NP/4680h	4 mm	100 m



PARACORD Ø 4 MM
– ORANGE

Code	Diameter	Length
PAR550/SO/1716	4 mm	30 m
PAR550/SO/1716h	4 mm	100 m



PARACORD Ø 4 MM
– NEON YELLOW

Code	Diameter	Length
PAR550/NB/4683	4 mm	30 m
PAR550/NB/4683h	4 mm	100 m



PARACORD Ø 4 MM
– PASTEL YELLOW

Code	Diameter	Length
PAR550/PL/2535	4 mm	30 m



PARACORD Ø 4 MM
– WHITE

NEW

Code	Diameter	Length
PAR550/WH/007	4 mm	30 m

Rope Clamps



ROPE PLASTIC CLAMP – BLACK



Code	ø Min	ø Max
26PL/6	6 mm	6 mm
26PL/8-10	8 mm	10 mm
26PL/12	12 mm	12 mm
26PL/14-16	14 mm	16 mm

ROPE PLASTIC CLAMP – BLUE



Codev	ø Min	ø Max
26PL/12/BLUE	12 mm	12 mm
26PL/14-16/BLUE	14 mm	16 mm

ROPE PLASTIC CLAMP – PINK




Code	ø Min	ø Max
26PL/8-10/PINK	8 mm	10 mm
26PL/14-16/PINK	14 mm	16 mm

ROPE PLASTIC CLAMP – RED



Code	ø Min	ø Max
26PL/14-16/RED	14 mm	16 mm

ROPE PLASTIC CLAMP – GREEN



Code	ø Min	ø Max
26PL/6/GREEN	6 mm	6 mm
26PL/8-10/GREEN	8 mm	10 mm
26PL/12/GREEN	12 mm	12 mm
26PL/14-16/GREEN	14 mm	16 mm



26PL/6/MIX

ROPE PLASTIC CLAMP – MIX

Code	ø Min	ø Max	Length
26PL/6/MIX	6 mm	6 mm	34 mm
26PL/12/MIX	12 mm	12 mm	54 mm
26PL/14-16/MIX	14 mm	16 mm	66 mm



26PL/6S

STOPPER FOR ROPE PLASTIC CLAMP

Code	ø Min	ø Max	Length
26PL/6S	6 mm	6 mm	21 mm
26PL/8-10S	8 mm	10 mm	26 mm
26PL/12S	12 mm	12 mm	32 mm
26PL/14-16S	14 mm	16 mm	39 mm





RC B/6x8 NP

BRASS ROPE CLAMP

BRASS NICKEL PLATED

Code	ø Min	ø Max	Length
RC B/6x8 NP	6 mm	8 mm	12 mm
RC B/8x8 NP	8 mm	8 mm	16 mm
RC B/10x10 NP	10 mm	10 mm	20 mm
RC B/12x10 NP	12 mm	10 mm	23 mm



RC B/6x8 RG

BRASS ROPE CLAMP

BRASS ROSE GOLD

Code	ø Min	ø Max	Length
RC B/6x8 RG	6 mm	8 mm	12 mm
RC B/8x8 RG	8 mm	8 mm	16 mm
RC B/10x10 RG	10 mm	10 mm	20 mm
RC B/12x10 RG	12 mm	10 mm	23 mm



RC B/6x8 BK

BRASS ROPE CLAMP

BRASS BLACK NICKLE

Code	ø Min	ø Max	Length
RC B/6x8 BK	6 mm	8 mm	12 mm
RC B/8x8 BK	8 mm	8 mm	16 mm
RC B/10x10 BK	10 mm	10 mm	20 mm
RC B/12x10 BK	12 mm	10 mm	23 mm



RC B/6x8 AB

BRASS ROPE CLAMP

BRASS ANTIQUE BRASS

Code	ø Min	ø Max	Length
RC B/6x8 AB	6 mm	8 mm	12 mm
RC B/8x8 AB	8 mm	8 mm	16 mm
RC B/10x10 AB	10 mm	10 mm	20 mm
RC B/12x10 AB	12 mm	10 mm	23 mm



RC B/6x8

BRASS ROPE CLAMP

BRASS BRASS PLATED

Code	ø Min	ø Max	Length
RC B/6x8	6 mm	8 mm	12 mm
RC B/8x8	8 mm	8 mm	16 mm
RC B/10x10	10 mm	10 mm	20 mm
RC B/12x10	12 mm	10 mm	23 mm



NEW

RC/20x10 NP

METAL ROPE CLAMP

STEEL NICKEL PLATED

Code	ø Min	ø Max
RC/20x10 NP	10 mm	10 mm



NEW

RC/20x10 BNP

METAL ROPE CLAMP

STEEL BLACK NICKLE

Code	ø Min	ø Max
RC/20x10 BNP	10 mm	10 mm



26ST/6 ZP

STEEL ROPE CLAMP

STEEL ZINC PLATED

Code	ø Min	ø Max	Length
26ST/4 ZP	4 mm	4 mm	25 mm
26ST/6 ZP	6 mm	6 mm	38 mm
26ST/8 ZP	8 mm	8 mm	41 mm
26ST/10 Z	10 mm	10 mm	39 mm
26ST/12-14 ZP	12 mm	14 mm	49 mm
26ST/16 ZP	16 mm	16 mm	52 mm



26B/14

BRASS ROPE CLAMP

BRASS POLISHED

Code	ø Min	ø Max	Length
26B/14	14 mm	14 mm	43 mm
26B/16	16 mm	16 mm	44 mm



26ST/6 BK

STEEL ROPE CLAMP

STEEL BLACK

Code	ø Min	ø Max	Length
26ST/6 BK	6 mm	6 mm	38 mm
26ST/8 BK	8 mm	8 mm	41 mm
26ST/10 BK	10 mm	10 mm	39 mm
26ST/12-14 BK	12 mm	14 mm	49 mm



26ST/6 AB

STEEL ROPE CLAMP

STEEL ANTIQUE BRASS

Code	ø Min	ø Max	Length
26ST/6 AB	6 mm	6 mm	38 mm
26ST/8 AB	8 mm	8 mm	41 mm
26ST/10 AB	10 mm	10 mm	39 mm
26ST/12-14 AB	12 mm	14 mm	49 mm

Tools for Rope Clamps

SETTING DIES FOR OUR ROPE CLAMPS



Code	Size	ø MIN	ø MAX
0001-06	6 mm	6 mm	6 mm
0001-08	8 mm	8 mm	8 mm
0001-10	10 mm	10 mm	10 mm
0001-12	12 mm	12 mm	14 mm
0001-16	16 mm	16 mm	16 mm



Cord End Cap



BRASS CORD END CAP

BRASS

NICKEL PLATED

	Code	Length	ø
NEW	CEC B/3 NP	2.5 mm	3 mm
NEW	CEC B/4 NP	3 mm	4 mm
NEW	CEC B/5 NP	3.4 mm	5 mm
	CEC B/6x7 NP	7 mm	6 mm
	CEC B/8x7 NP	7 mm	8 mm
	CEC B/10x10 NP	10 mm	10 mm
	CEC B/12x10 NP	10 mm	12 mm
	CEC B/14x13 NP	13 mm	14 mm



BRASS CORD END CAP

BRASS

BLACK

	Code	Length	ø
	CEC B/6x7 BK	7 mm	6 mm
	CEC B/8x7 BK	7 mm	8 mm
	CEC B/10x10 BK	10 mm	10 mm
	CEC B/12x10 BK	10 mm	12 mm
	CEC B/14x13 BK	14 mm	13 mm



CORD END CAP



BRASS CORD END CAP

BRASS ROSE GOLD

Code	Length	ø
CEC B/6x7 RG	7 mm	6 mm
CEC B/8x7 RG	7 mm	8 mm
CEC B/10x10 RG	10 mm	10 mm
CEC B/12x10 RG	10 mm	12 mm



BRASS CORD END CAP

BRASS POLISHED

NEW

NEW

NEW

Code	Length	ø
CEC B/4	2.5 mm	4 mm
CEC B/5	3 mm	5 mm
CEC B/6	3.4 mm	6 mm
CEC B/6x7	7 mm	6 mm
CEC B/8x7	7 mm	8 mm
CEC B/10x10	10 mm	10 mm
CEC B/12x10	10 mm	12 mm
CEC B/14x13	14 mm	13 mm



BRASS CORD END CAP

BRASS NEO-CHROME

Code	Length	ø
CEC B/6x7 NEO	7 mm	6 mm
CEC B/8x7 NEO	7 mm	8 mm
CEC B/10x10 NEO	10 mm	10 mm
CEC B/12x10 NEO	10 mm	12 mm



BRASS CORD END CAP

BRASS ANTIQUE BRASS

Code	Length	ø
CEC B/6x7 AB	7 mm	6 mm
CEC B/8x7 AB	7 mm	8 mm
CEC B/10x10 AB	10 mm	10 mm
CEC B/12x10 AB	10 mm	12 mm



BRASS CORD END CAP

BRASS GRAY

Code	Length	ø
CEC B/6x7 GM	7 mm	6 mm
CEC B/8x7 GM	7 mm	8 mm
CEC B/10x10 GM	10 mm	10 mm
CEC B/12x10 GM	10 mm	12 mm





Solid Color Polypropylene Webbings



WEBBING – BLACK

Code	Width	Thickness	Code	Width	Thickness
WE10/B	10 mm	1.8 mm	WE25/B/T	25 mm	1.6 mm
WE15/B	15 mm	2 mm	WE25/B	25 mm	2.5 mm
WE16/B/T	16 mm	1.6 mm	WE30/B	30 mm	3 mm
WE20/B/T	20 mm	1.6 mm	WE40/B	40 mm	2 mm
WE20/B	20 mm	2.5 mm	WE45/B	45 mm	2 mm
		NEW	WE50/B	50 mm	2 mm



WEBBING – RED

Code	Width	Thickness	Code	Width	Thickness
WE10/R	10 mm	1.8 mm	WE25/R	25 mm	3 mm
WE15/R	15 mm	2 mm	WE40/R	40 mm	2 mm
WE20/R	20 mm	3 mm	WE50/R	50 mm	2 mm
NEW WE20/R/T	20 mm	1.6 mm			





SOLID COLOR POLYPROPYLENE WEBBINGS



POLYESTER

WEBBING – NEON ORANGE

Code	Width	Thickness
WE15/NO	15 mm	2 mm
WE20/NO	20 mm	2 mm
WE25/NO	25 mm	3 mm
WE40/NO	40 mm	3 mm



WEBBING – NEON PINK

Code	Width	Thickness
WE10/NP	10 mm	1.8 mm
WE15/NP	15 mm	2 mm
WE20/NP	20 mm	3 mm
WE25/NP	25 mm	3 mm



WEBBING – BROWN

Code	Width	Thickness
WE10/Br	10 mm	1.8 mm
WE15/Br	15 mm	2 mm
WE20/Br	20 mm	3 mm
WE25/Br	25 mm	3 mm



WEBBING – ORANGE

Code	Width	Thickness
WE10/O	10 mm	1.8 mm



WEBBING – PURPLE

Code	Width	Thickness
WE10/W	10 mm	1.8 mm



WEBBING – VIOLET

Code	Width	Thickness
WE10/V	10 mm	1.8 mm




WEBBING – BLUE

Code	Width	Thickness
WE10/BL	10 mm	1.8 mm
WE15/BL	15 mm	2 mm
WE20/BL	20 mm	3 mm
WE25/BL	25 mm	3 mm




WEBBING – SKY BLUE

Code	Width	Thickness
WE10/Lb	10 mm	1.8 mm
WE40/Lb	40 mm	2 mm



WEBBING – TEAL

Code	Width	Thickness
WE10/TE	10 mm	1.8 mm
WE15/TE	15 mm	2 mm
WE20/TE	20 mm	3 mm
WE25/TE	25 mm	3 mm




WEBBING – NEON GREEN

Code	Width	Thickness
WE15/NG	15 mm	2 mm
WE20/NG	20 mm	3 mm
WE25/NG	25 mm	3 mm
WE30/NG	30 mm	3 mm



WEBBING – HUNTER GREEN

Code	Width	Thickness
WE10/HG	10 mm	1.8 mm
WE15/HG	15 mm	2 mm
WE20/HG	20 mm	3 mm
WE25/HG	25 mm	3 mm



WEBBING – GREEN

Code	Width	Thickness
WE10/G	10 mm	1.8 mm




WEBBING – WHITE

Code	Width	Thickness
WE10/WH	10 mm	1.8 mm
WE15/WH	15 mm	2 mm
WE20/WH	20 mm	3 mm
WE25/WH	25 mm	3 mm



WEBBING – KHAKI

Code	Width	Thickness
WE10/K	10 mm	1.8 mm
WE15/K	15 mm	2 mm
WE20/K	20 mm	3 mm
WE25/K	25 mm	3 mm



POLYESTER

WEBBING – NEON YELLOW

Code	Width	Thickness
WE15/NY	15 mm	2 mm
WE20/NY	20 mm	3 mm
WE25/NY	25 mm	3 mm
WE40/NY	40 mm	3 mm



WEBBING – YELLOW

Code	Width	Thickness
WE10/Y	10 mm	1.8 mm



Made by Barbora Mazínová

SOLID COLOR POLYPROPYLENE WEBBINGS



BLACK ULTRAFLEX
WEBBING 15-25 MM



Code	Width	Thickness
WE15/FLEX-B	15 mm	3.5 mm
WE20/FLEX-B	20 mm	3.5 mm
WE25/FLEX-B	25 mm	3.5 mm



ORANGE ULTRAFLEX
WEBBING 15-25 MM



NEW

Code	Width	Thickness
WE15/FLEX-O	15 mm	3.5 mm
WE20/FLEX-O	20 mm	3.5 mm
WE25/FLEX-O	25 mm	3.5 mm



POLYESTER

BLACK SEATBELT WEBBING
20 - 25 MM

Code	Width	Thickness
WE20/B/SB	20 mm	1.2 mm
WE25/B/SB	25 mm	1.2 mm



BLACK QUILTED
POLYPROPYLENE
WEBBING 20 MM-25 MM

NEW

Code	Width	Thickness
WE20/B-367592	20 mm	2.6 mm
WE25/B-367592	25 mm	2.6 mm



POLYESTER

BLACK QUILTED
POLYESTER WEBBING
15 MM - 25 MM

NEW

Code	Width	Thickness
WE15/B-377106	15 mm	3.3 mm
WE20/B-377106	20 mm	3.3 mm
WE25/B-377106	25 mm	3.3 mm





Rubber Tracer Polypropylene Webbing



**RUBBER WEBBING
– BLACK**

Code	Width	Thickness
WE20/BRUW	20 mm	2 mm



**RUBBER WEBBING
– BLACK**

Code	Width	Thickness
WE15/BRU	15 mm	2 mm
WE20/BRU	20 mm	2 mm
WE25/BRU	25 mm	2 mm




**RUBBER WEBBING
– RED**

Code	Width	Thickness
WE15/RRU	15 mm	2 mm
WE20/RRU	20 mm	2 mm
WE25/RRU	25 mm	2 mm



**RUBBER WEBBING
– BURGUNDY**

Code	Width	Thickness
WE20/BURU	20 mm	2 mm



**RUBBER WEBBING
– ORANGE**

Code	Width	Thickness
WE15/ORU	15 mm	2 mm
WE20/ORU	20 mm	2 mm



**RUBBER WEBBING
– COGNAC**

Code	Width	Thickness
WE20/CORU	20 mm	2 mm



Made by Aliaksandr Lazdouski




RUBBER WEBBING
– BROWN

Code	Width	Thickness
WE20/BRRU	20 mm	2 mm



RUBBER WEBBING
– VIOLET

Code	Width	Thickness
WE15/VRU	15 mm	2 mm
WE20/VRU	20 mm	2 mm
WE25/VRU	25 mm	2 mm



RUBBER WEBBING
– PURPLE

Code	Width	Thickness
WE15/LILRU	15 mm	2 mm



**RUBBER WEBBING
– NEON PINK**

Code	Width	Thickness
WE15/PRU	15 mm	2 mm
WE20/PRU	20 mm	2 mm




**RUBBER WEBBING
– PINK**

Code	Width	Thickness
WE20/WRU	20 mm	2 mm




**RUBBER WEBBING
– PINK**

Code	Width	Thickness
WE20/WBRU	20 mm	2 mm




**RUBBER WEBBING
– KEROSENE**

Code	Width	Thickness
WE15/KRU	15 mm	2 mm




**RUBBER WEBBING
– KEROSENE**

Code	Width	Thickness
WE20/KRU	20 mm	2 mm




**RUBBER WEBBING
– SKY BLUE**

Code	Width	Thickness
WE20/LBRU	20 mm	2 mm




**RUBBER WEBBING
– BLUE**

Code	Width	Thickness
WE15/BLRU	15 mm	2 mm
WE20/BLRU	20 mm	2 mm
WE25/BLRU	25 mm	2 mm




**RUBBER WEBBING
– YELLOW**

Code	Width	Thickness
WE15/YRU	15 mm	2 mm
WE20/YRU	20 mm	2 mm
WE25/YRU	25 mm	2 mm




**RUBBER WEBBING
– GRAY**

Code	Width	Thickness
WE15/SRU	15 mm	2 mm
WE20/SRU	20 mm	2 mm




RUBBER WEBBING
– GREEN

Code	Width	Thickness
WE15/GRU	15 mm	2 mm
WE20/GRU	20 mm	2 mm
WE25/GRU	25 mm	2 mm




RUBBER WEBBING
– LIME

Code	Width	Thickness
WE15/LRU	15 mm	2 mm




RUBBER WEBBING
– LIME

Code	Width	Thickness
WE20/GLRU	20 mm	2 mm



RUBBER WEBBING
– LIME


Code	Width	Thickness
WE20/LRU	20 mm	2 mm



RUBBER WEBBING
– TURQUOISE

Code	Width	Thickness
WE20/TRU	20 mm	2 mm






COTTON RUBBER WEBBING

Code	Width	Thickness
WE20/CBRU	20 mm	2 mm



**COTTON RUBBER WEBBING
– BLACK / GREY**

Code	Width	Thickness
WE20/CPBRU	20 mm	3 mm



**RUBBER WEBBING
– BLACK / BLUE**

Code	Width	Thickness
WE20/BLBRU/3448	20 mm	3 mm



**RUBBER WEBBING
– BLACK / RED**

Code	Width	Thickness
WE20/RBRU	20 mm	3 mm



**RUBBER WEBBING
– BROWN / PINK**

Code	Width	Thickness
WE20/PBRU	20 mm	3 mm



**RUBBER WEBBING
– BLACK / NEON GREEN**

Code	Width	Thickness
WE20/NGBRU	20 mm	3 mm



**RUBBER WEBBING
– BLACK / NEON ORANGE**

Code	Width	Thickness
WE20/NOBRU	20 mm	3 mm



**RUBBER WEBBING
– BLACK / NEON PINK**

Code	Width	Thickness
WE20/NPBRU	20 mm	3 mm


Waterproof Webbing



WATERPROOF WEBBING – BLACK



Code	Width	Thickness	Code	Width	Thickness
CW10/B	10 mm	2.5 mm	CW20/B	20 mm	2.5 mm
CW13/B/1.5	13 mm	1.5 mm	CW25/B/1.5	25 mm	1.5 mm
CW13/B	13 mm	2.5 mm	CW25/B	25 mm	2.5 mm
CW16/B/1.5	16 mm	1.5 mm	CW30/B	30 mm	2.5 mm
CW16/B	16 mm	2.5 mm	CW40/B	40 mm	2.5 mm
CW20/B/1.5	20 mm	1.5 mm	CW50/B	50 mm	2.5 mm



WATERPROOF WEBBING – GRAY

Code	Width	Thickness
CW16/GRAY	16 mm	2.5 mm
CW20/GRAY	20 mm	2.5 mm
CW25/GRAY	25 mm	2.5 mm



WATERPROOF WEBBING – DARK BROWN

Code	Width	Thickness
CW16/DBR	16 mm	2.5 mm
CW20/DBR	20 mm	2.5 mm
CW25/DBR	25 mm	2.5 mm



WATERPROOF WEBBING – BROWN

Code	Width	Thickness
CW16/BR	16 mm	2.5 mm
CW20/BR	20 mm	2.5 mm
CW25/BR	25 mm	2.5 mm




WATERPROOF WEBBING – SADDLE BROWN

Code	Width	Thickness
CW16/SBR	16 mm	2.5 mm
CW20/SBR	20 mm	2.5 mm
CW25/SBR	25 mm	2.5 mm



WATERPROOF WEBBING – CANDY RED

Code	Width	Thickness
CW10/CR	10 mm	2.5 mm
CW13/CR	13 mm	2.5 mm
CW16/CR	16 mm	2.5 mm
CW20/CR	20 mm	2.5 mm
CW25/CR	25 mm	2.5 mm



WATERPROOF WEBBING – RED

Code	Width	Thickness
CW16/R	16 mm	2.5 mm
CW20/R	20 mm	2.5 mm
CW25/R	25 mm	2.5 mm



**WATERPROOF WEBBING
– WINE**

Code	Width	Thickness
CW16/WI	16 mm	2.5 mm
CW20/WI	20 mm	2.5 mm
CW25/WI	25 mm	2.5 mm



**WATERPROOF WEBBING
WW– VIVA MAGENTA**

Code	Width	Thickness
CW10/VM	10 mm	2.5 mm
CW13/VM	13 mm	2.5 mm
CW16/VM	16 mm	2.5 mm
CW20/VM	20 mm	2.5 mm
CW25/VM	25 mm	2.5 mm



**WATERPROOF WEBBING
– PASTEL PINK**

Code	Width	Thickness
CW16/PI	16 mm	2.5 mm
CW20/PI	20 mm	2.5 mm
CW25/PI	25 mm	2.5 mm



WATERPROOF WEBBING
– NEON PINK

Code	Width	Thickness
CW10/NP	10 mm	2.5 mm
CW13/NP	13 mm	2.5 mm
CW16/NP	16 mm	2.5 mm
CW20/NP	20 mm	2.5 mm
CW25/NP	25 mm	2.5 mm



WATERPROOF WEBBING
– NEON PINK

NEW

Code	Width	Thickness
CW10/DNP	10 mm	2.5 mm
CW13/DNP	13 mm	2.5 mm
CW16/DNP	16 mm	2.5 mm
CW20/DNP	20 mm	2.5 mm
CW25/DNP	25 mm	2.5 mm



WATERPROOF WEBBING
– LEVANDER

Code	Width	Thickness
CW10/L	10 mm	2.5 mm
CW13/L	13 mm	2.5 mm
CW16/L	16 mm	2.5 mm
CW20/L	20 mm	2.5 mm
CW25/L	25 mm	2.5 mm



WATERPROOF WEBBING
– PASTEL LAVENDER

Code	Width	Thickness
CW10/PL	10 mm	2.5 mm
CW13/PL	13 mm	2.5 mm
CW16/PL	16 mm	2.5 mm
CW20/PL	20 mm	2.5 mm
CW25/PL	25 mm	2.5 mm



WATERPROOF WEBBING
– PURPLE

Code	Width	Thickness
CW10/P	10 mm	2.5 mm
CW13/P	13 mm	2.5 mm
CW16/P	16 mm	2.5 mm
CW20/P	20 mm	2.5 mm
CW25/P	25 mm	2.5 mm



WATERPROOF WEBBING
– LILAC

Code	Width	Thickness
CW16/LIL	16 mm	2.5 mm
CW20/LIL	20 mm	2.5 mm
CW25/LIL	25 mm	2.5 mm



WATERPROOF WEBBING
– VIOLET

Code	Width	Thickness
CW16/V	16 mm	2.5 mm
CW20/V	20 mm	2.5 mm
CW25/V	25 mm	2.5 mm




WATERPROOF WEBBING
– APRICOT BRANDY

Code	Width	Thickness
CW16/APB	16 mm	2.5 mm
CW20/APB	20 mm	2.5 mm
CW25/APB	25 mm	2.5 mm




WATERPROOF WEBBING
– NEON ORANGE

Code	Width	Thickness
CW10/NO	10 mm	2.5 mm
CW13/NO	13 mm	2.5 mm
CW16/NO	16 mm	2.5 mm
CW20/NO	20 mm	2.5 mm
CW25/NO	25 mm	2.5 mm




WATERPROOF WEBBING – BLUE

Code	Width	Thickness
CW10/BL	10 mm	2.5 mm
CW13/BL	13 mm	2.5 mm
CW16/BL	16 mm	2.5 mm
CW20/BL	20 mm	2.5 mm
CW25/BL	25 mm	2.5 mm




WATERPROOF WEBBING – PASTEL BLUE

Code	Width	Thickness
CW16/BABL	16 mm	2.5 mm
CW20/BABL	20 mm	2.5 mm
CW25/BABL	25 mm	2.5 mm




WATERPROOF WEBBING – SKY BLUE

Code	Width	Thickness
CW10/SB	10 mm	2.5 mm
CW13/SB	13 mm	2.5 mm
CW16/SB	16 mm	2.5 mm
CW20/SB	20 mm	2.5 mm
CW25/SB	25 mm	2.5 mm



WATERPROOF WEBBING – PASTEL GREEN


Code	Width	Thickness
CW10/PG	10 mm	2.5 mm
CW13/PG	13 mm	2.5 mm
CW16/PG	16 mm	2.5 mm
CW20/PG	20 mm	2.5 mm
CW25/PG	25 mm	2.5 mm



WATERPROOF WEBBING – CARIBBEAN GREEN


NEW

Code	Width	Thickness
CW10/CG	10 mm	2.5 mm
CW13/CG	13 mm	2.5 mm
CW16/CG	16 mm	2.5 mm
CW20/CG	20 mm	2.5 mm
CW25/CG	25 mm	2.5 mm




WATERPROOF WEBBING – NEON GREEN

Code	Width	Thickness
CW10/NG	10 mm	2.5 mm
CW13/NG	13 mm	2.5 mm
CW16/NG	16 mm	2.5 mm
CW20/NG	20 mm	2.5 mm
CW25/NG	25 mm	2.5 mm



WATERPROOF WEBBING – OLIVE

Code	Width	Thickness
CW13/G	13 mm	2.5 mm
CW16/G	16 mm	2.5 mm
CW20/G	20 mm	2.5 mm
CW25/G	25 mm	2.5 mm



WATERPROOF WEBBING – HUNTER GREEN

Code	Width	Thickness
CW16/HG	16 mm	2.5 mm
CW20/HG	20 mm	2.5 mm
CW25/HG	25 mm	2.5 mm



WATERPROOF WEBBING – KHAKI

Code	Width	Thickness
CW16/KH	16 mm	2.5 mm
CW20/KH	20 mm	2.5 mm
CW25/KH	25 mm	2.5 mm



WATERPROOF WEBBING – MINT GREEN

Code	Width	Thickness
CW16/MINT	16 mm	2.5 mm
CW20/MINT	20 mm	2.5 mm
CW25/MINT	25 mm	2.5 mm



WATERPROOF WEBBING – NEON YELLOW

Code	Width	Thickness
CW10/NY	10 mm	2.5 mm
CW13/NY	13 mm	2.5 mm
CW16/NY	16 mm	2.5 mm
CW20/NY	20 mm	2.5 mm
CW25/NY	25 mm	2.5 mm



WATERPROOF WEBBING – PASTEL YELLOW


NEW

Code	Width	Thickness
CW10/PY	10 mm	2.6 mm
CW13/PY	13 mm	2.6 mm
CW16/PY	16 mm	2.6 mm
CW20/PY	20 mm	2.6 mm
CW25/PY	25 mm	2.6 mm



WATERPROOF WEBBING – SUNFLOWER YELLOW

Code	Width	Thickness
CW13/SY	13 mm	2.5 mm
CW16/SY	16 mm	2.5 mm
CW20/SY	20 mm	2.5 mm
CW25/SY	25 mm	2.5 mm



WATERPROOF WEBBING – GOLD

NEW

Code	Width	Thickness
CW10/GOLD	10 mm	2.6 mm
CW13/GOLD	13 mm	2.6 mm
CW16/GOLD	16 mm	2.6 mm
CW20/GOLD	20 mm	2.6 mm
CW25/GOLD	25 mm	2.6 mm




WATERPROOF WEBBING – WHITE

Code	Width	Thickness
CW10/W	10 mm	2.5 mm
CW13/W	13 mm	2.5 mm
CW16/W	16 mm	2.5 mm
CW20/W	20 mm	2.5 mm
CW25/W	25 mm	2.5 mm



WATERPROOF WEBBING – KEROSENE

Code	Width	Thickness
CW13/K	13 mm	2.5 mm
CW16/K	16 mm	2.5 mm
CW20/K	20 mm	2.5 mm
CW25/K	25 mm	2.5 mm



WATERPROOF WEBBING SUPER GRIP – BLACK


Code	Width	Thickness
SGW13/B	13 mm	7 mm
SGW16/B	16 mm	7 mm
SGW19/B	19 mm	7 mm



BARK WATERPROOF WEBBING – BLACK

Code	Width	Thickness
CWD16/B	16 mm	2.5 mm
CWD20/B	20 mm	2.5 mm
CWD25/B	25 mm	2.5 mm






**WATERPROOF WEBBING
– PINK / BRINDLE**

NEW


Code	Width	Thickness
CW16/BRINDLE	16 mm	2.5 mm
CW20/BRINDLE	20 mm	2.5 mm



**WATERPROOF WEBBING
– BLUE / BRINDLE**


NEW

Code	Width	Thickness
CW16/BRINDLE BL	16 mm	2.5 mm
CW20/BRINDLE BL	20 mm	2.5 mm



**HEXA WATERPROOF WEBBING
– GRAY**

Code	Width	Thickness
CWH10/GRAY	10 mm	2.6 mm
CWH13/GRAY	13 mm	2.6 mm
CWH16/GRAY	16 mm	2.6 mm
CWH20/GRAY	20 mm	2.6 mm
CWH25/GRAY	25 mm	2.6 mm




**HEXA WATERPROOF WEBBING
– BLACK**

Code	Width	Thickness
CWH10/B	10 mm	2.6 mm
CWH13/B	13 mm	2.6 mm
CWH16/B	16 mm	2.6 mm
CWH20/B	20 mm	2.6 mm



**HEXA WATERPROOF WEBBING
– KEROSENE**

Code	Width	Thickness
CWH25/B	25 mm	2.6 mm
CWH30/B	30 mm	2.6 mm
CWH40/B	40 mm	2.6 mm
CWH50/B	50 mm	2.6 mm




Code	Width	Thickness
CWH10/K	10 mm	2.6 mm
CWH13/K	13 mm	2.6 mm
CWH16/K	16 mm	2.6 mm
CWH20/K	20 mm	2.6 mm
CWH25/K	25 mm	2.6 mm




**HEXA WATERPROOF WEBBING
– PASTEL GREEN**

Code	Width	Thickness
CWH10/PG	10 mm	2.6 mm
CWH13/PG	13 mm	2.6 mm
CWH16/PG	16 mm	2.6 mm
CWH20/PG	20 mm	2.6 mm
CWH25/PG	25 mm	2.6 mm




**HEXA WATERPROOF WEBBING
– SKY BLUE**

Code	Width	Thickness
CWH10/SB	10 mm	2.6 mm
CWH13/SB	13 mm	2.6 mm
CWH16/SB	16 mm	2.6 mm
CWH20/SB	20 mm	2.6 mm
CWH25/SB	25 mm	2.6 mm



**HEXA WATERPROOF WEBBING
– BLUE**


Code	Width	Thickness
CWH10/BL	10 mm	2.6 mm
CWH13/BL	13 mm	2.6 mm
CWH16/BL	16 mm	2.6 mm
CWH20/BL	20 mm	2.6 mm
CWH25/BL	25 mm	2.6 mm



HEXA WATERPROOF WEBBING – CARIBBEAN GREEN


NEW

Code	Width	Thickness
CWH10/CG	10 mm	2.6 mm
CWH13/CG	13 mm	2.6 mm
CWH16/CG	16 mm	2.6 mm
CWH20/CG	20 mm	2.6 mm
CWH25/CG	25 mm	2.6 mm




HEXA WATERPROOF WEBBING – OLIVE

Code	Width	Thickness
CWH10/G	10 mm	2.6 mm
CWH13/G	13 mm	2.6 mm
CWH16/G	16 mm	2.6 mm
CWH20/G	20 mm	2.6 mm
CWH25/G	25 mm	2.6 mm



HEXA WATERPROOF WEBBING – HUNTER GREEN

Code	Width	Thickness
CWH10/HG	10 mm	2.6 mm
CWH13/HG	13 mm	2.6 mm
CWH16/HG	16 mm	2.6 mm
CWH20/HG	20 mm	2.6 mm
CWH25/HG	25 mm	2.6 mm




HEXA WATERPROOF WEBBING – NEON GREEN

Code	Width	Thickness
NEW CWH10/NG	10 mm	2.6 mm
NEW CWH13/NG	13 mm	2.6 mm
CWH16/NG	16 mm	2.6 mm
CWH20/NG	20 mm	2.6 mm
CWH25/NG	25 mm	2.6 mm



HEXA WATERPROOF WEBBING – MINT GREEN

Code	Width	Thickness
CWH10/MINT	10 mm	2.6 mm
CWH13/MINT	13 mm	2.6 mm
CWH16/MINT	16 mm	2.6 mm
CWH20/MINT	20 mm	2.6 mm
CWH25/MINT	25 mm	2.6 mm



HEXA WATERPROOF WEBBING – PASTEL BLUE

Code	Width	Thickness
CWH10/BABL	10 mm	2.6 mm
CWH13/BABL	13 mm	2.6 mm
CWH16/BABL	16 mm	2.6 mm
CWH20/BABL	20 mm	2.6 mm
CWH25/BABL	25 mm	2.6 mm



HEXA WATERPROOF WEBBING – PURPLE

Code	Width	Thickness
NEW CWH10/P	10 mm	2.6 mm
NEW CWH13/P	13 mm	2.6 mm
CWH16/P	16 mm	2.6 mm
CWH20/P	20 mm	2.6 mm
CWH25/P	25 mm	2.6 mm



HEXA WATERPROOF WEBBING – NEON PINK

Code	Width	Thickness
CWH10/NP	10 mm	2.6 mm
CWH13/NP	13 mm	2.6 mm
CWH16/NP	16 mm	2.6 mm
CWH20/NP	20 mm	2.6 mm
CWH25/NP	25 mm	2.6 mm



HEXA WATERPROOF WEBBING – NEON PINK

NEW

Code	Width	Thickness
CWH10/DNP	10 mm	2.6 mm
CWH13/DNP	13 mm	2.6 mm
CWH16/DNP	16 mm	2.6 mm
CWH20/DNP	20 mm	2.6 mm
CWH25/DNP	25 mm	2.6 mm



HEXA WATERPROOF WEBBING
– NEON ORANGE

Code	Width	Thickness
CWH10/NO	10 mm	2.6 mm
CWH13/NO	13 mm	2.6 mm
CWH16/NO	16 mm	2.6 mm
CWH20/NO	20 mm	2.6 mm
CWH25/NO	25 mm	2.6 mm



HEXA WATERPROOF WEBBING
– APRICOT BRANDY

Code	Width	Thickness
CW10/APB	10 mm	2.6 mm
CW13/APB	13 mm	2.6 mm
CW16/APB	16 mm	2.6 mm
CW20/APB	20 mm	2.6 mm
CW25/APB	25 mm	2.6 mm



HEXA WATERPROOF WEBBING
– DARK BROWN

Code	Width	Thickness
CWH10/DBR	10 mm	2.6 mm
CWH13/DBR	13 mm	2.6 mm
CWH16/DBR	16 mm	2.6 mm
CWH20/DBR	20 mm	2.6 mm
CWH25/DBR	25 mm	2.6 mm



HEXA WATERPROOF WEBBING
– VIVA MAGENTA

Code	Width	Thickness
CWH10/VM	10 mm	2.6 mm
CWH13/VM	13 mm	2.6 mm
CWH16/VM	16 mm	2.6 mm
CWH20/VM	20 mm	2.6 mm
CWH25/VM	25 mm	2.6 mm



HEXA WATERPROOF WEBBING
– LEVANDER

Code	Width	Thickness
CWH10/L	10 mm	2.6 mm
CWH13/L	13 mm	2.6 mm
CWH16/L	16 mm	2.6 mm
CWH20/L	20 mm	2.6 mm
CWH25/L	25 mm	2.6 mm



HEXA WATERPROOF WEBBING
– PASTEL LAVENDER

Code	Width	Thickness
CWH10/PL	10 mm	2.6 mm
CWH13/PL	13 mm	2.6 mm
CWH16/PL	16 mm	2.6 mm
CWH20/PL	20 mm	2.6 mm
CWH25/PL	25 mm	2.6 mm



HEXA WATERPROOF WEBBING
– CANDY RED

Code	Width	Thickness
CWH10/CR	10 mm	2.6 mm
CWH13/CR	13 mm	2.6 mm
CWH16/CR	16 mm	2.6 mm
CWH20/CR	20 mm	2.6 mm
CWH25/CR	25 mm	2.6 mm



HEXA WATERPROOF WEBBING
– PASTEL PINK

Code	Width	Thickness
CWH10/PI	10 mm	2.6 mm
CWH13/PI	13 mm	2.6 mm
CWH16/PI	16 mm	2.6 mm
CWH20/PI	20 mm	2.6 mm
CWH25/PI	25 mm	2.6 mm



HEXA WATERPROOF WEBBING
– NEON YELLOW


Code	Width	Thickness
CWH10/NY	10 mm	2.6 mm
CWH13/NY	13 mm	2.6 mm
CWH16/NY	16 mm	2.6 mm
CWH20/NY	20 mm	2.6 mm
CWH25/NY	25 mm	2.6 mm



HEXA WATERPROOF WEBBING – PASTEL YELLOW

NEW

Code	Width	Thickness
CWH10/PY	10 mm	2.6 mm
CWH13/PY	13 mm	2.6 mm
CWH16/PY	16 mm	2.6 mm
CWH20/PY	20 mm	2.6 mm
CWH25/PY	25 mm	2.6 mm



HEXA WATERPROOF WEBBING – GOLD

NEW

Code	Width	Thickness
CWH10/GOLD	10 mm	2.6 mm
CWH13/GOLD	13 mm	2.6 mm
CWH16/GOLD	16 mm	2.6 mm
CWH20/GOLD	20 mm	2.6 mm
CWH25/GOLD	25 mm	2.6 mm





Polypropylene Weave Webbing



WEAVE WEBBING
– BLACK / BLUE WAVE

Code	Width	Thickness
WE15/BBLS	15 mm	2 mm
WE20/BBLS	20 mm	3 mm



WEAVE WEBBING
– BLACK / PINK WAVE

Code	Width	Thickness
WE15/BPS	15 mm	2 mm
WE20/BPS	20 mm	3 mm




WEAVE WEBBING
– RAINBOW

Code	Width	Thickness
WE25/D/T	25 mm	1.6 mm



WEAVE WEBBING
– BLACK / INDIAN MOTIF

Code	Width	Thickness
WE20/BI	20 mm	2 mm
WE25/BI	25 mm	3 mm



WEAVE WEBBING
– RED / INDIAN MOTIF

Code	Width	Thickness
WE20/RI	20 mm	2 mm
WE25/RI	25 mm	3 mm



WEAVE WEBBING
– BLUE / INDIAN MOTIF

Code	Width	Thickness
WE20/BLI	20 mm	2 mm
WE25/BLI	25 mm	3 mm



WEAVE WEBBING – BLACK / WINTER CAMOUFLAGE

Code	Width	Thickness
WE15/WC	15 mm	2 mm
WE20/WC	20 mm	3 mm
WE25/WC	25 mm	3 mm
WE40/WC	40 mm	2.5 mm
WE50/WC	50 mm	2.5 mm



WEAVE WEBBING – GREEN / CAMOUFLAGE

Code	Width	Thickness
WE15/GC	15 mm	2 mm
WE20/GC	20 mm	3 mm
WE25/GC	25 mm	3 mm
WE40/GC	40 mm	2.5 mm
WE50/GC	50 mm	2.5 mm



WEAVE WEBBING – PINK / CAMOUFLAGE

Code	Width	Thickness
WE15/PC	15 mm	2 mm
WE20/PC	20 mm	3 mm
WE25/PC	25 mm	3 mm



WEAVE WEBBING – BLUE / BONE-SHAPE CAMO

Code	Width	Thickness
WE20/BLC	20 mm	2 mm
WE25/BLC	25 mm	3 mm



WEAVE WEBBING – RED / BLACK / BONE

Code	Width	Thickness
WE25/RBB	25 mm	3 mm





WEAVE WEBBING – BLUE / BLACK / PAWS

Code	Width	Thickness
WE10/BBP	10 mm	2 mm
WE15/BBP	15 mm	2 mm

Code	Width	Thickness
WE20/BBP	20 mm	2 mm
WE25/BBP	25 mm	3 mm



WEAVE WEBBING – RED / BLACK / PAWS

Code	Width	Thickness
WE10/RBP	10 mm	2 mm
WE15/RBP	15 mm	2 mm
WE20/RBP	20 mm	2 mm
WE25/RBP	25 mm	3 mm




WEAVE WEBBING – GREEN / BLACK / PAWS

Code	Width	Thickness
WE15/GBP	15 mm	2 mm



WEAVE WEBBING – ORANGE / BLACK / PAWS

Code	Width	Thickness
WE15/OBP	15 mm	2 mm
WE20/OBP	20 mm	2 mm



WEAVE WEBBING – BLUE / RED / PAWS

Code	Width	Thickness
WE10/RBLP	10 mm	2 mm



WEAVE WEBBING – YELLOW / BLACK / PAWS

Code	Width	Thickness
WE15/YBP	15 mm	2 mm



WEAVE WEBBING – PINK / BLACK / PAWS

Code	Width	Thickness
WE10/NBP	10 mm	2 mm
WE15/NBP	15 mm	2 mm



Polypropylene Reflective Webbing



**REFLECTIVE WEBBING
– BLACK**

Code	Width	Thickness
WE15/BDR	15 mm	3 mm
WE20/BDR	20 mm	3 mm
WE25/BDR	25 mm	3 mm



**REFLECTIVE WEBBING
– RED**

Code	Width	Thickness
WE25/RDR	25 mm	3 mm



**REFLECTIVE WEBBING
– PINK**

Code	Width	Thickness
WE10/VSR	10 mm	2 mm



**REFLECTIVE RUBBER WEBBING
– BLACK**

Code	Width	Thickness
WE20/BRUR	20 mm	3 mm



**REFLECTIVE WEBBING
– ORANGE**

Code	Width	Thickness
WE20/ODR	20 mm	3 mm
WE25/ODR	25 mm	3 mm



**REFLECTIVE WEBBING
– BLUE**

NEW

Code	Width	Thickness
WE25/BLDR	25 mm	3 mm



**REFLECTIVE RUBBER WEBBING
– ORANGE**


Code	Width	Thickness
WE20/OBRUR	20 mm	3 mm



**REFLECTIVE RUBBER WEBBING
– PINK**

Code	Width	Thickness
WE20/PRUR	20 mm	3 mm

Chain Collars for Dog Shows



HALF CHOKE SHOW COLLAR

BRASS ROSE GOLD

Code	Ø	Lenght
PJR 30/30	3 mm	30 cm
PJR 30/35	3 mm	35 cm
PJR 30/40	3 mm	40 cm
PJR 30/45	3 mm	45 cm
PJR 30/50	3 mm	50 cm
PJR 50/45	5 mm	45 cm
PJR 50/50	5 mm	50 cm
PJR 50/55	5 mm	55 cm
PJR 50/60	5 mm	60 cm
PJR 50/65	5 mm	65 cm

HALF CHOKE SHOW COLLAR

BRASS CHROME PLATED

Code	Ø	Lenght
PJC 30/30	3 mm	30 cm
PJC 30/35	3 mm	35 cm
PJC 30/40	3 mm	40 cm
PJC 30/45	3 mm	45 cm
PJC 30/50	3 mm	50 cm
PJC 50/45	5 mm	45 cm
PJC 50/50	5 mm	50 cm
PJC 50/55	5 mm	55 cm
PJC 50/60	5 mm	60 cm
PJC 50/65	5 mm	65 cm





HALF CHOKE SHOW COLLAR

BRASS BLACK NICKLE

Code	ø	Lenght
PJB 30/30	3 mm	30 cm
PJB 30/35	3 mm	35 cm
PJB 30/40	3 mm	40 cm
PJB 30/45	3 mm	45 cm
PJB 30/50	3 mm	50 cm
PJB 50/45	5 mm	45 cm
PJB 50/50	5 mm	50 cm
PJB 50/55	5 mm	55 cm
PJB 50/60	5 mm	60 cm
PJB 50/65	5 mm	65 cm



SNAKE CHAIN SHOW CHOKE COLLARS

BRASS ROSE GOLD

Code	Lenght	ø
JSR 20/30	30 cm	2 mm
JSR 20/35	35 cm	2 mm
JSR 20/40	40 cm	2 mm
JSR 20/45	45 cm	2 mm
JSR 25/45	45 cm	2.5 mm
JSR 25/50	50 cm	2.5 mm
JSR 25/55	55 cm	2.5 mm
JSR 25/60	60 cm	2.5 mm
JSR 30/40	40 cm	3 mm
JSR 30/45	45 cm	3 mm
JSR 30/50	50 cm	3 mm
JSR 50/50	50 cm	5 mm
JSR 50/55	55 cm	5 mm
JSR 50/60	60 cm	5 mm
JSR 50/65	65 cm	5 mm
JSR 50/70	70 cm	5 mm
JSR 50/75	75 cm	5 mm



SNAKE CHAIN SHOW CHOKE COLLARS

BRASS

CHROME PLATED

Code	Ø	Lenght
JSC 18/30	1.8 mm	30 cm
JSC 18/35	1.8 mm	35 cm
JSC 20/25	2 mm	25 cm
JSC 20/30	2 mm	30 cm
JSC 20/35	2 mm	35 cm
JSC 20/40	2 mm	40 cm
JSC 20/45	2 mm	45 cm
JSC 20/50	2 mm	50 cm
JSC 25/45	2.5 mm	45 cm
JSC 25/50	2.5 mm	50 cm
JSC 25/55	2.5 mm	55 cm
JSC 25/60	2.5 mm	60 cm
JSC 25/65	2.5 mm	65 cm
JSC 30/30	3 mm	30 cm
JSC 30/35	3 mm	35 cm
JSC 30/40	3 mm	40 cm
JSC 30/45	3 mm	45 cm
JSC 30/50	3 mm	50 cm
JSC 30/55	3 mm	55 cm
JSC 30/60	3 mm	60 cm
JSC 40/40	4 mm	40 cm
JSC 40/45	4 mm	45 cm
JSC 40/50	4 mm	50 cm
JSC 40/55	4 mm	55 cm
JSC 40/60	4 mm	60 cm
JSC 40/65	4 mm	65 cm
JSC 50/50	5 mm	50 cm
JSC 50/55	5 mm	55 cm
JSC 50/60	5 mm	60 cm
JSC 50/65	5 mm	65 cm
JSC 50/70	5 mm	70 cm
JSC 50/75	5 mm	75 cm
JSC 50/80	5 mm	80 cm
JSC 64/60	6.4 mm	60 cm
JSC 64/65	6.4 mm	65 cm
JSC 64/70	6.4 mm	70 cm
JSC 64/75	6.4 mm	75 cm
JSC 64/80	6.4 mm	80 cm





SNAKE CHAIN SHOW CHOKE COLLARS

BRASS GOLD PLATED

Code	ø	Lenght
JSB 18/30	1.8 mm	30 cm
JSB 18/35	1.8 mm	35 cm
JSB 20/25	2 mm	25 cm
JSB 20/30	2 mm	30 cm
JSB 20/35	2 mm	35 cm
JSB 20/40	2 mm	40 cm
JSB 20/45	2 mm	45 cm
JSB 20/50	2 mm	50 cm
JSB 25/45	2.5 mm	45 cm
JSB 25/50	2.5 mm	50 cm
JSB 25/55	2.5 mm	55 cm
JSB 25/60	2.5 mm	60 cm
JSB 25/65	2.5 mm	65 cm
JSB 30/30	3 mm	30 cm
JSB 30/35	3 mm	35 cm
JSB 30/40	3 mm	40 cm
JSB 30/45	3 mm	45 cm
JSB 30/50	3 mm	50 cm
JSB 30/55	3 mm	55 cm
JSB 30/60	3 mm	60 cm
JSB 50/50	5 mm	50 cm
JSB 50/55	5 mm	55 cm
JSB 50/60	5 mm	60 cm
JSB 50/65	5 mm	65 cm
JSB 50/70	5 mm	70 cm
JSB 50/75	5 mm	75 cm
JSB 50/80	5 mm	80 cm

SNAKE CHAIN SHOW CHOKE COLLARS

BRASS BLACK NICKLE

Code	ø	Lenght
JSA 20/30	2 mm	30 cm
JSA 20/35	2 mm	35 cm
JSA 20/40	2 mm	40 cm
JSA 20/45	2 mm	45 cm
JSA 25/45	2.5 mm	45 cm
JSA 25/50	2.5 mm	50 cm
JSA 25/55	2.5 mm	55 cm
JSA 25/60	2.5 mm	60 cm
JSA 30/40	3 mm	40 cm
JSA 30/45	3 mm	45 cm
JSA 30/50	3 mm	50 cm
JSA 50/50	5 mm	50 cm
JSA 50/55	5 mm	55 cm
JSA 50/60	5 mm	60 cm
JSA 50/65	5 mm	65 cm
JSA 50/70	5 mm	70 cm
JSA 50/75	5 mm	75 cm
JSA 64/60	6.4 mm	60 cm
JSA 64/65	6.4 mm	65 cm
JSA 64/70	6.4 mm	70 cm
JSA 64/75	6.4 mm	75 cm
JSA 64/80	6.4 mm	80 cm



Dog Show Chain Leashes

CHAINS & COLLARS



DOG SHOW LEAD

BRASS GOLD PLATED

Code	ø	Lenght
VSG 20/90	2 mm	90 cm
VSG 30/90	3 mm	90 cm
VSG 40/90	4 mm	90 mm




DOG SHOW LEAD

BRASS CHROME PLATED

Code	ø	Lenght
VSC 20/90	2 mm	90 cm
VSC 30/90	3 mm	90 cm
VSC 40/90	4 mm	90 mm





Chain Dog Collars



EXCLUSIVE DOG COLLAR FIGARO

BRASS CHROME PLATED

Code	ø	Lenght
JSD 20/40	2 mm	40 cm
JSD 20/50	2 mm	50 cm
JSD 20/60	2 mm	60 cm




EXCLUSIVE DOG COLLAR

BRASS CHROME PLATED

Code	ø	Lenght
JSF 34/50	3.5 mm	50 cm
JSF 34/60	3.5 mm	60 cm
JSF 34/70	3.5 mm	70 cm

STAINLESS STEEL CHOKE CHAIN COLLAR

STAINLESS POLISHED




Code	D	Lenght
SS JS 25/40	2.5 mm	40 cm
SS JS 25/45	2.5 mm	45 cm
SS JS 30/50	3 mm	50 cm
SS JS 30/55	3 mm	55 cm
SS JS 30/60	3 mm	60 cm
SS JS 30/65	3 mm	65 cm
SS JS 35/55	3.5 mm	55 cm
SS JS 35/60	3.5 mm	60 cm
SS JS 35/65	3.5 mm	65 cm
SS JS 35/70	3.5 mm	70 cm
SS JS 40/75	4 mm	75 cm



STEEL CHOKE CHAIN LONG LINK

STEEL CHROME PLATED

Code	Lenght	D
JSO 30/40	40 cm	3 mm
JSO 30/45	45 cm	3 mm
JSO 30/50	50 cm	3 mm
JSO 30/55	55 cm	3 mm
JSO 40/60	60 cm	4 mm
JSO 40/65	65 cm	4 mm
JSO 40/70	70 cm	4 mm
JSO 40/75	75 cm	4 mm



STEEL DOUBLE CHAIN COLLAR WITH MARTINAGLE

STEEL CHROME PLATED

Code	Lenght	D
PD 20/30	30 cm	2 mm
PD 20/35	35 cm	2 mm
PD 20/40	40 cm	2 mm
PD 20/45	45 cm	2 mm
PD 25/50	50 cm	2.5 mm
PD 25/55	55 cm	2.5 mm
PD 30/60	60 cm	3 mm
PD 30/65	65 mm	3 mm
PD 30/70	70 cm	3 mm



STEEL TRIPLE CHAIN COLLAR WITH MARTINAGLE

STEEL CHROME PLATED

Code	Lenght	D
PT 20/40	40 cm	2 mm
PT 20/45	45 cm	2 mm
PT 25/50	50 cm	2.5 mm
PT 25/55	55 cm	2.5 mm
PT 30/60	60 cm	3 mm
PT 30/65	65 cm	3 mm
PT 30/70	70 cm	3 mm
PT 30/75	75 cm	3 mm

STEEL TRAINING COLLAR

STEEL CHROME PLATED

Code	Lenght	D
ODO 30/40	40 cm	3 mm
ODO 40/60	60 cm	4 mm



STEEL REPLACEMENT LINKS FOR TRAINING COLLAR

STEEL CHROME PLATED

Code	Lenght	D
ODC 3	35 mm	3 mm
ODC 4	40 mm	4 mm



Chain Dog Leads

CHAIN LEASH WITHOUT HANDLE

STEEL CHROME PLATED



Code	Lenght	D
V 16/90	90 cm	1.6 mm



Code	Lenght	D
V 20/90	90 cm	2 mm



Code	Lenght	D
V 25/90	90 cm	2.5 mm

CHAIN LEASH WITHOUT HANDLE

STEEL

CHROME PLATED



Code	Lenght	D
V 30/90	90 cm	3 mm



Code	Lenght	D
V 35/90	90 cm	3.5 mm



Code	Lenght	D
V 40/90	90 cm	4 mm

Long Keychains



KEY CHAIN

STEEL

BLACK NICKLE

Code	Lenght	D
RKC 20/25 BN	25 cm	2 mm



KEY CHAIN

STEEL

BRASS PLATED

Code	Lenght	D
RKB 20/25	25 cm	2 mm



KEY CHAIN


STEEL

CHROME PLATED

Code	Lenght	D
RKC 20/20	20 cm	2 mm
RKC 20/25	25 cm	2 mm
RKC 20/50	50 cm	2 mm



Martingale Chains



STAINLESS STEEL MARTINGALE CHAIN

STAINLESS
 POLISHED



Code	Lenght	D	Size
SS 16/14	4 cm	1.6 mm	14 mm
SS 20/20	20 cm	2 mm	20 mm

SOLID BRASS MARTINAGLE CHAIN

BRASS
 POLISHED



Code	Lenght	D	Size
B 20/14	14 cm	2 mm	14 mm

SOLID BRASS MARTINAGLE CHAIN

BRASS
 POLISHED



Code	Lenght	D	Size
B D 20/20	20 cm	2 mm	20 mm
B D 25/21	21 cm	2.5 mm	24 mm
B D 30/30	30 cm	3 mm	24 mm



STAINLESS STEEL MARTINGALE CHAIN

STAINLESS

POLISHED



Code	Lenght	D	Size
SS D 20/15 16mm	20 cm	2 mm	16 mm
SS D 20/20	20 cm	2 mm	20 mm
SS D 25/21	21 cm	2.5 mm	26 mm
SS D 30/30	30 cm	3 mm	26 mm
SS D 30/30 30mm	30 cm	3 mm	31 mm
SS D 30/30 40mm	30 cm	3 mm	40 mm
SS D 30/21 25mm	21 cm	3 mm	25 mm

CHOKE CHAIN, LONG LINK

STEEL

CHROME PLATED



Code	Lenght	D	Size
SD 20/20	20 cm	2 mm	20 mm
SD 30/20 CP	20 cm	3 mm	28 mm
SD 25/21	21 cm	2.5 mm	26 mm
SD 30/30	30 cm	3 mm	26 mm



STEEL MARTINAGLE CHAIN

STEEL

CHROME PLATED



STAINLESS STEEL SHOW COLLAR

STAINLESS

BLACK



Code	Lenght	D	Size
S 16/14	14 cm	1.6 mm	14 mm
S 20/20	20 cm	2 mm	20 mm
S 25/22	25 cm	3 mm	25 mm

Code	Lenght	D	Size
SS D 20/20 BK	20 cm	2 mm	20 mm
SS D 25/21 BK	21 cm	2.5 mm	26 mm

Chain Hardware

STEEL PUNCH BAG CHAINS

STEEL

ZINC PLATED

Code	Lenght	D
BOX CHAIN	42 cm	5 mm
BOX 6 CHAIN	42 cm	5 mm



STEEL YARD CHAIN

STEEL

ZINC PLATED

Code	Lenght	D
Rb 3.0x150	1.5 m	3 mm
Rb 3.0x200	2 m	3 mm
Rb 3.0x300	3 m	3 mm
Rb 3.0x400	4 m	3 mm



STEEL SPIRAL TIE-OUT STAKE STEEL CHROME PLATED

Code	Lenght	D
Kolik	42 cm	9 mm



STEEL QUICK LINK STEEL ZINC PLATED

Code	Lenght	D
SPOJ 8 ZP	60 mm	7 mm
SPOJ 6 ZP	46 mm	6 mm
SPOJ 4 ZP	32 mm	4 mm



STEEL TWISTED CHAIN STEEL ZINC PLATED

Code	Lenght	D
SL 2.0x30	30 m	2 mm
SL 3.0x30	30 m	3 mm
SL 4.0x30	30 m	4 mm



STEEL CHAIN LONG LINK STEEL ZINC PLATED

Code	Lenght	D
SW 2.0x30	30 m	2 mm
SW 3.0x30	30 m	3 mm
SW 4.0x30	30 m	4 mm

Leather Hides



PREMIUM COWHIDE LEATHER
– DOUBLE BUTTS, NATURAL



PREMIUM COWHIDE LEATHER
– SINGLE BEND, BLACK

NEW

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
JK 2.5-3.0	2.5 – 3.0	130 x 140	190
JK 3.5-4.0	3.5 – 4.0	130 x 140	190

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
SB 3.0/B	3.0	240 x 70	168



COWHIDE LEATHER – DOUBLE BUTTS, NATURAL

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
P_2.4-2.8	2.4 – 2.8	140 x 140	180
P_2.8-3.2	2.8 – 3.2	140 x 140	180
P_3.2-3.6	3.2 – 3.6	140 x 140	180
P_4.0-4.6	4.0 – 4.6	140 x 140	180
P_4.8-5.2	4.8 – 5.2	140 x 140	167





COWHIDE LEATHER – DOUBLE BUTTS, BLACK

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
B_1.2-1.5	1.2 – 1.5	150 x 130	188
B_2.8-3.2	2.8 – 3.2	150 x 130	188
B_3.4-3.8	3.4 – 3.8	150 x 130	188
B_4.0-4.2	4.0 – 4.2	150 x 130	188



COWHIDE LEATHER – DOUBLE BUTTS, MOCCASIN BROWN

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
MO 1.2-1.5	1.2 – 1.5	150 x 130	174
MO 2.8-3.2	2.8 – 3.2	150 x 130	188



COWHIDE LEATHER – DOUBLE BUTTS, BROWN

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
BR 2.8-3.2	2.8 – 3.2	150 x 130	188



COWHIDE LEATHER – DOUBLE BUTTS, WHITE

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
W_2.8-3.2	2.8 – 3.2	150 x 130	188




COWHIDE LEATHER – DOUBLE BUTTS, PINK

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
PI 2.8-3.2	2.8 – 3.2	150 x 130	188



COWHIDE LEATHER – DOUBLE BUTTS, RED

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
R_2.8-3.2	2.8 – 3.2	150 x 130	188

**COWHIDE LEATHER – DOUBLE BUTTS,
PETROL BLUE**

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
BL 2.8-3.2	2.8 – 3.2	150 x 130	170

**PREMIUM COWHIDE LEATHER
– SINGLE BUTT, BLACK**

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
JPk 2.5-3.0/B	2.5 – 3.0	130 x 65	100

**COWHIDE LEATHER – DOUBLE BUTTS,
ELECTRIC BLUE**

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
EB 2.8-3.2	2.8 – 3.2	150 x 130	188

**PREMIUM COWHIDE LEATHER
– DOUBLE BUTTS, NATURAL**

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
JV 0.8-1.5	0.8 – 1.5	80 x 180	120
JV 1.5-2.0	1.5 – 2.0	80 x 180	120
JV 2.5-3.0	2.5 – 3.0	80 x 180	120
JV 3.5-4.0	3.5 – 4.0	80 x 180	120

**COWHIDE LEATHER – DOUBLE SHOULDER,
NATURAL**

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
P_ 0.8-1.2	0.8 – 1.2	70 x 130	91
P_ 1.2-1.6	1.2 – 1.6	70 x 130	91
P_ 1.6-2.0	1.6 – 2.0	70 x 130	91

Round Leather Cords



ROUND LEATHER Ø 1–7 MM,
NATURAL

Code	Ø
LL/1	1 mm
LL/2	2 mm
LL/3	3 mm
LL/4	4 mm
LL/5	5 mm
LL/6	6 mm
LL/7	7 mm



ROUND LEATHER Ø 1–7 MM,
BROWN

Code	Ø
LL/2 BROWN	2 mm
LL/3 BROWN	3 mm
LL/4 BROWN	4 mm
LL/5 BROWN	5 mm
LL/6 BROWN	6 mm
LL/7 BROWN	7 mm
LL/8 BROWN	8 mm



ROUND LEATHER Ø 1–7 MM,
BLACK

Code	Ø
LL/2 BLACK	2 mm
LL/3 BLACK	3 mm
LL/4 BLACK	4 mm
LL/5 BLACK	5 mm
LL/6 BLACK	6 mm
LL/7 BLACK	7 mm



ROUND LEATHER Ø 1–2 MM,
BLUE

Code	Ø
LL/2 BLUE	2 mm
LL/3 BLUE	3 mm



ROUND LEATHER Ø 2–3 MM,
RED

Code	Ø
LL/2 RED	2 mm
LL/3 RED	3 mm



ROUND LEATHER Ø 2–3 MM,
GREEN

Code	Ø
LL/2 GREEN	2 mm
LL/3 GREEN	3 mm



ROUND LEATHER Ø 2–3 MM,
DARK BROWN

Code	Ø
LL/2 MOKA	2 mm
LL/3 MOKA	3 mm



BRAIDED LEATHER CORD
Ø 3–5 MM, NATURAL

Code	Ø
BLC/3	3 mm
BLC/4	4 mm
BLC/5	5 mm



BRAIDED LEATHER CORD
Ø 3–5 MM, BLACK

Code	Ø
BLC/3 BLACK	3 mm
BLC/4 BLACK	4 mm
BLC/5 BLACK	5 mm



COATED ROPE Ø 6–8 MM
– NEON ORANGE

Code	Ø
CR06/NO	6 mm
CR08/NO	8 mm



COATED ROPE Ø 6–8 MM
– NEON YELLOW

Code	Ø
CR06/NY	6 mm
CR08/NY	8 mm



COATED ROPE Ø 6–8 MM
– BLACK

Code	Ø
CR06/B	6 mm
CR08/B	8 mm

NEW

NEW

NEW



FLEXIBLE COATED ROPE
Ø 6 MM – BLACK

NEW

Code	Ø
CR-SOFT06/B	6 mm



FLEXIBLE COATED ROPE
Ø 6 MM – NEON ORANGE

NEW

Code	Ø
CR-SOFT06/NO	6 mm



FLEXIBLE COATED ROPE
Ø 6 MM – GREEN

NEW

Code	Ø
CR-SOFT06/G	6 mm

Flat Leather Cords



FLAT LEATHER CORD
3–10 MM, NATURAL

Code	Width	Thickness
FL/3x1.2	3 mm	1.2 mm
FL/3x3	3 mm	3 mm
FL/4x2.7	4 mm	2.7 mm
FL/4x4	4 mm	3 mm
FL/10x3	10 mm	3 mm
FL/10x4	10 mm	4 mm
FL/10x6	10 mm	6 mm



FLAT LEATHER CORD
3–10 MM, BROWN

Code	Width	Thickness
FL/3x3 BROWN	3 mm	3 mm
FL/4x2.7 BROWN	4 mm	2.7 mm
FL/4x4 BROWN	4 mm	4 mm
FL/10x3 BROWN	10 mm	3 mm
FL/10x4 BROWN	10 mm	4 mm
FL/10x6 BROWN	10 mm	6 mm



FLAT LEATHER CORD
4–10 MM, BEIGE

Code	Width	Thickness
FL/4x4 TAN	4 mm	4 mm
FL/10x3 TAN	10 mm	3 mm
FL/10x4 TAN	10 mm	4 mm



FLAT LEATHER CORD
3–10 MM, BLACK

NEW

Code	Width	Thickness
FL/3x1.2 BLACK	3 mm	1.2 mm
FL/3x3 BLACK	3 mm	3 mm
FL/4x2.7 BLACK	4 mm	2.7 mm
FL/4x4 BLACK	4 mm	4 mm
FL/10x3 BLACK	10 mm	3 mm
FL/10x4 BLACK	10 mm	4 mm

Leather straps



LEATHER STRAP 13–40 MM,
NATURAL

Code	Width	Thickness
FL/13x4	13 mm	4 mm
FL/16x4	16 mm	4 mm
FL/20x4	20 mm	4 mm
FL/25x4	25 mm	4 mm
NEW FL/40x4	40 mm	4 mm



LEATHER STRAP 13–40 MM,
BROWN

Code	Width	Thickness
FL/13x4 BROWN	13 mm	4 mm
FL/16x4 BROWN	16 mm	4 mm
FL/20x4 BROWN	20 mm	4 mm
FL/25x4 BROWN	25 mm	4 mm
NEW FL/40x4 BROWN	40 mm	4 mm



LEATHER STRAP 13–40 MM,
BEIGE

Code	Width	Thickness
FL/13x4 TAN	13 mm	4 mm
FL/16x4 TAN	16 mm	4 mm
FL/20x4 TAN	20 mm	4 mm
FL/25x4 TAN	25 mm	4 mm
NEW FL/40x4 TAN	40 mm	4 mm



LEATHER STRAP 13–40 MM,
BLACK

Code	Width	Thickness
FL/13x4 BLACK	13 mm	4 mm
FL/16x4 BLACK	16 mm	4 mm
FL/20x4 BLACK	20 mm	4 mm
FL/25x4 BLACK	25 mm	4 mm
NEW FL/40x4 BLACK	40 mm	4 mm



LEATHER STRAP WITH COWHIDE
HAIR 20–40 MM, BLACK

Code	Width	Thickness
PH/20x4 BLACK	20 mm	4 mm
PH/25x4 BLACK	25 mm	4 mm
PH/40x4 BLACK	40 mm	3 mm




LEATHER STRAP WITH COWHIDE
HAIR 20 MM, NATURAL

Code	Width	Thickness
PH/20x4 NATURAL	20 mm	4 mm



LEATHER STRAP WITH
COWHIDE HAIR 20 MM, BEIGE

Code	Width	Thickness
PH/20x4 TAN	20 mm	4 mm



BRAIDED LEATHER STRAP 30 MM,
BROWN

Code	Width	Thickness
BL/30x5 BROWN	30 mm	5 mm



BRAIDED LEATHER STRAP
30–40 MM, BLACK

Code	Width	Thickness
BL/30x5 BLACK	30 mm	5 mm
BL/40x5 BLACK	40 mm	5 mm



LEATHER STRAPS



LEATHER STRAP WITH
COWHIDE HAIR 20 MM, TIGER

Code	Width	Thickness
TPH/20x4	20 mm	4 mm



LEATHER STRAP WITH COWHIDE
HAIR 20 MM, LEOPARD

Code	Width	Thickness
LPH/20x4	20 mm	4 mm



LEATHER STRAP WITH
COWHIDE HAIR 20 MM, ZEBRA

Code	Width	Thickness
ZPH/20x4	20 mm	4 mm



Rivet Setters



RIVET SETTER FOR MAGNETIC SNAPS
Ø 10-18 MM

NEW

Code	Ø	Use for
8101-MB-10	10 mm	MB-10
8101-MB-14	14 mm	MB-14
8101-MB-18	18 mm	MB-18



DOMED RIVET SETTER Ø 10 MM

Code	Ø	Use for
8084-01	10 mm	LK 34



SPIKE SETTER Ø 12 MM

Code	Ø	Use for
8109-00	12 mm	kuzel M, 0563, LK 02, LK 09, LK 17, LK 26, LK 32, LK 97, LK 100



RHINSTONE RIVET SETTER KIT

Code	Ø	Use for
3462-00	6 mm	GRACIA Z7, GRACIA Z6 Z4x4,Z7x7



RIVET SETTERS



SPIKE SETTER Ø 30 MM

Code	Ø	Use for
8111-00	30 mm	LK-08



PROFESSIONAL RIVET SETTERS

Code	Ø	Use for
8101-20 Z	6 mm	20 Z, 20 O
8101-66 Z	7 mm	66 Z, 66 O
8101-63 Z	8 mm	63 Z, 63 O
8101-70 Z	10 mm	70 Z, 70 Z 8mm, 70 O, 70 O 8mm, 70 O 13mm
8101-72 Z	12 mm	72 Z, 79 Z, 75 Z, 72 O, 75 O
8101-79 Z 15mm	15 mm	79 Z 15mm



CONCAVE RIVET SETTERS

Code	Ø	Use for
RS/6x100	6 mm	20 Z, 20 O
RS/7x100	7 mm	66 Z, 66 O
RS/8x100	8 mm	63 Z, 63 O
RS/10x100	10 mm	70 Z, 70 Z 8mm, 70 O, 70 O 8mm, 70 O 13mm
RS/12x100	12 mm	72 Z, 79 Z, 75 Z, 72 O, 75 O
RS/13x100	13 mm	79 Z 15mm
RS/15x100	15 mm	-



PROFESSIONAL ELEYET SETTERS

Code	Ø	Use for
8101-E6x5.0	4 mm	E6x5.0
8101-E10x5.2	5 mm	E10x5.2
8101-E12x6.0	6 mm	E12x6.0
8101-E13x7.0	7 mm	E13x7.0
8101-E23x7.0	13 mm	E23x7.0
8101-E25x7.0	13 mm	E25x7.0



SNAP SETTER SET

Code	Ø	Use for
8103-08	8 mm	1249-08
8103-10	10 mm	1249-10
8103-12	12 mm	1249-12



LINE SNAP SETTER

Code	Ø	Use for
8101-805-12.5	12 mm	805-12.5
8101-805-15	15 mm	805-15



SNAP SETTER SET (GLOVE SNAPS)

Code	Ø	Use for
8101-1249-08	8 mm	1249-08
8101-1249-10	10 mm	1249-10
8101-1249-12	12 mm	1249-12



SPIKE SETTER Ø 12 MM

Code	Ø	Use for
8084-KUZEL V	12 mm	KUZEL V



SPIKE SETTER Ø 10 MM

Code	Ø	Use for
8084-KUZEL S	10 mm	KUZEL S



CRAFTOOL COPPER & BRASS RIVET & BURR SETTERS


Code	Ø	Use for
RT/11X20X120 SS	3.3 mm	RCH09 B/9x3.3, RCH12 B/12x4



Leather Hand Press & Dies


LEATHER MATERIALS

PROFESSIONAL HAND PRESS



Code
3990-00

PRESS DIE HOLE LEATHER PUNCH



Code
3993-00

REPLACEMENT PUNCHES



Code	3231-00	3231-10	3231-11	3231-12	3231-13	3231-14	3231-16
ø	1.5 mm	1.9 mm	2.3 mm	3.1 mm	3.5 mm	3.9 mm	4.7 mm



HAND PRESS SETTING DIES
FOR OUR EYELETS



- Code**
- 3992-E6x5.0
 - 3992-E10x5.2
 - 3992-E12x6.0
 - 3992-E13x7.0

HAND PRESS DIE
FOR OUR STAINLESS STEEL EYELETS



- Code**
- 3992-E-SS 9.0x5
 - 3992-E-SS 11.5x6
 - 3992-E-SS 13.5x8

HAND PRESS SETTING DIES
FOR OUR DOUBLE CAP RIVETS



- Code**
- 3997-20 Z
 - 3997-63 Z
 - 3997-66 Z
 - 3997-70 Z
 - 3997-72 Z

HAND PRESS SETTING DIES
FOR OUR SINGLE CAP RIVETS



- Code**
- 3997-20 O
 - 3997-63 O
 - 3997-66 O
 - 3997-70 O
 - 3997-72 O

HAND PRESS SETTING DIES FOR OUR GRACIA



- | Code | Use with |
|---------|--|
| 3998-Z6 | CRACIA6/xx and CRACIA7/xx (round closed) |
| 3998-Z7 | |



- | Code | Use with |
|---------|---|
| 3997-O6 | CRACIA6/xx and CRACIA7/xx (self-drilling) |
| 3997-O7 | |
| 3999-D7 | |



LEATHER HAND PRESS & DIES

HAND PRESS SETTING FOR OUR LINE SNAPS



Code

3992-805-12.5

3992-805-15

HAND PRESS SETTING FOR OUR GLOVE SNAPS



Code

3992-502-8

3992-502-10

3992-502-12

Use with

1249-08

1249-10

1249-12

HAND PRESS SETTING DIES FOR OUR GRACIA (OTHER HAND PRESS)




Code

3999-B7

Use with

CRACIA6/xx and CRACIA7/xx
(self-drilling)





Acrylic Paints

ANGELUS ACRYLIC PAINT FOR LEATHER 29.5 ML



ANG/720-01-001

Code	Color	Volume
ANG/720-01-001	Black	29.5 ml
ANG/720-01-101	Matte black	29.5 ml
ANG/720-01-080	Dark grey	29.5 ml
ANG/720-01-081	Gray	29.5 ml
ANG/720-01-166	Beige Taupe	29.5 ml
ANG/720-01-082	Light gray	29.5 ml
ANG/720-01-004	Neutral	29.5 ml
ANG/720-01-155	Bone	29.5 ml
ANG/720-01-157	Dark Bone	29.5 ml
ANG/720-01-264	Putty	29.5 ml
ANG/720-01-161	Natural	29.5 ml
ANG/720-01-162	Cream	29.5 ml
ANG/720-01-160	Vanille	29.5 ml
ANG/720-01-156	Champagne	29.5 ml
ANG/720-01-262	Play in the Sand	29.5 ml
ANG/720-01-165	Beige Taupe	29.5 ml
ANG/720-01-182	Sand	29.5 ml
ANG/720-01-163	Capezio Tan	29.5 ml
ANG/720-01-070	Beige	29.5 ml
ANG/720-01-167	Toupe	29.5 ml
ANG/720-01-168	Dark Toupe	29.5 ml

Code	Color	Volume	Code	Color	Volume
ANG/720-01-018	Dark brown	29.5 ml	ANG/732-01-150	Silver	29.5 ml
ANG/720-01-181	Rich Brown	29.5 ml	ANG/720-01-043	Turquoise	29.5 ml
ANG/720-01-014	Brown	29.5 ml	ANG/720-01-045	Blue Turquoise	29.5 ml
ANG/720-01-021	Light brown	29.5 ml	ANG/720-01-261	South Beach	29.5 ml
ANG/720-01-019	British tan	29.5 ml	ANG/720-01-174	Gift Box Blue	29.5 ml
ANG/720-01-027	Saddle tan	29.5 ml	ANG/720-01-176	Pastel Blue	29.5 ml
ANG/720-01-029	Tan	29.5 ml	ANG/720-01-041	Sky blue	29.5 ml
ANG/720-01-180	Cognac	29.5 ml	ANG/732-01-141	Copper	29.5 ml
ANG/720-01-183	Terra cotta red	29.5 ml	ANG/720-01-040	Blue	29.5 ml
ANG/720-01-093	Brick	29.5 ml	ANG/720-01-177	Sapphire	29.5 ml
ANG/720-01-184	Autumn Red	29.5 ml	ANG/720-01-179	Dark blue	29.5 ml
ANG/720-01-190	Scarlet red	29.5 ml	ANG/720-01-042	Navy blue	29.5 ml
ANG/720-01-064	Red	29.5 ml	ANG/720-01-178	Violet	29.5 ml
ANG/720-01-185	Fire Red	29.5 ml	ANG/720-01-060	Burgundy	29.5 ml
ANG/720-01-260	Chili Red	29.5 ml	ANG/720-01-047	Purple	29.5 ml
ANG/720-01-024	Orange	29.5 ml	ANG/720-01-187	Viva Magenta	29.5 ml
ANG/720-01-198	Buttercup	29.5 ml	ANG/720-01-188	Pink	29.5 ml
ANG/720-01-194	Caramel	29.5 ml	ANG/720-01-189	Petal Pink	29.5 ml
ANG/720-01-196	Mustard	29.5 ml	ANG/720-01-191	Shell Pink	29.5 ml
ANG/725-01-128	Neon Sunset Yellow	29.5 ml	ANG/720-01-169	Mauve	29.5 ml
ANG/720-01-075	Yellow	29.5 ml	ANG/720-01-267	Salmon	29.5 ml
ANG/720-01-197	Pastel Yellow	29.5 ml	ANG/720-01-266	Georgia Peach	29.5 ml
ANG/720-01-263	Grinch green	29.5 ml	ANG/720-01-175	Lilac	29.5 ml
ANG/720-01-172	Light Green	29.5 ml	ANG/720-01-159	Mist	29.5 ml
ANG/720-01-170	Avocado	29.5 ml	ANG/732-01-143	Pewter	29.5 ml
ANG/720-01-050	Green	29.5 ml	ANG/732-01-142	Bronze	29.5 ml
ANG/720-01-171	Dark green	29.5 ml	ANG/720-01-105	Flat White	29.5 ml
ANG/732-01-072	Gold	29.5 ml	ANG/720-01-005	White	29.5 ml
ANG/720-01-052	Midnight Green	29.5 ml	ANG/720-01-015	Chocolate	29.5 ml
ANG/720-01-272	Olive	29.5 ml			



ACRYLIC PAINTS

ANGELUS ACRYLIC PAINT FOR LEATHER 118 ML



Code	Color	Volume
ANG/720-04-001	Black	118 ml
ANG/720-04-005	White	118 ml

SET OF 12 ANGELUS ACRYLIC PAINTS FOR LEATHER



ANG/BEST



ANG/NEO



ANG/M-P

Code	Color	Volume
ANG/BEST	Basic set	30 ml
ANG/NEO	Neon set	30 ml
ANG/M-P	Metallic set	30 ml

ANGELUS DEGLAZER

NEW



ANG/820-01-000



Code	Color	Volume
ANG/820-01-000	Clear	29.5 ml
ANG/820-04-000	Clear	118 ml

Leather finishes

SEIWA TOKONOLE BURNISHING AGENT



Code	Color	Volume
Tokonole CL 120g	Clear	120 ml
Tokonole CL 500g	Clear	500 ml

SEIWA TOKONOLE BURNISHING AGENT



Code	Color	Volume
Tokonole BK 120g	Black	120 ml



Code	Color	Volume
Tokonole BR 120g	Brown	120 ml

Bonding leather



SEIWA BOND ACE LEATHERCRAFT GLUE

Code	Volume
Bond Ace 100g	100 ml
Bond Ace 500g	500 ml

MATERIALS

Material	Price	Strength	Corrosion Resistance	Look & Style	Recommended Use	Pros & Cons
STEEL	Low	High	✗ Rusts without finish, usually surface-treated	Depends on surface finish (black, nickel, brass, etc.)	Universal use for coated products. We avoid raw steel.	✓ Great price, strength ratio ✗ Needs corrosion protection
STAINLESS	Higher	High	✓ Excellent	Elegant, shiny or matte	Premium collars, harnesses for dogs in water, professional use.	✓ Long-lasting, maintenance-free ✗ Higher price
BRASS	Medium	Medium	✓ Good	Golden, luxurious	Design collars, fashion accessories, handcrafted gear.	✓ Stylish and durable ✗ Softer, not for heavy-duty
ZINC DIE CASTING	Low	Lower	! Average	Various – plated, painted	Decorative pieces, light buckles, small dog collars.	✓ Cheap and easy to mold ✗ Brittle, not for large dogs
ALUMINIUM	Medium	Medium	✓ Good	Anodized color, lightweight metal	Sporty leashes, where weight matters.	✓ Lightweight and rustproof ✗ Softer than steel
ALUMINIUM ALU-MAX	Higher	High	✓ Excellent	Modern, lightweight design	Premium gear, training leashes, sport harnesses.	✓ Strong and light ✗ More expensive
MALLEABLE IRON	Low	Very High	✗ Poor	Robust, rustic	Heavy harnesses, horses, working dogs.	✓ Extremely strong ✗ Heavy, rusts, niche use
COPPER	Medium	Lower	✓ Good	Rosy-gold, vivid	Design elements, small dog accessories.	✓ Original look, antibacterial ✗ Oxidizes, softer metal
POLYESTER	Low	Medium	✓ Excellent	Colorful, light non-metallic	Plastic buckles, tips, accessories.	✓ Waterproof, rustproof ✗ Not for load-bearing parts

SYMBOLS

	HEALTH-SAFE		ROPE FLEX		TRANSPARENT		FROST RESISTANCE
	100% COTTON		FLEX		ROTARY BUCKLE		ZIP ONE WAY
	WELDED STEEL		IMPROVED		LOCK		ZIP TWO WAYS



FINISH



FINISH

Finish	Appearance / Color	Style & Use	Corrosion Resistance	Outdoor Durability	Durability	Aging / Wear	Recommended Use
NICKEL PLATED	Glossy silver	Universal, technical look	Good	Medium	Good	Mild dulling or scratches	Metal parts for leashes and collars
BRUSHED NICKEL	Matte silver-grey	Modern, technical	Good	Medium	Very good	Subtle, retains appearance	Premium leashes, subtle look
CHROME PLATED	Very shiny, mirror-like	Luxurious, show-quality	Excellent	High	Very high	Stable appearance, shiny	Show collars and leashes
BRASS PLATED	Golden, warm	Elegant, traditional	Medium	Low-Medium	Medium	May darken	Decorative collars, stylish accessories
GOLD PLATED	Glossy gold	Luxurious, fashionable	Medium	Low	Lower	Loses shine, may fade	Fashion accessories, urban collars
ZINC PLATED	Silvery, metallic	Technical, standard	Basic	Low-Medium	Medium	May dull or grey	Basic hardware, budget buckles
ANTIQUÉ BRASS	Dark golden-brown	Rustic, vintage	Good	Medium	Good	Develops a soft patina	Vintage collars, stylish buckles
ANTIQUÉ COPPER	Dark copper	Rustic, bold	Good	Medium	Medium	Darkens, enhances character	Decorative collars, artistic items
ANTIQUÉ SILVER	Silver-grey with patina	Vintage, subtle	Medium	Medium	Good	Holds appearance	Retro collars, subtle details
BRUSHED	Matte metal	Modern, technical	Depends on base material	Medium	Good	Stable	Sporty and minimalist products
BRUSHED GUN METAL	Dark grey, matte	Modern, industrial	Good	Medium	Very good	Light scratches	Urban collars, masculine style
POLISH	Mirror polish	Luxurious, representative	Depends on base material	Medium	Good	Visible scratches	Show leashes
GRAY	Neutral grey	Neutral, universal	Depends on type	Medium	Medium	Dulls	Neutral products
BLACK	Matte or glossy black	Modern, contrasting	Medium	Medium	Good	Light scratches	Trendy leashes and collars
BLACK NICKLE	Glossy dark metal	Luxury, elegant	Good	Medium	Very good	Light scratches	Luxury collections, urban style
ROSE GOLD	Rose gold	Trendy, elegant	Medium	Low	Medium	May fade	Fashion accessories, ornaments
NEO-CHROME	Rainbow, iridescent	Futuristic, bold	Good	Medium	Medium	Gradually wears off	Designer collections, unique style
ELECTRODEPOSITED	Various	Depends on type	Medium to high	Depends on type	Medium to high	Stable	Custom high-quality finishes
ANODIZED	Colored, matte	Sporty, technical	Excellent	High	Very high	Colorfast	Sport harnesses, outdoor leashes



Notes





Forging ahead
with hardware

PET HARDWARE®

Grymovská 256/1a
750 02 Přerov
Czech Republic

phone +420 601 120 181
e-mail info@pethardware.com

www.pethardware.com



8 595109 556357