

PET HARDWARE®



6 REASONS WHY YOU'LL LOVE WORKING WITH US

MAKE YOUR COLLARS AND LEASHES FASTER, BETTER AND CHEAPER

1

Get top quality backed by 37 years of experience



In 37 years, we've learned what matters to you. Not marketing fluff. Not pretty pictures. But hardware that holds. Buckles that don't crack. Rivets that stay tight. And delivery that really delivers. Fast, reliable and without excuses.

2

Never run out – 4140 products always in stock

What you see in stock is truly in stock. Physically. Ready to ship.

Feel free to take a look yourself – the virtual tour of our warehouse is open 24/7.

We're transparent because we've got nothing to hide.



3

Always meet your deadlines with 24h shipping



Most orders ship within 24 hours. Worldwide. Whether you produce in Brno, Berlin, or Bangkok – we ship as soon as your order comes in.

Calculate your shipping and see for yourself – it makes sense.





4

Build your reputation with hardware that lasts

Our hardware holds. You, your products, and your brand. We offer stainless steel, brass, and solid steel. No shortcuts, because we know what happens when a snap hook fails.

So do you. That's why over 98614 satisfied customers shop with us and more join every month.



5

Boost your profit with wholesale pricing and up to 70 % off

We set prices to work for you.

If you order more, you save more – up to 70 %. Check the discount table and see it's not a gimmick – it's math.

6

Strengthen your brand with a supplier you can trust

You're not just another order to us. You're someone creating something beautiful that has to hold. Someone who values honest materials and reliable partners.

And that's exactly who we're here for.




Contents

6	Saddlery Hardware	
6	O-RINGS	
10	D-RINGS	
13	TRIANGLE BUCKLES	
16	METAL TRI-GLIDES	
23	WEBBING REDUCTION LOOPS	
24	METAL SIDE RELEASE BUCKLES	
35	METAL LOOPS	
39	SWIVELS	
42	SPLIT RINGS	
45	SUSPENDERS CLIPS & BUCKLES	
47	METAL BELT CLIPS	
48	CLASPS FOR BRACELETS	
49	BAG CLASPS & CLOSURES	
50	OTHER HARDWARE	
52	Plastic Buckles	
52	SIDE RELEASE PLASTIC BUCKLES	
59	PLASTIC TRIGLIDE SLIDES	
60	PLASTIC LOOPS	
61	PLASTIC CORD STOPPERS	
61	PLASTIC CORD ENDS	
62	PLASTIC SNAP HOOKS	
62	PLASTIC O-RINGS / D-RINGS	
63	Snap hooks	
63	TRIGGER SNAPS	
74	FIRE BRIGADE SNAP HOOKS	
75	SCISSOR SNAP HOOKS	
77	FASHION SNAP HOOKS	
82	DECORATIVE SNAP HOOKS	
87	SOLID BRASS SNAP HOOKS	
94	STAINLESS SNAP HOOKS	
100	STAINLESS STEEL SNAP SHACKLES	
102	ALUMINUM KEYCHAIN CARABINERS	
104	HIGH-STRENGTH ALUMINUM CARABINERS	
109	SPECIAL SNAP HOOKS	
111	DOUBLE ENDED SNAP HOOKS	
112	SMALL-SIZED SNAP HOOKS <65MM	
115	SNAP HOOK FOR LEASHES	
128	LARGE-SIZED SNAP HOOKS >80MM	
134	SNAP HOOK FOR HORSES	
136	BULL SNAPS	
137	PANIC SNAP HOOKS	
139	TWIST PANIC SNAPS	
140	Metal buckles	
140	ROLLER BUCKLES	
146	BELT BUCKLES	
170	COLLAR BUCKLES	
173	CAM BUCKLES	
174	SPECIAL BUCKLES	
175	WATCH BUCKLES	
176	Horse Hardware	
176	3 & 2 WAY HALTER SQUARES	
178	BRIDLE BUCKLES	
181	HALTER BUCKLES	
183	CONWAY BUCKLES	
184	BLANKET BUCKLES	
185	GIRTH BUCKLES	
186	HORSE LEAD ROPES	
187	Rivets & Screws	
187	SINGLE CAP RIVETS	
189	DOUBLE CAP RIVETS	
191	CHICAGO SCREWS	
196	RHINESTONE RIVETS	
200	CONE RIVETS	

201	SNAP FASTENERS	254	Chains & Collars
202	HANDBAG FEET	254	CHAIN COLLARS FOR DOG SHOWS
203	EYELETS	258	DOG SHOW CHAIN LEASHES
205	BUTTON STUDS	259	CHAIN DOG COLLARS
206	LOXX FASTENERS	262	CHAIN DOG LEADS
208	MAGNETIC SNAPS	263	LONG KEYCHAINS
209	Zippers	264	MARTINGALE CHAINS
209	ZIPPERS	266	CHAIN HARDWARE
211	Spikes & Pyramid Rivets	268	Leather Materials
211	SPIKE RIVETS	268	LEATHER HIDES
212	CONE SCREW SPIKES	271	ROUND LEATHER CORDS
214	PYRAMID RIVETS	272	FLAT LEATHER CORDS
215	DECORATIVE RIVETS	273	LEATHER STRAPS
217	LEATHERCRAFT CONCHOS	275	LEATHER STRAPS FOR BELTS
218	Pet Jewellery	277	RIVET SETTERS
218	COLLAR CHARMS	280	LEATHER HAND PRESS & DIES
220	DOG ID TAGS	283	Leather Paints & Glues
224	DOG WHISTLES	283	ACRYLIC PAINTS
225	Ropes & Cords	285	LEATHER FINISHES
225	PARACORD	285	BONDING LEATHER
228	ROPE CLAMPS	286	Material and Finish Guide
231	TOOLS FOR ROPE CLAMPS	288	Notes
231	CORD END CAP	288	NOTES
233	Webbings		
233	SOLID COLOR POLYPROPYLENE WEBBINGS		
237	RUBBER TRACER POLYPROPYLENE WEBBINGS		
242	WATERPROOF WEBBINGS		
252	POLYPROPYLENE WEAVE WEBBINGS		
253	POLYPROPYLENE REFLECTIVE WEBBINGS		

O-Rings



8W/3.5x35 NP

STEEL

NICKEL PLATED



8W/35 BK

STEEL

BLACK



8W/30 RG

STEEL

ROSE GOLD

Code	Inner diameter	D	Weight	Breaking load
8W/8 NP	8 mm	2 mm	1 g	100 kg
8W/12 NP	12 mm	2 mm	1 g	100 kg
8W/15 NP	15 mm	2.5 mm	3 g	100 kg
8W/18 NP	18 mm	2.5 mm	4 g	100 kg
8W/20 NP	20 mm	3 mm	4 g	350 kg
8W/22 NP	22 mm	3 mm	4 g	350 kg
8W/25 NP	25 mm	3.5 mm	7 g	250 kg
8W/27 NP	25 mm	3.5 mm	5 g	250 kg
8W/30 NP	30 mm	4 mm	11 g	200 kg
8W/35 NP	35 mm	6 mm	10 g	120 kg
8W/3.5x35 NP	35 mm	3.5 mm	27 g	450 kg
8W/40 NP	40 mm	6 mm	35 g	400 kg
8W/4.0x40 NP	40 mm	6 mm	7 g	150 kg
8W/45 NP	45 mm	6 mm	40 g	436 kg
8W/6.7x50 NP	50 mm	6.7 mm	50 g	450 kg
8W/8.0x50 NP	50 mm	8 mm	68 g	500 kg

Code	Inner diameter	D	Weight	Breaking load
8W/15 BK	15 mm	3 mm	3 g	100 kg
8W/20 BK	20 mm	3 mm	4 g	150 kg
8W/25 BK	25 mm	4 mm	9 g	200 kg
8W/30 BK	30 mm	4 mm	11 g	150 kg
8W/35 BK	35 mm	4 mm	12 g	150 kg
8W/40 BK	38 mm	5 mm	22 g	400 kg
8W/45 BK	45 mm	4 mm	16 g	450 kg

Code	Inner diameter	D	Weight	Breaking load
8W/15 RG	15 mm	3 mm	3 g	100 kg
8W/20 RG	20 mm	3 mm	4 g	150 kg
8W/25 RG	25 mm	4 mm	9 g	200 kg
8W/30 RG	30 mm	4 mm	11 g	150 kg
8W/35 RG	35 mm	4 mm	12 g	150 kg



8W/30 NEO

STEEL

NEO-CHROME

Code	Inner diameter	D	Weight	Breaking load
8W/15 NEO	15 mm	3 mm	3 g	100 kg
8W/20 NEO	20 mm	3 mm	4 g	150 kg
8W/25 NEO	25 mm	4 mm	9 g	200 kg
8W/30 NEO	30 mm	4 mm	11 g	150 kg
8W/35 NEO	35 mm	4 mm	12 g	150 kg



8SS/6.0x45 BK

STAINLESS

BLACK

Code	Inner diameter	D	Weight	Breaking load
8SS/6.0x45 BK	45 mm	6 mm	25 g	500 kg
8SS/50 BK	50 mm	7 mm	55 g	500 kg



8SS/30

STAINLESS

POLISHED

Code	Inner diameter	D	Weight	Breaking load
8SS/15	15 mm	3 mm	4 g	200 kg
8SS/20	20 mm	3 mm	5 g	180 kg
8SS/25	25 mm	4 mm	10 g	150 kg
8SS/30	30 mm	4 mm	11 g	150 kg
8SS/6.0x40	40 mm	6 mm	20 g	250 kg
8SS/35	35 mm	5 mm	22 g	250 kg
8SS/40	40 mm	5 mm	32 g	250 kg
8SS/6.0x45	45 mm	6 mm	36 g	250 kg
8SS/50	50 mm	7 mm	55 g	300 kg





7B/30

BRASS

POLISHED

Code	Inner diameter	D	Weight	Breaking load
7B/13	13 mm	3.5 mm	4 g	150 kg
7B/15	16 mm	4 mm	8 g	200 kg
7B/20	20 mm	4 mm	9 g	200 kg
7B/25	25 mm	5 mm	12 g	140 kg
7B/30	30 mm	5 mm	16 g	150 kg
7B/35	33 mm	6 mm	23 g	150 kg
7B/40	40 mm	6 mm	31 g	250 kg
7B/50	50 mm	6 mm	43 g	170 kg



8W/30 AB

STEEL

ANTIQUE BRASS

Code	Inner diameter	D	Weight	Breaking load
8W/15 AB	15 mm	2.5 mm	2 g	100 kg
8W/20 AB	20 mm	3 mm	4 g	350 kg
8W/25 AB	25 mm	3.5 mm	7 g	250 kg
8W/30 AB	30 mm	4 mm	11 g	200 kg
8W/35 AB	35 mm	5.5 mm	27 g	450 kg
8W/40 AB	40 mm	6 mm	32 g	450 kg



NEW

8W/30 GP

STEEL

GOLD PLATED

Code	Inner diameter	D	Weight	Breaking load
8W/15 GP	15 mm	3 mm	3 g	100 kg
8W/20 GP	20 mm	3 mm	4 g	150 kg
8W/25 GP	25 mm	4 mm	9 g	200 kg
8W/30 GP	30 mm	4 mm	11 g	150 kg
8W/35 GP	35 mm	4 mm	12 g	150 kg



7B/30 CP

BRASS

CHROME PLATED

Code	Inner diameter	D	Weight	Breaking load
7B/15 CP	16 mm	4 mm	8 g	200 kg
7B/20 CP	20 mm	4 mm	9 g	200 kg
7B/25 CP	25 mm	5 mm	12 g	140 kg
7B/30 CP	30 mm	5 mm	16 g	150 kg



SR/6.0x26 BK

ZINC DIE CASTING

BLACK

CIRCULAR SPRING CLIP

Code	Inner diameter	D	Weight	Breaking load
NEW SR/3.5x16 BK	16 mm	3.5 mm	20 g	15 kg
NEW SR/4.0x20 BK	20 mm	4 mm	6 g	18 kg
SR/6.0x26 BK	26 mm	6 mm	17 g	15 kg
NEW SR/5.8x32 BK	32 mm	5.8 mm	18 g	30 kg
SR/6.0x38 BK	38 mm	6 mm	25 g	30 kg



SR/6.0x26 NP

ZINC DIE CASTING

NICKEL PLATED

CIRCULAR SPRING CLIP

Code	Inner diameter	D	Weight	Breaking load
NEW SR/3.5x16 NP	16 mm	3.5 mm	4 g	15 kg
NEW SR/4.0x20 NP	20 mm	4 mm	6 g	18 kg
SR/6.0x26 NP	26 mm	6 mm	17 g	15 kg
NEW SR/5.8x32 NP	32 mm	5.8 mm	18 g	30 kg
SR/6.0x38 NP	38 mm	6 mm	25 g	30 kg



S320-04/20X25

STAINLESS

POLISHED

SQUARE PLATE EYE WITH RING

Code	Inner diameter	D	Weight	Breaking load
S320-04/20X25	20 mm	4 mm	17 g	150 kg
S320-05/30X35	30 mm	5 mm	39 g	150 kg



3610B/25 CP

BRASS

CHROME PLATED

RING WITH TRIANGLE

Code	Inner diameter	D	Weight	Breaking load
3610B/25 CP	38 mm	6 mm	57 g	250 kg



3610B/25

BRASS

POLISHED

RING WITH TRIANGLE

Code	Inner diameter	D	Weight	Breaking load
3610B/25	38 mm	6 mm	57 g	250 kg



3610SS/26

STAINLESS

POLISHED

RING WITH TRIANGLE

Code	Inner diameter	D	Weight	Breaking load
3610SS/20	32 mm	5 mm	29 g	250 kg
3610SS/26	38 mm	6 mm	60 g	250 kg



3610/20 NP

STEEL

NICKEL PLATED

RING WITH TRIANGLE

Code	Inner diameter	D	Weight	Breaking load
3610/20 NP	20 mm	4 mm	20 g	350 kg
3610/28 NP	28 mm	6 mm	54 g	450 kg



BL-38

BRASS

POLISHED

OVAL RING

Code	Inner diameter	D	Weight	Breaking load
BL-25	26 mm	3 mm	6 g	250 kg
BL-32	32 mm	4 mm	8 g	300 kg
BL-38	38 mm	4 mm	8 g	300 kg
BL-50	50 mm	4 mm	11 g	250 kg



OVAL SS/5.0x30

STAINLESS

POLISHED

OVAL RING

Code	Inner diameter	D	Weight	Breaking load
OVAL SS/3.0x20	20 mm	3 mm	3 g	180 kg
OVAL SS/4.0x25	26 mm	4 mm	7 g	250 kg
OVAL SS/5.0x30	30 mm	5 mm	12 g	300 kg
OVAL SS/5.0x40	40 mm	5 mm	16 g	300 kg
OVAL SS/5.0x50	50 mm	5 mm	18 g	300 kg



WL1



WL2



WL3


STEEL

NICKEL PLATED

COLLAR LOOP

Code	Inner diameter	D	Weight
WL1	12 mm	2 mm	15 g
WL2	12 mm	2 mm	15 g
WL3	10 mm	2 mm	15 g

D-Rings



4520/35 NP

STEEL

NICKEL PLATED

Code	Inner diameter	Height	D	Weight	Breaking load
4520/10 NP	10 mm	8 mm	2 mm	1 g	120 kg
4520/12 NP	12 mm	10 mm	2.2 mm	1 g	150 kg
4520/HP13x12 NP	12 mm	13 mm	2.1 mm	1 g	150 kg
4520/14 NP	14 mm	11 mm	2.7 mm	2 g	200 kg
4520/16 NP	16 mm	13 mm	2.7 mm	3 g	150 kg
4520/HP16x16 NP	16 mm	16 mm	2.7 mm	3 g	150 kg
4520/18 NP	18 mm	15 mm	2.7 mm	3 g	150 kg
4520/20 NP	20 mm	15 mm	3 mm	4 g	280 kg
4520/HP18x20 NP	20 mm	18 mm	3 mm	4 g	280 kg
4520/22 NP	22 mm	16 mm	3 mm	5 g	390 kg
4520/HP24x26 NP	26 mm	24 mm	4 mm	6 g	180 kg

Code	Inner diameter	Height	D	Weight	Breaking load
4520/24 NP	24 mm	20 mm	3 mm	6 g	180 kg
4520/26 NP	26 mm	20 mm	3 mm	10 g	200 kg
4520/5.0x26 NP	26 mm	21 mm	5 mm	15 g	320 kg
4520/28 NP	28 mm	22 mm	4 mm	7 g	300 kg
4520/30 NP	30 mm	27 mm	4 mm	10 g	350 kg
4520/5.0x30 NP	30 mm	27 mm	5 mm	17 g	400 kg
4520/35 NP	35 mm	28 mm	5 mm	16 g	370 kg
4520/40 NP	40 mm	31 mm	5 mm	21 g	460 kg
4520/4.5x50 NP	50 mm	32 mm	4.5 mm	18 g	200 kg
4520/50 NP	50 mm	41 mm	7 mm	49 g	500 kg



4520/40 BK

STEEL

BLACK

Code	Inner diameter	Height	D	Weight	Breaking load
4520/10 BK	10 mm	8 mm	2 mm	1 g	120 kg
4520/13 BK	13 mm	12 mm	3 mm	3 g	200 kg
4520/16 BK	16 mm	13 mm	3 mm	4 g	150 kg
4520/20 BK	20 mm	16 mm	3 mm	4 g	180 kg
4520/26 BK	26 mm	20 mm	4 mm	9 g	220 kg
4520/30 BK	30 mm	24 mm	4 mm	11 g	270 kg
4520/40 BK	40 mm	30 mm	5 mm	20 g	300 kg
4520/45 BK	45 mm	31 mm	5 mm	23 g	300 kg
4520/4.5x50 BK	50 mm	33 mm	4.5 mm	19 g	200 kg



4520/40 NEO

STEEL

NEO-CHROME



4520/40 RG

STEEL

ROSE GOLD



4520SS/40

STAINLESS

POLISHED

Code	Inner diameter	Height	D	Weight	Breaking load
4520/16 NEO	16 mm	13 mm	3 mm	4 g	150 kg
4520/20 NEO	20 mm	16 mm	3 mm	4 g	180 kg
4520/26 NEO	26 mm	20 mm	4 mm	9 g	220 kg
4520/30 NEO	30 mm	24 mm	4 mm	11 g	270 kg
4520/40 NEO	40 mm	30 mm	5 mm	20 g	300 kg
4520/4.5x50 NEO	50 mm	33 mm	4.5 mm	19 g	200 kg

Code	Inner diameter	Height	D	Weight	Breaking load
4520/10 RG	10 mm	8 mm	2 mm	1 g	120 kg
4520/13 RG	13 mm	12 mm	3 mm	3 g	200 kg
4520/16 RG	16 mm	13 mm	3 mm	4 g	150 kg
4520/20 RG	20 mm	16 mm	3 mm	4 g	180 kg
4520/26 RG	26 mm	20 mm	4 mm	9 g	220 kg
4520/30 RG	30 mm	24 mm	4 mm	11 g	270 kg
4520/40 RG	40 mm	30 mm	5 mm	20 g	300 kg
4520/4.5x50 RG	50 mm	33 mm	4.5 mm	19 g	200 kg

Code	Inner diameter	Height	D	Weight	Breaking load
4520SS/13	13 mm	12 mm	3 mm	3 g	250 kg
4520SS/HP 16x16	16 mm	16 mm	3 mm	4 g	200 kg
4520SS/20	20 mm	17 mm	3 mm	3 g	200 kg
4520SS/17	17 mm	14 mm	3 mm	4 g	160 kg
4520SS/HP 20x20	20 mm	20 mm	3 mm	4 g	200 kg
4520SS/25	25 mm	20 mm	4 mm	9 g	200 kg
4520SS/5.0x28	25 mm	21 mm	5 mm	14 g	350 kg
4520SS/HP 26x25	25 mm	25 mm	4 mm	9 g	200 kg
4520SS/5.0x28	28 mm	21 mm	5 mm	14 g	350 kg
4520SS/30	30 mm	25 mm	4 mm	11 g	250 kg
4520SS/5.0x30	32 mm	26 mm	5 mm	17 g	390 kg
4520SS/5.0x35	35 mm	29 mm	5 mm	20 g	410 kg
4520SS/40	40 mm	32 mm	5 mm	21 g	300 kg
4520SS/5.0x45	45 mm	31 mm	5 mm	23 g	300 kg
4520SS/5.0x50	50 mm	41 mm	5 mm	39 g	350 kg
4520SS/50	50 mm	42 mm	6 mm	39 g	350 kg



4520/30 GP

STEEL

GOLD PLATED



4520/30 AB

STEEL

ANTIQU BRASS

Code	Inner diameter	Height	D	Weight	Breaking load
4520/10 GP	10 mm	8 mm	2 mm	1 g	120 kg
4520/13 GP	13 mm	12 mm	3 mm	3 g	200 kg
4520/16 GP	17 mm	13 mm	3 mm	4 g	150 kg
4520/20 GP	20 mm	16 mm	3 mm	4 g	180 kg
4520/26 GP	26 mm	20 mm	4 mm	9 g	220 kg
4520/30 GP	30 mm	24 mm	4 mm	11 g	270 kg
4520/40 GP	40 mm	31 mm	5 mm	20 g	300 kg
4520/4.5x50 GP	50 mm	33 mm	4.5 mm	19 g	200 kg

Code	Inner diameter	Height	D	Weight	Breaking load
4520/16 AB	16 mm	13 mm	2.7 mm	3 g	150 kg
4520/20 AB	20 mm	15 mm	3 mm	4 g	280 kg
4520/26 AB	26 mm	20 mm	3 mm	6 g	180 kg
4520/30 AB	30 mm	27 mm	4 mm	10 g	350 kg
4520/40 AB	40 mm	31 mm	5 mm	21 g	460 kg
4520/4.5x50 AB	50 mm	33 mm	4.5 mm	19 g	200 kg



325JB/21

BRASS POLISHED



4520/10 BP

STEEL BRASS PLATED



452B/20 CP

BRASS CHROME PLATED

Code	Inner diameter	Height	D	Weight	Breaking load
325JB/21	21 mm	16 mm	3.2 mm	5 g	100 kg
325JB/26	26 mm	23 mm	4 mm	11 g	120 kg

Code	Inner diameter	Height	D	Weight	Breaking load
4520/10 BP	10 mm	8 mm	2.5 mm	2 g	120 kg

Code	Inner diameter	Height	D	Weight	Breaking load
452B/17 CP	16 mm	15 mm	4 mm	4 g	150 kg
452B/20 CP	20 mm	17 mm	4 mm	8 g	170 kg
452B/25 CP	25 mm	23 mm	4 mm	13 g	240 kg



452B/30

BRASS POLISHED

Code	Inner diameter	Height	D	Weight	Breaking load
452B/10	10 mm	11 mm	2.7 mm	3 g	150 kg
452B/13	13 mm	13 mm	3 mm	4 g	200 kg
452B/17	16 mm	15 mm	3 mm	4 g	150 kg
452B/20	20 mm	17 mm	4 mm	8 g	170 kg
452B/25	25 mm	23 mm	5 mm	13 g	240 kg
452B/27	27 mm	23 mm	5 mm	13 g	240 kg

Code	Inner diameter	Height	D	Weight	Breaking load
452B/30	32 mm	28 mm	5 mm	21 g	150 kg
452B/4.5x40	38 mm	32 mm	4.5 mm	15 g	200 kg
452B/40	38 mm	31 mm	6 mm	34 g	200 kg
452B/4.5x50	50 mm	33 mm	4.5 mm	18 g	150 kg
452B/50	50 mm	34 mm	6 mm	40 g	150 kg





452Z/25 CP

ZINC DIE CASTING

CHROME PLATED

Code	Inner diameter	Height	D	Weight	Breaking load
452Z/10 CP	10 mm	11 mm	2 mm	1 g	50 kg
452Z/13 CP	13 mm	13 mm	2 mm	1 g	40 kg
452Z/17 CP	17 mm	16 mm	3 mm	3 g	60 kg
452Z/20 CP	20 mm	18 mm	3 mm	4 g	80 kg
452Z/23 CP	23 mm	20 mm	4 mm	7 g	90 kg
452Z/25 CP	25 mm	23 mm	4 mm	7 g	90 kg




325B/30

BRASS

POLISHED

Code	Inner diameter	Height	D	Weight	Breaking load
325B/17	17 mm	14 mm	5 mm	8 g	200 kg
325B/20	20 mm	17 mm	6 mm	12 g	200 kg
325B/25	25 mm	22 mm	7 mm	20 g	280 kg
325B/30	30 mm	25 mm	7 mm	25 g	300 kg
325B/40	40 mm	33 mm	8 mm	44 g	310 kg



Triangle Buckles



4953/5.0x30 NP

STEEL

NICKEL PLATED

TRIANGLE DELTA RING

Code	Inner diameter	Height	D
4953/4.0x25 NP	25 mm	22 mm	4 mm
4953/5.0x30 NP	30 mm	27 mm	5 mm
4953/6.5x40 NP	40 mm	35 mm	7 mm



4953/5.0x30 BK

STEEL

BLACK

TRIANGLE DELTA RING

Code	Inner diameter	Height	D
4953/4.0x25 BK	25 mm	22 mm	4 mm
4953/5.0x30 BK	30 mm	27 mm	5 mm
4953/6.5x40 BK	40 mm	35 mm	6.5 mm




HT/40 BK

ZINC DIE CASTING

BLACK

TRIANGLE BUCKLE

Code	Inner diameter	Height	D
HT/16 BK	16 mm	4 mm	2 mm
HT/20 BK	20 mm	5 mm	3 mm
HT/25 BK	25 mm	5 mm	4 mm
HT/40 BK	40 mm	7.9 mm	6 mm
HT/50 BK	50 mm	9 mm	7 mm



HT/40 NP

ZINC DIE CASTING

NICKEL PLATED

TRIANGLE BUCKLE

Code	Inner diameter	Height	D
HT/16 NP	16 mm	4 mm	2 mm
HT/20 NP	20 mm	5 mm	3 mm
HT/25 NP	25 mm	5 mm	4 mm
HT/40 NP	40 mm	7.9 mm	6 mm
HT/50 NP	50 mm	9 mm	7 mm



HT SS/2.5X20

STAINLESS

POLISHED

TRIANGLE BUCKLE

Code	Inner width	Inner height	D
HT SS/2.5X20	20 mm	4.5 mm	4 mm
HT SS/2.5X26	26 mm	4.5 mm	4 mm



NEW

AHT/40 BK

ALUMINIUM

BLACK

TRIANGLE BUCKLE

Code	Inner width	Inner height	D
AHT/40 BK	40 mm	7.9 mm	6 mm



HTB/16

BRASS

POLISHED

TRIANGLE BUCKLE

Code	Inner diameter	Height	D
HTB/16	16 mm	4 mm	2 mm
HTB/20	20 mm	5 mm	3 mm
HTB/25	25 mm	5 mm	4 mm



HT SS/2.5X20 BK

STAINLESS

BLACK

TRIANGLE BUCKLE

Code	Inner width	Inner height	D
HT SS/2.5X20 BK	20 mm	4.5 mm	4 mm
HT SS/2.5X26 BK	26 mm	4.5 mm	4 mm



NEW

AHT/40 S

ALUMINIUM

NICKEL PLATED

TRIANGLE BUCKLE

Code	Inner width	Inner height	D
AHT/40 S	40 mm	7.9 mm	6 mm



XGJ-281

ZINC DIE CASTING


CHROME PLATED

SLIDE BUCKLE BAG ACCESSORIES

Code	Inner diameter	Height	D
XGJ-281	40 mm	7 mm	3 mm



Metal Tri-glides



Z4013/25 NP

ZINC DIE CASTING


NICKEL PLATED



Z4013/30 BK

ZINC DIE CASTING

BLACK



Z4013/40 RG

ZINC DIE CASTING

ROSE GOLD

Code	Inner diameter	Height	D
Z4013/17 NP	16 mm	5 mm	4 mm
Z4013/20 NP	20 mm	6 mm	4 mm
Z4013/25 NP	25 mm	7 mm	4 mm
Z4013/30 NP	30 mm	6 mm	4 mm
Z4013/40 NP	38 mm	7 mm	4 mm
Z4013/45 NP	45 mm	7 mm	4 mm
Z4013/50 NP	50 mm	6 mm	4 mm

Code	Inner diameter	Height	D
Z4013/17 BK	16 mm	5 mm	4 mm
Z4013/20 BK	20 mm	6 mm	4 mm
Z4013/25 BK	25 mm	7 mm	4 mm
Z4013/30 BK	30 mm	7 mm	4 mm
Z4013/40 BK	38 mm	6 mm	4 mm
Z4013/45 BK	45 mm	7 mm	4 mm
Z4013/50 BK	50 mm	6 mm	4 mm

Code	Inner diameter	Height	D
Z4013/17 RG	16 mm	5 mm	4 mm
Z4013/20 RG	20 mm	6 mm	4 mm
Z4013/25 RG	25 mm	7 mm	4 mm
Z4013/30 RG	30 mm	6 mm	4 mm
Z4013/40 RG	38 mm	7 mm	4 mm
Z4013/50 RG	50 mm	6 mm	4 mm



Z4013/25 NEO

ZINC DIE CASTING


NEO-CHROME



203B/30 CP

BRASS

CHROME PLATED



203B/40


BRASS

POLISHED

Code	Inner diameter	Height	D
Z4013/17 NEO	16 mm	5 mm	4 mm
Z4013/20 NEO	20 mm	6 mm	4 mm
Z4013/25 NEO	25 mm	7 mm	4 mm
Z4013/30 NEO	30 mm	7 mm	4 mm
Z4013/40 NEO	38 mm	7 mm	4 mm
Z4013/50 NEO	50 mm	6 mm	4 mm

Code	Inner diameter	Height	D
203B/17 CP	17 mm	5 mm	4 mm
203B/20 CP	20 mm	6 mm	4 mm
203B/25 CP	25 mm	7 mm	4 mm
203BL/25 CP	25 mm	6 mm	3.2 mm
203B/30 CP	32 mm	6 mm	4 mm
203B/40 CP	38 mm	7 mm	4 mm
203B/50 CP	50 mm	7 mm	4 mm

Code	Inner diameter	Height	D
203B/13	13 mm	5 mm	4 mm
203B/17	17 mm	5 mm	4 mm
203B/20	20 mm	7 mm	4 mm
203B/25	25 mm	7 mm	4 mm
203BL/25	25 mm	6 mm	3.2 mm
203B/30	32 mm	6 mm	4 mm
203B/40	38 mm	7 mm	4 mm
203B/50	50 mm	7 mm	4 mm



4013SS/32

STAINLESS

POLISHED

Code	Inner diameter	Height	D
4013SS/17	16 mm	5 mm	4 mm
4013SS/20	20 mm	6 mm	4 mm
4013SS/26	26 mm	7.5 mm	4 mm
4013SS/32	32 mm	7 mm	4 mm
4013SS/38	38 mm	7 mm	4 mm




Z4013/40 AB

ZINC DIE CASTING

ANTIQUE BRASS

Code	Inner diameter	Height	D
Z4013/17 AB	16 mm	5 mm	4 mm
Z4013/20 AB	20 mm	6 mm	4 mm
Z4013/25 AB	25 mm	7 mm	4 mm
Z4013/30 AB	30 mm	7 mm	4 mm
Z4013/40 AB	38 mm	7 mm	4 mm
Z4013/50 AB	50 mm	7 mm	4 mm



NEW

Z4013/40 GP

ZINC DIE CASTING

GOLD PLATED

Code	Inner diameter	Height	D
Z4013/17 GP	16 mm	5 mm	4 mm
Z4013/20 GP	20 mm	6 mm	4 mm
Z4013/25 GP	25 mm	7 mm	4 mm
Z4013/30 GP	30 mm	7 mm	4 mm
Z4013/40 GP	38 mm	7 mm	4 mm
Z4013/50 GP	50 mm	6 mm	4 mm



Z4013EH/20 BK

ZINC DIE CASTING BLACK

HEAVY METAL TRI GLIDE

Code	Inner diameter	Height	D
Z4013EH/20 BK	20 mm	8 mm	4 mm
Z4013EH/25 BK	25 mm	9 mm	4 mm
Z4013EH/30 BK	30 mm	9 mm	4 mm
Z4013EH/40 BK	39 mm	10 mm	4.5 mm
Z4013EH/50 BK	50 mm	10 mm	4.5 mm



Z4013EH/25 RG

ZINC DIE CASTING ROSE GOLD

HEAVY METAL TRI GLIDE

Code	Inner diameter	Height	D
Z4013EH/20 RG	20 mm	8 mm	4 mm
Z4013EH/25 RG	25 mm	9 mm	4 mm
Z4013EH/30 RG	30 mm	9 mm	4 mm
Z4013EH/40 RG	39 mm	9 mm	4.5 mm
Z4013EH/50 RG	50 mm	10 mm	4.5 mm



Z4013EH/30 AB

ZINC DIE CASTING ANTIQUE BRASS

HEAVY METAL TRI GLIDE

Code	Inner diameter	Height	D
Z4013EH/20 AB	20 mm	8 mm	4 mm
Z4013EH/25 AB	25 mm	9 mm	4 mm
Z4013EH/30 AB	30 mm	9 mm	4 mm
Z4013EH/40 AB	39 mm	10 mm	4.5 mm
Z4013EH/50 AB	50 mm	10 mm	4.5 mm



Z4013EH/50 NP

ZINC DIE CASTING NICKEL PLATED

HEAVY METAL TRI GLIDE

Code	Inner diameter	Height	D
Z4013EH/20 NP	20 mm	8 mm	4 mm
Z4013EH/25 NP	25 mm	9 mm	4 mm
Z4013EH/30 NP	30 mm	9 mm	4 mm

Code	Inner diameter	Height	D
Z4013EH/40 NP	39 mm	10 mm	4.5 mm
Z4013EH/50 NP	50 mm	10 mm	4.5 mm



2500/25 AB

STEEL ANTIQUE BRASS

SLIDING BAR BUCKLE

Code	Inner diameter	Height	D
2500/17 AB	17 mm	16 mm	4 mm
2500/20 AB	20 mm	19 mm	4 mm
2500/25 AB	25 mm	19 mm	4 mm
2500/30 AB	32 mm	19 mm	4 mm
2500/40 AB	40 mm	19 mm	4 mm
2500/50 AB	50 mm	19 mm	4 mm



2500/30 BK

STEEL BLACK

SLIDING BAR BUCKLE

Code	Inner diameter	Height	D
2500/17 BK	16 mm	15 mm	4 mm
2500/20 BK	20 mm	19 mm	4 mm
2500/25 BK	25 mm	19 mm	4 mm
2500/30 BK	32 mm	19 mm	4 mm
2500/40 BK	40 mm	19 mm	4 mm
2500/50 BK	50 mm	19 mm	4 mm



NEW 2500/30 GP

STEEL GOLD PLATED

SLIDING BAR BUCKLE

Code	Inner diameter	Height	D
2500/17 GP	16 mm	15 mm	4 mm
2500/20 GP	20 mm	19 mm	4 mm
2500/25 GP	25 mm	19 mm	4 mm
2500/30 GP	32 mm	19 mm	4 mm
2500/40 GP	40 mm	19 mm	4 mm



2500/40 NP

STEEL


NICKEL PLATED



5082SS/40

STAINLESS

POLISHED



5080/40 NP

STEEL

NICKEL PLATED

SLIDING BAR BUCKLE

Code	Inner diameter	Height	D
2500/17 NP	16 mm	15 mm	4 mm
2500/20 NP	20 mm	19 mm	4 mm
2500/25 NP	25 mm	19 mm	4 mm
2500/30 NP	32 mm	19 mm	4 mm
2500/40 NP	40 mm	19 mm	4 mm
2500/50 NP	50 mm	19 mm	4 mm

STAMPED STEEL TRI GLIDE

Code	Inner diameter	Height	D
5082SS/16	16 mm	6 mm	2 mm
5082SS/20	20 mm	6 mm	2 mm
5082SS/25	25 mm	6 mm	2 mm
5082SS/30	30 mm	6 mm	2 mm
5082SS/40	40 mm	8 mm	3 mm
5082SS/50	50 mm	8 mm	3 mm

STAMPED STEEL TRI GLIDE

Code	Inner diameter	Height	D
5080/20 NP	20 mm	5 mm	1 mm
5080/25 NP	26 mm	5 mm	1 mm
5080/30 NP	30 mm	6 mm	1 mm
5080/40 NP	38 mm	6 mm	1 mm
5080/50 NP	50 mm	7 mm	2 mm



203/40

ZINC DIE CASTING

NICKEL PLATED



BSBLT/15

BRASS

POLISHED



3181/50 SLIDE

STEEL

CHROME PLATED

METAL TRI GLIDE

Code	Inner diameter	Height	D
203/10	10 mm	4.5 mm	2.5 mm
203/13	13 mm	4.5 mm	2.5 mm
203/17	16 mm	5 mm	3 mm
203/20	20 mm	5 mm	3 mm
203/25	25 mm	5 mm	3 mm
203/30	30 mm	5 mm	3 mm
203/40	38 mm	6 mm	3 mm
203/50	50 mm	6 mm	3 mm

BRASS TRI GLIDE

Code	Inner diameter	Height	D
BSBLT/15	15 mm	8 mm	3.5 mm
BSBLT/20	20 mm	8 mm	3.8 mm
BSBLT/25	25 mm	8 mm	3.8 mm
BSBLT/30	30 mm	8 mm	3.8 mm
BSBLT/40	40 mm	8 mm	3.5 mm
BSBLT/50	50 mm	8 mm	3.5 mm

METAL TRI GLIDE FOR MARTINGALE COLLARS

Code	Inner diameter	Height	D
750SS/40	40 mm	8 mm	5 mm
750SS/50	50 mm	8 mm	5 mm



750SS/40

STAINLESS

POLISHED

STAMPED STEEL TRI GLIDE

Code	Inner diameter	Height	D
3181/50 SLIDE	50 mm	4 mm	2 mm



S5387/25 CP

STEEL

CHROME PLATED

HALTER OVAL

Code	Inner diameter	Height	D
S5387/25 CP	25 mm	7 mm	2 mm

HEAVY SLIP-THRU BUCKLE



Z1430EH/16 BK


Z1430EH/20 BK

Z1430EH/25 BK

Code	Inner diameter	Height	D
Z1430EH/16 BK	16 mm	3.5 mm	2.5 mm
Z1430EH/20 BK	20 mm	3.6 mm	3 mm
Z1430EH/25 BK	25 mm	3.8 mm	3 mm

ZINC DIE CASTING BLACK

HEAVY SLIP-THRU BUCKLE



Z1430EH/16 NP

Z1430EH/20 NP

Z1430EH/25 NP

Code	Inner diameter	Height	D
Z1430EH/16 NP	16 mm	3.5 mm	2.5 mm
Z1430EH/20 NP	20 mm	3.6 mm	3 mm
Z1430EH/25 NP	25 mm	3.6 mm	3 mm

ZINC DIE CASTING NICKEL PLATED



1025B/20

BRASS POLISHED

SMALL TRI-GLIDE

Code	Inner diameter	Height	D
1025B/20	20 mm	7 mm	4 mm
1025B/25	25 mm	8 mm	4 mm



205/13 RG

ZINC DIE CASTING ROSE GOLD

SMALL TRI-GLIDE

Code	Inner diameter	Height	D
205/10 RG	10 mm	7 mm	2 mm
205/13 RG	13 mm	7 mm	2 mm



205/13 BK

ZINC DIE CASTING BLACK

SMALL TRI-GLIDE

Code	Inner diameter	Height	D
205/10 BK	10 mm	7 mm	2 mm
205/13 BK	13 mm	7 mm	2 mm



205/13 NP

ZINC DIE CASTING NICKEL PLATED

SMALL TRI-GLIDE

Code	Inner diameter	Height	D
205/10 NP	10 mm	7 mm	2 mm
205/13 NP	13 mm	7 mm	2 mm



Made by Denis Ovsyanik



7BCB/20

BRASS POLISHED

ROUND RING WITH CENTER BAR

Code	Inner diameter	Height	D
7BCB/15	15 mm	6 mm	4 mm
7BCB/20	20 mm	8 mm	4 mm



3171SS/4.0x20

STAINLESS POLISHED

ROUND RING WITH CENTER BAR

Code	Inner diameter	Height	D
3171SS/3.0x16	15 mm	6 mm	4 mm
3171SS/4.0x20	20 mm	7.9 mm	4 mm
3171SS/4.0x25	25 mm	13 mm	4 mm
3171SS/4.0x30	30 mm	16 mm	4 mm



8WCB/25 NP

STEEL NICKEL PLATED

WELDED ROUND RING WITH CENTER BAR

Code	Inner diameter	Height	D
8WCB/8 NP	8 mm	3 mm	2 mm
8WCB/15 NP	15 mm	6 mm	3 mm
8WCB/20 NP	20 mm	9 mm	3 mm
8WCB/25 NP	25 mm	10 mm	4 mm



8WCB/25 BK

STEEL BLACK

WELDED ROUND RING WITH CENTER BAR

Code	Inner diameter	Height	D
8WCB/15 BK	15 mm	6 mm	3 mm
8WCB/20 BK	20 mm	9 mm	3 mm
8WCB/25 BK	25 mm	10 mm	4 mm



Z8CB/16 NP

ZINC DIE CASTING NICKEL PLATED

ROUND RING WITH CENTER BAR

Code	Inner diameter	Height	D
Z8CB/16 NP	16 mm	8 mm	3 mm
Z8CB/20 NP	20 mm	10 mm	3 mm
Z8CB/25 NP	25 mm	12 mm	3 mm



Z8CB/16 BK

ZINC DIE CASTING BLACK


ROUND RING WITH CENTER BAR

Code	Inner diameter	Height	D
Z8CB/16 BK	16 mm	8 mm	3 mm
Z8CB/20 BK	20 mm	10 mm	3 mm
Z8CB/25 BK	25 mm	12 mm	3 mm



REAL SIZE

WEBBING REDUCTION LOOPS



Webbing Reduction Loops



Z2300/25/50 NP

ZINC DIE CASTING

NICKEL PLATED

REDUCTION 25 → 50 MM



Z2300/25/40 NP

ZINC DIE CASTING

NICKEL PLATED

REDUCTION 25 → 38 MM



NEW

2300EH/25/38 NP

ZINC DIE CASTING

NICKEL PLATED

REDUCTION 25 → 40 MM



Z2300/40/50 NP

ZINC DIE CASTING

NICKEL PLATED

REDUCTION 40 → 50 MM



Z2300/25/40 BK

ZINC DIE CASTING

BLACK

REDUCTION 25 → 38 MM



NEW

2300EH/25/38 BK

ZINC DIE CASTING

BLACK

REDUCTION 25 → 40 MM



Z2300/25/40 RG

ZINC DIE CASTING

ROSE GOLD

REDUCTION 25 → 38 MM




B5500L/25/40

BRASS


POLISHED

REDUCTION 25 → 38



SADDLERY HARDWARE

Metal Side Release Buckles



508N/20 NP

ZINC DIE CASTING NICKEL PLATED



508N/16 BK

ZINC DIE CASTING BLACK

METAL SIDE RELEASE BUCKLE PLUS

Code	Inner width	Total length	Weight	Breaking load
NEW 508N/10 NP	10 mm	33 mm	15 g	100 kg
508N/16 NP	16 mm	36 mm	15 g	110 kg
508N/20 NP	20 mm	47 mm	31 g	195 kg
508N/25 NP	25 mm	59 mm	50 g	230 kg
508N/30 NP	30 mm	52 mm	54 g	190 kg
508N/40 NP	38 mm	65 mm	110 g	250 kg
508N/50 NP	51 mm	65 mm	132 g	190 kg

METAL SIDE RELEASE BUCKLE PLUS

Code	Inner width	Total length	Weight	Breaking load
NEW 508N/10 BK	10 mm	33 mm	15 g	100 kg
508N/16 BK	16 mm	36 mm	15 g	110 kg
508N/20 BK	20 mm	47 mm	31 g	195 kg
508N/25 BK	26 mm	59 mm	50 g	230 kg
508N/30 BK	30 mm	52 mm	54 g	190 kg
508N/40 BK	38 mm	65 mm	110 g	250 kg
508N/50 BK	51 mm	65 mm	132 g	190 kg





508N/25 RG

ZINC DIE CASTING

ROSE GOLD



508N/30 BP

ZINC DIE CASTING

BRASS PLATED

METAL SIDE RELEASE BUCKLE PLUS

	Code	Inner width	Total length	Weight	Breaking load
NEW	508N/10 RG	10 mm	33 mm	15 g	100 kg
	508N/16 RG	16 mm	36 mm	15 g	110 kg
	508N/20 RG	20 mm	47 mm	44 g	195 kg
	508N/25 RG	25 mm	59 mm	50 g	230 kg
	508N/30 RG	30 mm	52 mm	54 g	190 kg
	508N/40 RG	38 mm	65 mm	110 g	250 kg
	508N/50 RG	51 mm	65 mm	132 g	190 kg

METAL SIDE RELEASE BUCKLE PLUS

	Code	Inner width	Total length	Weight	Breaking load
	508N/16 BP	16 mm	36 mm	15 g	110 kg
	508N/20 BP	20 mm	47 mm	31 g	195 kg
	508N/25 BP	25 mm	59 mm	50 g	230 kg
	508N/30 BP	30 mm	52 mm	54 g	190 kg
	508N/40 BP	38 mm	65 mm	110 g	250 kg
	508N/50 BP	51 mm	65 mm	132 g	190 kg



NEW 508N/20 AB

ZINC DIE CASTING

ANTIQUE BRASS



NEW 508N/30 GP

ZINC DIE CASTING

GOLD PLATED

METAL SIDE RELEASE BUCKLE PLUS

	Code	Inner width	Total length	Weight	Breaking load
	508N/10 AB	10 mm	31 mm	8 g	50 kg
	508N/16 AB	16 mm	36 mm	15 g	110 kg
	508N/20 AB	20 mm	47 mm	31 g	195 kg
	508N/25 AB	25 mm	59 mm	50 g	230 kg

METAL SIDE RELEASE BUCKLE PLUS

	Code	Inner width	Total length	Weight	Breaking load
	508N/10 GP	10 mm	31 mm	8 g	50 kg
	508N/16 GP	16 mm	36 mm	15 g	110 kg
	508N/20 GP	20 mm	47 mm	31 g	195 kg
	508N/25 GP	25 mm	59 mm	50 g	230 kg
	508N/30 GP	30 mm	52 mm	54 g	190 kg
	508N/40 GP	38 mm	65 mm	54 g	190 kg



508/40

ZINC DIE CASTING

NICKEL PLATED



508/50 BK

ZINC DIE CASTING

BLACK

Code	Inner width	Total length	Weight	Breaking load
508/10	10 mm	33 mm	15 g	100 kg
508/17	16 mm	36 mm	18 g	120 kg
508/20 LIGHT	20 mm	47 mm	32 g	150 kg
508/20	20 mm	57 mm	44 g	160 kg
508/25	25 mm	60 mm	53 g	200 kg
508/30	30 mm	60 mm	67 g	200 kg
508/40	38 mm	61 mm	72 g	200 kg
508/50	50 mm	58 mm	98 g	250 kg

Code	Inner width	Total length	Weight	Breaking load
508/10 BK	10 mm	33 mm	15 g	100 kg
508/17 BK	16 mm	36 mm	15 g	80 kg
508/20 BK	20 mm	47 mm	31 g	150 kg
508/25 BK	25 mm	59 mm	49 g	200 kg
508/30 BK	30 mm	61 mm	59 g	200 kg
508/40 BK	38 mm	61 mm	70 g	200 kg
508/50 BK	50 mm	58 mm	98 g	250 kg



508/17 RG

ZINC DIE CASTING

ROSE GOLD



508/25 BP

ZINC DIE CASTING

BRASS PLATED

Code	Inner width	Total length	Weight	Breaking load
508/10 RG	10 mm	33 mm	15 g	100 kg
508/17 RG	16 mm	36 mm	15 g	80 kg
508/20 RG	20 mm	47 mm	31 g	150 kg
508/25 RG	25 mm	59 mm	49 g	200 kg
508/30 RG	30 mm	61 mm	59 g	200 kg
508/40 RG	38 mm	61 mm	70 g	200 kg
508/50 RG	50 mm	58 mm	98 g	250 kg

Code	Inner width	Total length	Weight	Breaking load
508/10 BP	10 mm	32 mm	15 g	100 kg
508/17 BP	17 mm	38 mm	19 g	80 kg
508/20 LIGHT BP	20 mm	47 mm	32 g	150 kg
508/25 BP	25 mm	60 mm	59 g	200 kg
508/30 BP	30 mm	60 mm	70 g	200 kg
508/40 BP	38 mm	61 mm	72 g	200 kg
508/50 BP	51 mm	65 mm	98 g	250 kg




508/20 AB

ZINC DIE CASTING

ANTIQUE BRASS

Code	Inner width	Total length	Weight	Breaking load
508/17 AB	16 mm	36 mm	15 g	80 kg
508/20 AB	20 mm	47 mm	33 g	160 kg
508/25 AB	25 mm	60 mm	51 g	200 kg



508/30 NEO

ZINC DIE CASTING

NEO-CHROME

Code	Inner width	Total length	Weight	Breaking load
508/17 NEO	16 mm	36 mm	15 g	80 kg
508/20 NEO	20 mm	47 mm	31 g	150 kg
508/25 NEO	25 mm	59 mm	49 g	200 kg
508/30 NEO	30 mm	61 mm	59 g	200 kg
508/40 NEO	38 mm	61 mm	70 g	200 kg



KH4001AL/20 NP

ALUMINIUM ALU-MAX

NICKEL PLATED

ALUMINIUM SIDE RELEASE
BUCKLE ALU-MAX®

Code	Inner width	Total length	Weight	Breaking load
KH4001AL/17 NP	15 mm	38 mm	14 g	137 kg
KH4001AL/20 NP	20 mm	47 mm	23 g	196 kg
KH4001AL/25 NP	25 mm	60 mm	36 g	236 kg
KH4001AL/30 NP	30 mm	61 mm	46 g	236 kg





KH4001AL/20 BK

ALUMINIUM ALU-MAX

BLACK

ALUMINIUM SIDE RELEASE
BUCKLE ALU-MAX®

Code	Inner width	Total length	Weight	Breaking load
KH4001AL/17 BK	15 mm	38 mm	14 g	137 kg
KH4001AL/20 BK	20 mm	47 mm	23 g	196 kg
KH4001AL/25 BK	25 mm	60 mm	36 g	236 kg



KH7010Z/25 RG

ZINC DIE CASTING

ROSE GOLD

METAL SIDE RELEASE BUCKLE
ZINC-MAX®

Code	Inner width	Total length	Weight	Breaking load
KH7010Z/16 RG	16 mm	33 mm	14 g	125 kg
KH7010Z/20 RG	20 mm	40 mm	24 g	181 kg
KH7010Z/25 RG	25 mm	53 mm	52 g	272 kg



KH7010Z/20 BP

ZINC DIE CASTING

ELECTRODEPOSITED

METAL SIDE RELEASE BUCKLE
ZINC-MAX®

Code	Inner width	Total length	Weight	Breaking load
KH7010Z/16 BP	16 mm	33 mm	14 g	125 kg
KH7010Z/20 BP	19 mm	40 mm	24 g	181 kg
KH7010Z/25 BP	25 mm	53 mm	52 g	272 kg



KH7010Z/25 NP

ZINC DIE CASTING

NICKEL PLATED

METAL SIDE RELEASE BUCKLE
ZINC-MAX®

Code	Inner width	Total length	Weight	Breaking load
KH7010Z/16 NP	16 mm	33 mm	14 g	125 kg
KH7010Z/20 NP	20 mm	40 mm	24 g	181 kg
KH7010Z/25 NP	25 mm	53 mm	52 g	272 kg



Z3003N/17

ZINC DIE CASTING

NICKEL PLATED

METAL/PLASTIC SIDE RELEASE
BUCKLE - HEAVY DUTY

Code	Inner width	Total length	Weight	Breaking load
Z3003N/17	16 mm	46 mm	14 g	40 kg
Z3003N/20	20 mm	54 mm	22 g	100 kg
Z3003N/25	25 mm	64 mm	38 g	200 kg



KH4002AL/40 NP

ALUMINIUM ALU-MAX

NICKEL PLATED

HEAVY ALUMINIUM SIDE
RELEASE BUCKLE ALU-MAX®

Code	Inner width	Total length	Weight	Breaking load
KH4002AL/40 NP	38 mm	68 mm	67 g	226 kg
KH4002AL/50 NP	50 mm	68 mm	80 g	226 kg



KH4002AL/40 BK

ALUMINIUM ALU-MAX

BLACK

HEAVY ALUMINIUM SIDE
RELEASE BUCKLE ALU-MAX®

Code	Inner width	Total length	Weight	Breaking load
KH4002AL/40 BK	38 mm	68 mm	67 g	226 kg





FY38KVF

ALUMINIUM

BLACK



ALUMINUM BUCKLE COBRA® PRO STYLE

	Code	Inner width	Total length	Weight	Breaking load
NEW	FY25KVF	25 mm	60 mm	53 g	900 kg
NEW	FY33KVF	33 mm	62 mm	61 g	900 kg
	FY38KVF	38 mm	63 mm	67 g	900 kg
	FY45KVF	45 mm	64 mm	74 g	900 kg
NEW	FY50KVF	50 mm	64 mm	80 g	900 kg



FY38KVG

ALUMINIUM

BLACK



ALUMINUM BUCKLE COBRA® PRO STYLE

	Code	Inner width	Total length	Weight	Breaking load
	FY38KVG	38 mm	63 mm	76 g	900 kg



FX38KVD

ALUMINIUM

BLACK



ALUMINUM BUCKLE COBRA® PRO STYLE WITH D-RING

	Code	Inner width	Total length	Weight	Breaking load
	FX25KVD	25 mm	67 mm	120 g	1500 kg
	FX38KVD	38 mm	69 mm	139 g	1500 kg
	FX50KVD	50 mm	71 mm	163 g	1500 kg



FY38KVV

ALUMINIUM

BLACK



ALUMINUM BUCKLE COBRA® PRO STYLE WITH DOUBLE-SIDE METAL TRI-GLIDE


	Code	Inner width	Total length	Weight	Breaking load
	FY38KVV	38 mm	72 mm	79 g	900 kg



FY38KFF

ALUMINIUM

BLACK



FY38AFF

ALUMINIUM

POLISHED



FY38AVF

ALUMINIUM

POLISHED



ALUMINIUM BUCKLE COBRA® PRO STYLE

	Code	Inner width	Total length	Weight	Breaking load
NEW	FY25AFF	25 mm	50 mm	49 g	900 kg
	FY38AFF	38 mm	53 mm	56 g	900 kg
NEW	FY50AFF	50 mm	54 mm	67 g	900 kg

ALUMINIUM BUCKLE COBRA® PRO STYLE

	Code	Inner width	Total length	Weight	Breaking load
	FY25KFF	25 mm	50 mm	49 g	900 kg
NEW	FY33KFF	33 mm	52 mm	52 g	900 kg
	FY38KFF	38 mm	53 mm	56 g	900 kg
	FY45KFF	45 mm	54 mm	63 g	900 kg
	FY50KFF	50 mm	54 mm	67 g	900 kg

ALUMINIUM BUCKLE COBRA® PRO STYLE WITH TRI-GLIDE

	Code	Inner width	Total length	Weight	Breaking load
	FY38AVF	38 mm	63 mm	67 g	900 kg





FM20KFF

ALUMINIUM

BLACK

ALUMINUM BUCKLE COBRA® FM

Code	Inner width	Total length	Weight	Breaking load
FM20KFF	20 mm	39 mm	17 g	204 kg
FM25KFF	25 mm	40 mm	19 g	204 kg



FM20KVF

ALUMINIUM

BLACK

ALUMINUM BUCKLE COBRA® FM WITH TRI-GLIDE

Code	Inner width	Total length	Weight	Breaking load
FM20KVF	20 mm	45 mm	18 g	204 kg
FM25KVF	25 mm	46 mm	20 g	204 kg
NEW FM38KVF-XL	38 mm	54 mm	20 g	204 kg



928F441NOXK

STEEL

BLACK



METAL SIDE RELEASE BUCKLE KONG® WITH TRI-GLIDE

Code	Inner width	Total length	Weight	Breaking load
928F441NOXK	46 mm	74 mm	133 g	1000 kg





FM20AFF

ALUMINIUM

POLISHED



FM25AFF

ALUMINIUM

POLISHED



ALUMINUM BUCKLE COBRA® FM

Code	Inner width	Total length	Weight	Breaking load
FM20AFF	20 mm	39 mm	17 g	204 kg

ALUMINUM BUCKLE COBRA® FM

Code	Inner width	Total length	Weight	Breaking load
FM25AFF	25 mm	40 mm	19 g	204 kg



NEW

2MV-28E11-PA

ZAMAK

PALLADIUM

FIDLOCK

METAL MAGNETIC FASTENER FIDLOCK®

Code	Inner width	Total length	Weight	Breaking load
2MV-28E11-PA	16 mm	40 mm	17 g	100 kg



NEW

2MV-11B01-GO

ZAMAK


GOLD PLATED

FIDLOCK


METAL MAGNETIC FASTENER FIDLOCK®

Code	Inner width	Total length	Weight	Breaking load
2MV-11B01-GO	25 mm	65 mm	45 g	150 kg





Metal Loops



4950/40 NP



4950 N/35 NP



4950 NSS/40

SADDLERY LOOP

STEEL

NICKEL PLATED

Code	Inner diameter	Inner height	D	Code	Inner diameter	Inner height	D
4950/10 NP	10 mm	7 mm	2 mm	4950/26 NP	26 mm	16 mm	3 mm
4950/14 NP	14 mm	9 mm	3 mm	4950/28 NP	28 mm	16 mm	4 mm
4950/16 NP	16 mm	11 mm	3 mm	4950/30 NP	30 mm	19 mm	4 mm
4950/18 NP	18 mm	11 mm	3 mm	4950/35 NP	35 mm	24 mm	5 mm
4950/20 NP	20 mm	12 mm	3 mm	4950/40 NP	40 mm	25 mm	5 mm
4950/22 NP	22 mm	14 mm	3 mm	4950/50 NP	50 mm	32 mm	7 mm
4950/24 NP	24 mm	14 mm	3 mm				

COLLAR LOOP

STEEL

NICKEL PLATED

Code	Inner diameter	Inner height	D	Code	Inner diameter	Inner height	D
4950 N/10 NP	10 mm	6 mm	2 mm	4950 N/28 NP	28 mm	10 mm	4 mm
4950 N/12 NP	12 mm	6 mm	2 mm	4950 N-E/30 NP	30 mm	12 mm	3 mm
4950 N/14 NP	14 mm	6 mm	3 mm	4950 N/30 NP	30 mm	12 mm	4 mm
4950 N/16 NP	16 mm	6 mm	3 mm	4950 N-E/35 NP	35 mm	13 mm	3 mm
4950 N/18 NP	18 mm	6 mm	3 mm	4950 N/35 NP	35 mm	12 mm	5 mm
4950 N/20 NP	20 mm	8 mm	3 mm	4950 N-E/40 NP	40 mm	13 mm	3 mm
4950 N/22 NP	22 mm	8 mm	3 mm	4950 N/40 NP	40 mm	12 mm	5 mm
4950 N/24 NP	24 mm	8 mm	3 mm	4950 N-E/50 NP	50 mm	13 mm	3 mm
4950 N/26 NP	26 mm	10 mm	3 mm	4950 N/50 NP	50 mm	12 mm	5 mm



COLLAR LOOP

STAINLESS

POLISHED

Code	Inner diameter	Inner height	D	Code	Inner diameter	Inner height	D
4950 NSS/13	14 mm	6 mm	2 mm	4950 NSS/30	30 mm	12 mm	4 mm
4950 NSS/17	17 mm	7 mm	2 mm	4950 NSS/40	40 mm	12 mm	3 mm
4950 NSS/20	20 mm	9 mm	3 mm	4950 NSS/40	40 mm	12 mm	5 mm
4950 NSS/25	25 mm	11 mm	3 mm	4950 NSS/50	50 mm	14 mm	3 mm
4950 NSS/30	30 mm	12 mm	3 mm	4950 NSS/50	50 mm	14 mm	6 mm



4950 N/26 RG

STEEL ROSE GOLD



4950 N/30 NEO

STEEL NEO-CHROME



4950 N/30 BK

STEEL BLACK

COLLAR LOOP

Code	Inner diameter	Inner height	D
4950 N/10 RG	10 mm	6 mm	2.5 mm
4950 N/13 RG	13 mm	6 mm	2.5 mm
4950 N/16 RG	16 mm	9 mm	3 mm
4950 N/20 RG	20 mm	9 mm	3 mm
4950 N/26 RG	26 mm	11 mm	3 mm
4950 N/30 RG	30 mm	12 mm	3 mm
4950 N/40 RG	40 mm	13 mm	3 mm



4950 N/20 AC

STEEL ANTIQUE COPPER

COLLAR LOOP

Code	Inner diameter	Inner height	D
4950 N/20 AC	20 mm	9 mm	2.1 mm



NEW 4950 N/30 GP

STEEL GOLD PLATED

COLLAR LOOP

Code	Inner diameter	Inner height	D
4950 N/16 GP	16 mm	9 mm	3 mm
4950 N/20 GP	20 mm	9 mm	3 mm
4950 N/26 GP	26 mm	11 mm	3 mm
4950 N/30 GP	30 mm	12 mm	3 mm
4950 N/40 GP	40 mm	13 mm	3 mm
4950 N/50 GP	50 mm	12 mm	3 mm

COLLAR LOOP

Code	Inner diameter	Inner height	D
4950 N/16 NEO	16 mm	9 mm	3 mm
4950 N/20 NEO	20 mm	9 mm	3 mm
4950 N/26 NEO	26 mm	11 mm	3 mm
4950 N/30 NEO	29 mm	12 mm	3 mm
4950 N/40 NEO	40 mm	13 mm	3 mm



4950 N/30 AB

STEEL ANTIQUE BRASS

COLLAR LOOP

Code	Inner diameter	Inner height	D
4950 N/16 AB	16 mm	6 mm	3 mm
4950 N/20 AB	20 mm	8 mm	3 mm
4950 N/26 AB	26 mm	10 mm	3 mm
4950 N/30 AB	30 mm	12 mm	4 mm
4950 N/40 AB	40 mm	12 mm	5 mm
4950 N/50 AB	50 mm	12 mm	5 mm



NEW 4950RSS/4x25x14

STAINLESS POLISHED

LOOP WITH ROLLER

Code	Inner diameter	Inner height	D
4950RSS/4x25x14	25 mm	14 mm	4 mm
4950RSS/4x30x14	30 mm	14 mm	4 mm
4950RSS/5x40x14	40 mm	14 mm	4 mm
4950RSS/6x50x14	50 mm	14 mm	6 mm

COLLAR LOOP

Code	Inner diameter	Inner height	D
4950 N/10 BK	10 mm	6 mm	2.5 mm
4950 N/13 BK	13 mm	6 mm	2.5 mm
4950 N/16 BK	16 mm	9 mm	3 mm
4950 N/20 BK	20 mm	9 mm	3 mm
4950 N/26 BK	26 mm	11 mm	3 mm
4950 N/30 BK	30 mm	12 mm	3 mm
4950 N/40 BK	40 mm	13 mm	3 mm
4950 N/50 BK	50 mm	13 mm	3 mm



4950 UB/40

BRASS POLISHED

COLLAR LOOP

Code	Inner diameter	Inner height	D
4950 UB/13	13 mm	6 mm	2 mm
4950 UB/17	17 mm	6 mm	3 mm
4950 UB/20	20 mm	8 mm	3 mm
4950 UB/25	25 mm	10 mm	3 mm
4950 UB/30	30 mm	12 mm	3 mm
4950 UB/40	40 mm	12 mm	3 mm
4950 UB/50	50 mm	12 mm	3 mm





4951/40 AS

ZINC DIE CASTING

ANTIQUE SILVER

SADDLERY FLAT LOOP

Code	Inner diameter	Inner height	D
4951/40 AS	40 mm	13 mm	2 mm



NEW 4970SS/40 BK

STAINLESS

BLACK

SADDLERY FLAT LOOP

Code	Inner diameter	Inner height	D
4970SS/40 BK	40 mm	12 mm	2.3 mm



4951B/30

BRASS

POLISHED

SADDLERY FLAT LOOP

Code	Inner diameter	Inner height	D
4951B/17	17 mm	10 mm	2 mm
4951B/20	20 mm	11 mm	2 mm
4951B/25	25 mm	14 mm	2 mm
4951B/30	30 mm	14 mm	2 mm
4951B/40	40 mm	14 mm	2 mm



4970SS/25

STAINLESS

POLISHED

SADDLERY FLAT LOOP

Code	Inner diameter	Inner height	D
4970SS/25	25 mm	10 mm	2.3 mm
4970SS/30	30 mm	10 mm	2.3 mm
4970SS/35	35 mm	11 mm	2.3 mm
4970SS/40	40 mm	12 mm	2.3 mm



NEW ZQT2710/30 BGM

ZINC DIE CASTING

BRUSHED GUN METAL

SADDLERY FLAT LOOP

Code	Inner diameter	Inner height	D
ZQT2710/30 BGM	30 mm	10 mm	2 mm
ZQT2710/35 BGM	35 mm	10 mm	2 mm
ZQT2710/40 BGM	40 mm	10 mm	2 mm



4951/32 NP

STEEL

NICKEL PLATED

SADDLERY FLAT LOOP

Code	Inner diameter	Inner height	D
4951/17 NP	17 mm	9 mm	2 mm
4951/20 NP	20 mm	10 mm	2 mm
4951/25 NP	25 mm	13 mm	2 mm
4951/32 NP	32 mm	13 mm	3 mm
4951/40 NP	40 mm	13 mm	3 mm



1536SS F/35

STAINLESS

POLISHED

SADDLERY FLAT LOOP

Code	Inner diameter	Inner height	D
1536SS F/16	17 mm	9 mm	2 mm
1536SS F/20	20 mm	11 mm	2 mm
1536SS F/25	25 mm	14 mm	2 mm
1536SS F/30	30 mm	14 mm	2 mm
1536SS F/35	35 mm	14 mm	2 mm
1536SS F/40	40 mm	14 mm	2 mm



4951B/40 CP


BRASS

CHROME PLATED

SADDLERY FLAT LOOP

Code	Inner diameter	Inner height	D
4951B/30 CP	30 mm	14 mm	2 mm
4951B/40 CP	40 mm	14 mm	2 mm





Swivels

SWIVEL Ø 4/4 MM

O 04/04 CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 5/5 MM

O 05/05 CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 6/6 MM

O 06/06 CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 8/8 MM

O 08/08 CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 10/10 MM

OT 10/10 CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 10/10 MM

O 10/10 CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 10/12 MM

O 10/12 CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 14/14 MM

O 14/14 CP

ZINC DIE CASTING

CHROME PLATED



STEEL SWIVEL Ø 10/11 MM

OS 10/11 NP

STEEL

NICKEL PLATED



SWIVEL Ø 14/14 MM

OT 14/14 CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 17/17 MM

O 17/17 CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 20/20 MM

O 20/20 CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 17 MM / D 25 MM

O 17/25Q CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 20 MM / D 25 MM
O 20/25Q CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL D 25/25 MM
O 25Q/25Q CP

ZINC DIE CASTING

CHROME PLATED



SWIVEL Ø 19 MM/25 MM
OT 19/25 ZP

STEEL

ZINC PLATED



SOLID BRASS SWIVEL Ø 17/17 MM
178B/17

BRASS

POLISHED



SOLID BRASS SWIVEL Ø 13/13 MM
178B/13

BRASS

POLISHED



SWIVEL Ø 20 MM
J/20 CP

ZINC DIE CASTING

CHROME PLATED



SOLID BRASS
SWIVEL Ø 25 MM
BOJ/25

BRASS

POLISHED



Use with rivet 8x10 BOJ/25

SOLID BRASS
SWIVEL Ø 20 MM
BOJ/20

BRASS

POLISHED



Use with rivet 6x10 BOJ/17,20

SOLID BRASS
SWIVEL Ø 17 MM
BOJ/17

BRASS

POLISHED



Use with rivet 70Z

SWIVEL Ø 13 MM
J/13 CP

ZINC DIE CASTING

CHROME PLATED



Use with rivet
6x8 J/13

BRASS INGLEFIELD CLIP



167B/70

BRASS

POLISHED



167B/50

BRASS

POLISHED



ALUMINUM SWIVEL Ø 15
MM/15 MM – BLACK

D3D3-15/15/BK

ALUMINIUM

ANODIZED



ALUMINUM SWIVEL Ø 15
MM/15 MM – SILVER

D3D3-15/15/S

ALUMINIUM

ANODIZED



ALUMINUM SWIVEL Ø 16
MM/16 MM – BLACK

D1D1-16/16/BK

ALUMINIUM

ANODIZED



ALUMINUM SWIVEL Ø 16
MM/16 MM – SILVER

D1D1-16/16/S

ALUMINIUM

ANODIZED



ALUMINUM SWIVEL Ø 20
MM/20 MM – BLACK

D4D4-20Q/20Q/B

ALUMINIUM

ANODIZED



ALUMINUM SWIVEL Ø 20
MM/20 MM – SILVER

D4D4-20Q/20Q/S

ALUMINIUM

ANODIZED



ALUMINUM SWIVEL Ø 25
MM/25 MM – SILVER

D2D2-25Q/25Q/S

ALUMINIUM

ANODIZED




ALUMINUM SWIVEL Ø 25
MM/25 MM – BLACK


D2D2-25Q/25Q/B

ALUMINIUM

ANODIZED



Split Rings



WK8/25 CP

STEEL CHROME PLATED

SPLIT RING HARDENED

Code	Inner diameter	D
W8K/19 CP	19 mm	3 mm
W8K/25 CP	25 mm	3 mm
W8K/30 CP	30 mm	3 mm



WK8/25 S BP

BRASS POLISHED

SPLIT RING

Code	Inner diameter	D
WK8/12 BP	12 mm	1.2 mm
WK8/16 BP	16 mm	1.2 mm
WK8/20 BP	20 mm	2 mm
WK8/25 S BP	25 mm	2 mm



WK8/25 S CP

STEEL CHROME PLATED

SPLIT RING

Code	Inner diameter	D
WK8/8 CP	8 mm	1 mm
WK8/16 CP	16 mm	2 mm
WK8/20 S CP	20 mm	2 mm
WK8/25 S CP	25 mm	2 mm
WK8/34 S CP	36 mm	3 mm



WK8/30 F CP

STEEL CHROME PLATED

FLAT SPLIT RING

Code	Inner diameter	D
WK8/20 F CP	20 mm	3 mm
WK8/23 F CP	23 mm	3 mm
WK8/28 CP	28 mm	3 mm
WK8/30 F CP	30 mm	3 mm



WK8/25 CP

STEEL CHROME PLATED

SPLIT RING PATTERNED

Code	Inner diameter	D
WK8/21 CP	21 mm	2 mm
NEW WK8/24 CP	24 mm	2 mm
WK8/25 CP	25 mm	2 mm



406SS/2.0x25

STAINLESS

SPLIT RING

Code	Inner diameter	D
406SS/1.8x16	16 mm	2 mm
406SS/2.0x20	20 mm	2 mm
406SS/2.0x25	26 mm	2 mm



407SS/2.0x20

STAINLESS

FLAT SPLIT RING

Code	Inner diameter	D
407SS/2.0x20	20 mm	2 mm
407SS/2.0x25	25 mm	2 mm



407 ST/2.0X20 RG

STEEL ROSE GOLD

FLAT SPLIT RING

Code	Inner diameter	D
407 ST/2.0X20 RG	20 mm	2 mm
407 ST/2.0X25 RG	25 mm	2 mm



407 ST/2.0X20 BK

STEEL BLACK

FLAT SPLIT RING

Code	Inner diameter	D
407 ST/2.0X20 BK	20 mm	2 mm
407 ST/2.0X25 BK	25 mm	2 mm



WK8/16 BNP

STEEL

BLACK NICKLE

SPLIT RING

Code	Inner diameter	D
WK8/16 BNP	16 mm	2 mm
WK8/20 S BNP	20 mm	2 mm



WK8/20 F BNP

STEEL

BLACK NICKLE

FLAT SPLIT RING

Code	Inner diameter	D
WK8/20 F BNP	20 mm	3 mm
WK8/23 F BNP	23 mm	3 mm
WK8/30 F BNP	30 mm	3 mm



WK8/Star CP

STEEL

CHROME PLATED

STAR SHAPED FLAT SPLIT RING

Code	Inner diameter	D
WK8/Star CP	34 mm	3 mm



WK8/Heart CP

STEEL

CHROME PLATED

HEART SHAPED FLAT SPLIT RING

Code	Inner diameter	D
WK8/Heart CP	31 mm	3 mm



H5281 CP

STEEL

CHROME PLATED

KEY RING CHARM

Code	Inner diameter	D
H5281 CP	20 mm	3 mm



H5282 CP

ZINC DIE CASTING

CHROME PLATED

METAL KEY RING CHARM

Code	Inner diameter	D
H5282 CP	22 mm	4.4 mm



NEW

BC SS/2.5x125

STAINLESS

BALL CHAIN

Code	D
BC SS/2.0x125	2 mm
BC SS/2.5x125	2.5 mm
BC SS/3.2x125	3.2 mm



NEW

49530SS/1.4x10

STAINLESS

PLUG CHAIN TRIANGLE

Code	Inner diameter	D
49530SS/1.4x10	10 mm	1.4 mm




NEW

KR SS/1.4x5.5

STAINLESS

OPEN JUMP RING

Code	Inner diameter	D
KR SS/1.4x5.5	5.5 mm	1.4 mm



Suspenders Clips & Buckles

**NEW** S1001/25 NP

ZINC DIE CASTING

NICKEL PLATED

METAL SUSPENDER CLIP

Code	Inner width	Inner height	Total length
S1001/25 NP	25 mm	7 mm	41 mm
S1001/38 NP	38 mm	7 mm	41 mm

**NEW** S1001/25 BK

ZINC DIE CASTING

BLACK

METAL SUSPENDER CLIP

Code	Inner width	Inner height	Total length
S1001/25 BK	25 mm	7 mm	41 mm
S1001/38 BK	38 mm	7 mm	41 mm

**NEW** S1001/25 AB

ZINC DIE CASTING

ANTIQUE BRASS

METAL SUSPENDER CLIP

Code	Inner width	Inner height	Total length
S1001/25 AB	25 mm	7 mm	41 mm
S1001/38 AB	38 mm	7 mm	41 mm

**NEW** S1019/25 NP

ZINC DIE CASTING

NICKEL PLATED

METAL SUSPENDER CLIP

Code	Inner width	Inner height	Total length
S1019/25 NP	25 mm	5 mm	40 mm
S1019/38 NP	38 mm	7 mm	41 mm

**NEW** S1001/25 BK

ZINC DIE CASTING

BLACK

METAL SUSPENDER CLIP

Code	Inner width	Inner height	Total length
S1019/25 BK	25 mm	7 mm	41 mm
S1019/38 BK	38 mm	7 mm	41 mm

**NEW** S1019/25 AB

ZINC DIE CASTING

ANTIQUE BRASS

METAL SUSPENDER CLIP

Code	Inner width	Inner height	Total length
S1019/25 AB	25 mm	5 mm	41 mm
S1019/38 AB	38 mm	7 mm	41 mm



NEW 2065/25 NP

ZINC DIE CASTING NICKEL PLATED

ADJUSTABLE SUSPENDER SLIDER

Code	Inner width	Inner height	Total length
2065/25 NP	25 mm	4 mm	20 mm
2065/38 NP	38 mm	5 mm	40 mm



NEW 2065/25 BK

ZINC DIE CASTING BLACK

ADJUSTABLE SUSPENDER SLIDER

Code	Inner width	Inner height	Total length
2065/25 BK	25 mm	4 mm	20 mm
2065/38 BK	38 mm	5 mm	40 mm



NEW 2065/25 AB

ZINC DIE CASTING NICKEL PLATED

ADJUSTABLE SUSPENDER SLIDER

Code	Inner width	Inner height	Total length
2065/25 AB	25 mm	4 mm	20 mm
2065/38 AB	38 mm	5 mm	40 mm



Metal Belt Clips

BELT CLIP 16 MM

1239/16 NP STEEL NICKEL PLATED



BELT CLIP 26 MM

1237/26 NP STEEL NICKEL PLATED



BELT CLIP 25 MM

1238/25 NP STEEL NICKEL PLATED



BELT CLIP 16 MM

1239/16 BNP STEEL BLACK NICKLE



BELT CLIP 26 MM

1237/26 BNP STEEL BLACK NICKLE




BELT CLIP 25 MM

1238/25 BNP STEEL BLACK NICKLE



Made by Karel B. Venzara

Clasps for Bracelets



BL045SS/10X5

STAINLESS

POLISHED

MAGNETIC CLASP FOR BRACELETS

Code	Inner width	Inner height	Total length
BL046SS/8X3	8 mm	3 mm	20 mm
BL045SS/10X5	10 mm	5 mm	25 mm
BL045SS/12X6	12 mm	6 mm	25 mm



BL045SS/10X5 VBK

STAINLESS

BLACK

MAGNETIC CLASP FOR BRACELETS

Code	Inner width	Inner height	Total length
BL046SS/8X3 VBK	8 mm	3 mm	20 mm
BL045SS/10X5 VBK	10 mm	5 mm	25 mm
BL045SS/12X6 VBK	12 mm	6 mm	25 mm



BL045SS/10X5 VGP

STAINLESS

GOLD PLATED

MAGNETIC CLASP FOR BRACELETS

Code	Inner width	Inner height	Total length
BL046SS/8X3 VGP	8 mm	3 mm	20 mm
BL045SS/10X5 VGP	10 mm	5 mm	25 mm
BL045SS/12X6 VGP	12 mm	6 mm	25 mm



NEW DS641 SS-8MM

STAINLESS

POLISHED

SHACKLE CLASP

Code	Inner width	Inner height	Total length
DS641 SS-8MM	16 mm	8 mm	25 mm

Bag Clasps & Closures



BAG CLASP SET

CL B/34X25

BRASS

POLISHED



BAG CLASP

ZINC DIE CASTING

NICKEL PLATED

CL265-NP
CL243-NP
CL671-NP



BAG CLASP

ZINC DIE CASTING

BLACK NICKLE

CL265-BNP
CL243-BNP
CL671-BNP

BAG CLASP

ZINC DIE CASTING

BLACK NICKLE



L023/23x33 BNP



H250/31x29 BNP



H522/29x32.5 BNP



L023/44x45 BNP



H1182/24x25 BNP

BAG CLASP

ZINC DIE CASTING

NICKEL PLATED



L023/23x33 NP



H1182/24x25 NP



H250/31x29 NP



SWING BAG LOCK

SBL/28x34 BNP
SBL/38x45 BNP

ZINC DIE CASTING

BLACK NICKLE



L023/44x45 NP



H522/29x32.5 NP



SWING BAG LOCK

SBL/28x34 NP
SBL/38x45 NP

ZINC DIE CASTING

NICKEL PLATED

Other Hardware

SPRING MONEY CLIP BAR



MC 15/80 NP

STEEL

NICKEL PLATED

SLIDE PINCH CLIP

STEEL

NICKEL PLATED



4065/12 NP



4065/19 NP

K-PLATE

K-WLP CP

STEEL

CHROME PLATED





DISPLAY RING WITH HOOK Ø120 MM

P-ring
Height: 20 cm, Width: 12 cm

STEEL CHROME PLATED

DISPLAY RING WITHOUT HOOK Ø120 MM

O-ring STEEL CHROME PLATED



CURTAIN HOOK RING
KC-01 STEEL NICKEL PLATED



A609R/25 S

ALUMINIUM

**ALUMINUM G-HOOK
RIGHT-HANDED**

Code	Inner diameter	Height
A609R/16 S	16 mm	34 mm
A609R/20 S	20 mm	38 mm
A609R/25 S	25 mm	40 mm
A609R/38 S	38 mm	52 mm



A609R/20 BK

ALUMINIUM BLACK

**ALUMINUM G-HOOK
RIGHT-HANDED**

Code	Inner diameter	Height
A609R/16 BK	16 mm	34 mm
A609R/20 BK	20 mm	37 mm
A609R/25 BK	25 mm	40 mm
A609R/38 BK	38 mm	52 mm



A609L/16 BK

ALUMINIUM BLACK

**ALUMINUM G-HOOK
LEFT-HANDED**

Code	Inner diameter	Height
A609L/16 BK	16 mm	34 mm
A609L/20 BK	20 mm	37 mm
A609L/25 BK	25 mm	40 mm
A609L/38 BK	38 mm	52 mm

Side Release Plastic Buckles



PLASTIC SIDE RELEASE BUCKLE 10–39 MM, CURVED



507 PL/40



507 PL/25



507 PL/20



507 PL/17



507 PL/13



507 PL/10

PLASTIC SIDE RELEASE BUCKLE 13–39 MM, CURVED



507N PL/13



507N PL/16



507N PL/19



507N PL/25



507N PL/40



REAL SIZE

SIDE RELEASE PLASTIC BUCKLES



PLASTIC SIDE RELEASE BUCKLE 20–40 MM, FROST-PROOF



PLASTIC BUCKLES



505 PL/40 AF



505 PL/50 AF



505 PL/20 AF



505 PL/25 AF



505 PL/30 AF

PLASTIC SIDE RELEASE BUCKLE 20–30 MM, FROST-PROOF



500 PL/30 AF



500 PL/25 AF



500 PL/20 AF

PLASTIC SIDE RELEASE BUCKLE 17–40 MM, WITH SAFETY LOCK



506 PL/17



506 PL/20



506 PL/25



506 PL/40



NEW 506 PL/30

PLASTIC SIDE RELEASE BUCKLE 11–17 MM, CURVED



505 PL/10



505 PL/17

PLASTIC SWING BUCKLE 16–25 MM



LK313/16



LK313/20



LK313/25

PLASTIC SIDE RELEASE BUCKLE 10 MM, BREAKAWAY



512UB PL/10



507UB PL/10

PLASTIC SIDE RELEASE BUCKLE 38 MM, FROST-PROOF

NEW



S20A/40 AF



S20A/50 AF



REAL SIZE |

SIDE RELEASE PLASTIC BUCKLES



PLASTIC SIDE RELEASE BUCKLE 10 MM, CURVED



S6D/10

PLASTIC SIDE RELEASE BUCKLE 25 MM, WITH SAFETY LOCK



S21/25

PLASTIC SIDE RELEASE BUCKLE 20-50 MM, HEAVY-DUTY



501 PL/40



501 PL/50



501 PL/25



501 PL/30



501 PL/20

PLASTIC SIDE RELEASE BUCKLE 20-25 MM, STRAIGHT



501D PL/20



501D PL/25

PLASTIC SIDE RELEASE BUCKLE DURAFLEX 15-38 MM, STRAIGHT



D/MOJAVE/15



D/MOJAVE/20



D/MOJAVE/25



D/MOJAVE/38





PLASTIC SIDE RELEASE BUCKLE DURAFLEX 15-30 MM, CURVED



D/WIENERLOCK/15



D/WIENERLOCK/20



D/WIENERLOCK/25



D/WIENERLOCK/30



FIDLOCK MAGNETIC FASTENERS FOR DOG COLLARS 15–40 MM



V-14410/20



V-11401/25



V-13408/40



F1665/15



V-11401/25 GITD



NEW FV-26411/15



NEW FV-27412/20


PLASTIC SIDE RELEASE BUCKLE 25–40 MM, COBRA® NG



NG COBRA/45



NG COBRA/25



Plastic Triglide Slides



AC602H/20



202 PL/20

LADDERSLOC BUCKLE 20-25 MM


Code	Inner diameter	D
AC602H/20	20 mm	4 mm
AC602H/25	25 mm	4 mm

PLASTIC TRI-GLIDE 10-50 MM

Code	Inner diameter	D	Code	Inner diameter	D
202 PL/10	10 mm	5 mm	202 PL/25	25 mm	10 mm
202 PL/13	13 mm	4.5 mm	202 PL/30	30 mm	9 mm
202 PL/17	17 mm	7 mm	202 PL/40	40 mm	10 mm
202 PL/20	20 mm	9 mm	202 PL/50	50 mm	11 mm



Plastic Loops



L8A PL/40

PLASTIC LOOP 10–40 MM, ROUNDED

Code	Inner diameter	Height	D
L8A PL/10	10 mm	4 mm	2 mm
L8A PL/16	16 mm	4 mm	2 mm
L8A PL/20	20 mm	4 mm	2 mm
L8A PL/25	25 mm	5 mm	2 mm
L8A PL/30	32 mm	6 mm	2 mm
L8A PL/40	38 mm	6 mm	2 mm



408 PL/20

PLASTIC LOOP 10–30 MM, SQUARE

Code	Inner diameter	Height	D
408 PL/10	10 mm	4 mm	2 mm
408 PL/17	17 mm	6 mm	2 mm
408 PL/20	20 mm	6 mm	2 mm
408 PL/25	25 mm	5 mm	2 mm
408 PL/30	30 mm	5 mm	2 mm




401 PL/25

PLASTIC LOOP 13–39 MM, FLAT

Code	Inner diameter	Height	D
401 PL/13	13 mm	5 mm	2.5 mm
401 PL/17	17 mm	5.5 mm	3.5 mm
401 PL/20	20 mm	6 mm	3.5 mm
401 PL/25	25 mm	7 mm	3 mm
401 PL/40	39 mm	7 mm	3.5 mm





Plastic Cord Stoppers

MINI BALL CORD LOCK



Code	Inside diameter:
AB605	7 mm

SQUARE CORD LOCK



Code	Inside diameter:
PE606	8 mm

FLAT CORD LOCK



Code	Inside diameter:
AB624	5 mm

CORD LOCK



Code	Inside diameter:
AB621	4 mm

CORD LOCK



Code	Inside diameter:
PE616	6 mm

CORD LOCK



Code	Inside diameter:
AB603	5.5 mm

CORD LOCK



Code	Inside diameter:
AB610	5 mm

CORD LOCK



Code	Inside diameter:
AC607	10 mm



Plastic Cord Ends

PLASTIC END CAP Ø 5.5 MM



Code	Inside diameter:
AB641	5.5 mm

PLASTIC END CAP Ø 5.5 MM



Code	Inside diameter:
AB642	5.5 mm

PLASTIC END CAP Ø 4.4 MM



Code	Inside diameter:
AB642D	4.4 mm

PLASTIC END CAP Ø 4.2 MM




Code	Inside diameter:
AB642B	4.2 mm



PLASTIC END CAP Ø 4.4 MM

Code	Inner ø	Lenght	Width
AB645C	4.4 mm	6.4 mm	9 mm

Plastic Snap Hooks



AC103/25



AC105/12



PP644

PLASTIC SNAP HOOK SWIVEL

Code	Inner diameter	Length
AC103/20	20 mm	62 mm
AC103/25	25 mm	61 mm
AC103/40	40 mm	62 mm

PLASTIC SNAP HOOK SWIVEL – ROUND EYE

Code	Inner diameter	Length
AC105/12	12 mm	62 mm

ESKIMO HOOK BALL

Code	Total length	Eye width	Gate Opening
PP644	31 mm	14 mm	7 mm

Plastic O-Rings / D-Rings



AC307/25




AC302/40

PLASTIC O RING

Code	Inner diameter	Length
AC307/20	20 mm	62 mm
AC307/25	25 mm	61 mm
AC307/40	40 mm	62 mm

PLASTIC D RING

Code	Inner diameter	Length
AC302/10	10 mm	15 mm
AC302/20	20 mm	26 mm
AC302/25	25 mm	33 mm
AC302/30	30 mm	39 mm
AC302/40	40 mm	50 mm



Trigger Snaps



ZINC DIE CASTING

NEO-CHROME

TRIGGER SNAP 61 MM/13

Code	Total length	Eye width	Weight	Breaking load
TRIGG M/13 NEO	61 mm	13 mm	26 g	130 kg




ZINC DIE CASTING

NEO-CHROME

TRIGGER SNAP 59 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
TRIGG M/20Q NEO	59 mm	20 mm	26 g	120 kg




ZINC DIE CASTING

ROSE GOLD

TRIGGER SNAP 61 MM/13

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/13 RG	61 mm	13 mm	26 g	130 kg




ZINC DIE CASTING

ROSE GOLD

TRIGGER SNAP 59 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/20QRG	59 mm	20 mm	26 g	120 kg




ZINC DIE CASTING

ROSE GOLD

TRIGGER SNAP 64 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/25QRG	64 mm	25 mm	40 g	130 kg



ZINC DIE CASTING

ROSE GOLD

TRIGGER SNAP 62 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/16Q RG	62 mm	16 mm	28 g	160 kg



ZINC DIE CASTING BLACK

TRIGGER SNAP 61 MM/13

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/13 BK	61 mm	13 mm	27 g	130 kg



ZINC DIE CASTING BLACK

TRIGGER SNAP 59 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/20Q BK	59 mm	20 mm	26 g	120 kg



ZINC DIE CASTING BLACK

TRIGGER SNAP 62 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/16QBK	62 mm	16 mm	28 g	160 kg



ZINC DIE CASTING BLACK

TRIGGER SNAP 64 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/25Q BK	64 mm	25 mm	40 g	130 kg



ZINC DIE CASTING ANTIQUE BRASS

TRIGGER SNAP 61 MM/13

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/13 AB	61 mm	13 mm	26 g	130 kg



ZINC DIE CASTING ANTIQUE BRASS

TRIGGER SNAP 62 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/16Q AB	62 mm	16 mm	28 g	160 kg



ZINC DIE CASTING ANTIQUE BRASS

TRIGGER SNAP 59 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/20Q AB	59 mm	20 mm	26 g	120 kg



ZINC DIE CASTING

GOLD PLATED

TRIGGER SNAP 62 MM/16Q

NEW

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/16Q GP	62 mm	16 mm	28 g	160 kg



ZINC DIE CASTING

GOLD PLATED

TRIGGER SNAP 59 MM/20Q

NEW

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/20Q GP	59 mm	20 mm	26 g	120 kg



ZINC DIE CASTING

NICKEL PLATED

TRIGGER SNAP 62 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/20QNP	62 mm	20 mm	38 g	230 kg



ZINC DIE CASTING

NICKEL PLATED

TRIGGER SNAP 63 MM/13

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/13 NP	63 mm	13 mm	35 g	130 kg





BRASS

CHROME PLATED

TRIGGER SNAP 66 MM/13

Code	Total length	Eye width	Weight	Breaking load
BTRIGGER M/13 CP	66 mm	13 mm	34 g	130 kg



BRASS

POLISHED

TRIGGER SNAP 63 MM/13

Code	Total length	Eye width	Weight	Breaking load
BTRIGGER M/13	63 mm	13 mm	36 g	150 kg



BRASS

POLISHED

TRIGGER SNAP 66 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
BTRIGGER M/20Q	66 mm	20 mm	40 g	130 kg



BRASS

POLISHED

TRIGGER SNAP 61 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
BTRIGGER M/13Q	61 mm	13 mm	33 g	140 kg




BRASS

POLISHED

TRIGGER SNAP 66 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
BTRIGGER M/16Q	66 mm	16 mm	37 g	162 kg



BRASS

POLISHED

TRIGGER SNAP 66 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
BTRIGGER M/25Q	66 mm	26 mm	50 g	140 kg



BRASS

POLISHED

TRIGGER SNAP 69 MM/17

Code	Total length	Eye width	Weight	Breaking load
BTRIGGER M/17	69 mm	17 mm	36 g	120 kg



BRASS

POLISHED

TRIGGER SNAP 71 MM/20

Code	Total length	Eye width	Weight	Breaking load
BTRIGGER M/20	71 mm	20 mm	38 g	135 kg



ZINC DIE CASTING

CHROME PLATED

TRIGGER SNAP 62 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/16Q CP	62 mm	16 mm	28 g	160 kg



ZINC DIE CASTING

CHROME PLATED

TRIGGER SNAP 62 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/20Q CP	62 mm	20 mm	38 g	230 kg



ZINC DIE CASTING

CHROME PLATED

TRIGGER SNAP 65 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/25Q CP	65 mm	25 mm	34 g	130 kg



ZINC DIE CASTING

CHROME PLATED

TRIGGER SNAP 63 MM/13

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/13 CP	63 mm	13 mm	35 g	130 kg



ZINC DIE CASTING

CHROME PLATED

TRIGGER SNAP 68 MM/17

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/17 CP	68 mm	17 mm	35 g	180 kg



ZINC DIE CASTING

CHROME PLATED

TRIGGER SNAP 67 MM/20

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/20 CP	67 mm	20 mm	36 g	180 kg



ZINC DIE CASTING

GOLD PLATED

TRIGGER SNAP 61 MM/13

NEW

Code	Total length	Eye width	Weight	Breaking load
TRIGGER M/13 GP	61 mm	13 mm	27 g	130 kg



STAINLESS POLISHED

TRIGGER SNAP 65 MM/13

Code	Total length	Eye width	Weight	Breaking load
SS TRIGGER/13	65 mm	13 mm	51 g	426 kg



STAINLESS POLISHED

TRIGGER SNAP 64 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
SS TRIGGER /13Q	64 mm	13 mm	52 g	426 kg



STAINLESS POLISHED

TRIGGER SNAP 51 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
SS TRIGGER S/13Q	51 mm	13 mm	20 g	250 kg



STAINLESS POLISHED

TRIGGER SNAP 65 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
SS TRIGGER/20Q	65 mm	20 mm	53 g	500 kg



STAINLESS POLISHED

TRIGGER SNAP 66 MM/17

Code	Total length	Eye width	Weight	Breaking load
SS TRIGGER/17	66 mm	17 mm	54 g	500 kg



STAINLESS POLISHED

TRIGGER SNAP 66 MM/20

Code	Total length	Eye width	Weight	Breaking load
SS TRIGGER/20	66 mm	20 mm	53 g	500 kg



STAINLESS POLISHED

TRIGGER SNAP 65 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
SS TRIGGER/25Q	65 mm	25 mm	56 g	420 kg



STAINLESS

POLISHED

TRIGGER SNAP 63 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
SS BTRIGGER/20Q	63 mm	20 mm	21 g	500 kg



STAINLESS

POLISHED

TRIGGER SNAP 66 MM/13

Code	Total length	Eye width	Weight	Breaking load
SS BTRIGGER/13	66 mm	13 mm	54 g	500 kg



ZINC DIE CASTING

BLACK

TRIGGER SNAP 45 MM/10

Code	Total length	Eye width	Weight	Breaking load
TRIGGER S/10 BK	45 mm	10 mm	12 g	100 kg



BRASS

POLISHED

TRIGGER SNAP 45 MM/10

Code	Total length	Eye width	Weight	Breaking load
BTRIGGER S/10	47 mm	10 mm	16 g	100 kg



ZINC DIE CASTING

NICKEL PLATED

TRIGGER SNAP 45 MM/10

Code	Total length	Eye width	Weight	Breaking load
TRIGGER S/10 NP	45 mm	10 mm	12 g	100 kg



ZINC DIE CASTING

ROSE GOLD

TRIGGER SNAP 45 MM/10

Code	Total length	Eye width	Weight	Breaking load
TRIGGER S/10 RG	45 mm	10 mm	12 g	100 kg



STAINLESS

POLISHED

TRIGGER SNAP 45 MM/10

Code	Total length	Eye width	Weight	Breaking load
SS TRIGGER S/10	48 mm	10 mm	19 g	250 kg



ZINC DIE CASTING

ANTIQUE BRASS

TRIGGER SNAP 45 MM/10

Code	Total length	Eye width	Weight	Breaking load
TRIGGER S/10 AB	45 mm	10 mm	12 g	100 kg



ZINC DIE CASTING

GOLD PLATED

TRIGGER SNAP 45 MM/10

NEW

Code	Total length	Eye width	Weight	Breaking load
TRIGGER S/10 GP	45 mm	10 mm	12 g	100 kg



STEEL ANTIQUE COPPER

HUNTING SNAP HOOK 91 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
WKS 20/20 AC	91 mm	20 mm	36 g	200 kg



STEEL NICKEL PLATED

HUNTING SNAP HOOK 91 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
WKS 20/20 NP	91 mm	20 mm	36 g	200 kg



ALUMINIUM



ALUMINUM SNAP HOOK FROG
89 MM/11.5

Code	Total length	Eye width	Weight	Breaking load
7000XGNN0KK	89 mm	11.5 mm	50 g	2500 kg



ALUMINIUM



ALUMINUM SNAP HOOK FROG ANSI
92 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
7040XHNN0XX	92 mm	25 mm	70 g	2440 kg



ALUMINIUM



ALUMINIUM SNAP HOOK FROG
360 13 CM/25Q

Code	Total length	Eye width	Weight	Breaking load
7040XNNONKK	13 cm	25 mm	131 g	2300 kg

ALUMINIUM



ALUMINIUM SNAP HOOK FROG
360 13 CM/25Q

Code	Total length	Eye width	Weight	Breaking load
7040XNNNNKK	13 cm	25 mm	131 g	2300 kg

ALUMINUM TRIGGER SNAP 75 MM/15-25Q

ALUMINIUM



Code	Total length	Eye width	Weight	Breaking load
AZ188/15 BK	75 mm	15 mm	32 g	304 kg



Code	Total length	Eye width	Weight	Breaking load
AZ188/25Q BK	75 mm	25 mm	35 g	304 kg



Code	Total length	Eye width	Weight	Breaking load
AZ188/20Q BK	75 mm	20 mm	34 g	304 kg



SNAP HOOKS




ALUMINIUM



ALUMINIUM SNAP HOOK MINI FROG 60 MM/6

Code	Total length	Eye width	Weight	Breaking load
7250X0NN0KK	60 mm	6 mm	20 g	670 kg




MARINE BRONZE

POLISH

TRIGGER SNAP KONG® 84 MM/22

NEW

Code	Total length	Eye width	Weight	Breaking load
371220000YK	84 mm	22 mm	70 g	188 kg




MARINE BRONZE

POLISH

TRIGGER SNAP KONG® 77 MM/20Q

NEW

Code	Total length	Eye width	Weight	Breaking load
370200000YK	77 mm	20 mm	65 g	183 kg



MARINE BRONZE

POLISH

TRIGGER SNAP KONG® 95 MM/22

NEW

Code	Total length	Eye width	Weight	Breaking load
373220000YK	95 mm	22 mm	81 g	188 kg



MARINE BRONZE

POLISH

TRIGGER SNAP KONG® 88 MM/20Q


NEW

Code	Total length	Eye width	Weight	Breaking load
372200000YK	88 mm	20 mm	79 g	188 kg





Fire Brigade Snap Hooks



2460SS 8x80

STAINLESS POLISHED

STAINLESS FIRE BRIGADE SNAP HOOK 50–100 MM

Code	Length	Gate opening	D	Weight	Breaking load
2460SS 5x50	50 mm	7 mm	5 mm	16 g	450 kg
2460SS 6x60	60 mm	8 mm	6 mm	27 g	500 kg
2460SS 7x70	70 mm	9 mm	7 mm	43 g	500 kg
2460SS 8x80	80 mm	11 mm	8 mm	64 g	500 kg
2460SS 10x100	100 mm	13 mm	10 mm	122 g	500 kg



2460 9x90

STEEL ZINC PLATED

STEEL FIRE BRIGADE SNAP HOOK 40 –120 MM

Code	Length	Gate opening	D	Weight	Breaking load
2460 4x40	40 mm	6 mm	4 mm	8 g	65 kg
2460 5x50	50 mm	7 mm	5 mm	15 g	200 kg
2460 6x60	60 mm	8 mm	6 mm	26 g	250 kg
2460 7x70	70 mm	8 mm	7 mm	42 g	450 kg
2460 8x80	80 mm	10 mm	8 mm	61 g	500 kg
2460 9x90	90 mm	13 mm	9 mm	92 g	500 kg
2460 10x100	100 mm	13 mm	10 mm	120 g	500 kg
2460 11x120	12 cm	16 mm	11 mm	178 g	500 kg
2460 12x140	14 cm	21 mm	12 mm	254 g	500 kg




462LD011PKK

STEEL

OVAL STEEL KONG CLASSIC CARABINER SNAP – SCREW LOCK



Code	Length	Gate opening	D	Weight	Breaking load
462LD011PKK	100 mm	16 mm	11 mm	176 g	2400 kg



Scissor Snap Hooks



ZINC DIE CASTING

CHROME PLATED

SCISSOR SNAP HOOK 62 MM/8

Code	Total length	Eye width	Weight	Breaking load
028/10 CP	62 mm	8 mm	12 g	60 kg



MALLEABLE IRON

NICKEL PLATED

SCISSOR SNAP HOOK 86 MM/11

Code	Total length	Eye width	Weight	Breaking load
SGM174M/50 NP	86 mm	11 mm	30 g	80 kg



MALLEABLE IRON

NICKEL PLATED

SCISSOR SNAP HOOK 100 MM/14

Code	Total length	Eye width	Weight	Breaking load
SGM174M/60 NP	100 mm	14 mm	46 g	100 kg



ZINC DIE CASTING

CHROME PLATED

SCISSOR SNAP HOOK 62 MM/8

Code	Total length	Eye width	Weight	Breaking load
028/08 CP	62 mm	8 mm	12 g	60 kg



ZINC DIE CASTING

CHROME PLATED

SCISSOR SNAP HOOK 100 MM/15

Code	Total length	Eye width	Weight	Breaking load
028/15 CP	100 mm	15 mm	41 g	80 kg



ZINC DIE CASTING

NICKEL PLATED

SCISSOR SNAP HOOK 120 MM/20

Code	Total length	Eye width	Weight	Breaking load
Z028/70 NP	12 cm	20 mm	36 g	80 kg



MALLEABLE IRON

NICKEL PLATED

SCISSOR SNAP HOOK 117 MM/20

Code	Total length	Eye width	Weight	Breaking load
SGM174M-70-06 NP	11 cm	20 mm	90 g	120 kg




ZINC DIE CASTING

CHROME PLATED

SCISSOR SNAP HOOK 127 MM/18

Code	Total length	Eye width	Weight	Breaking load
028/18 CP	13 cm	18 mm	67 g	120 kg





Fashion Snap Hooks



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 39 MM/6

Code	Total length	Eye width	Weight	Breaking load
40/06 CP	39 mm	6 mm	7 g	25 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 39 MM/12

Code	Total length	Eye width	Weight	Breaking load
40/12 CP	39 mm	12 mm	7 g	20 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 39 MM/16

Code	Total length	Eye width	Weight	Breaking load
40/16 CP	39 mm	16 mm	7 g	20 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 39 MM/16

Code	Total length	Eye width	Weight	Breaking load
40/16Q CP	39 mm	16 mm	7 g	20 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 39 MM/20

Code	Total length	Eye width	Weight	Breaking load
40/20Q CP	39 mm	20 mm	7 g	25 kg



ZINC DIE CASTING

ANTIQUE BRASS

HABERDASHERY SNAP 41 MM/12

Code	Total length	Eye width	Weight	Breaking load
40/12 AB	41 mm	12 mm	7 g	20 kg



ZINC DIE CASTING

ANTIQUE BRASS

HABERDASHERY SNAP 39 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
40/16Q AB	39 mm	16 mm	7 g	20 kg



ZINC DIE CASTING

ANTIQUE BRASS

HABERDASHERY SNAP 39 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
40/20Q AB	39 mm	20 mm	7 g	25 kg



ZINC DIE CASTING

ANTIQUE BRASS

HABERDASHERY SNAP 49 MM/20

Code	Total length	Eye width	Weight	Breaking load
808/20 AB	49 mm	20 mm	14 g	60 kg



ZINC DIE CASTING

ANTIQUE BRASS

HABERDASHERY SNAP 52 MM/25

Code	Total length	Eye width	Weight	Breaking load
808/25 AB	52 mm	25 mm	15 g	60 kg



ZINC DIE CASTING

ANTIQUE BRASS

HABERDASHERY SNAP 51 MM/40

Code	Total length	Eye width	Weight	Breaking load
808/40 AB	51 mm	40 mm	20 g	35 kg



ZINC DIE CASTING

ANTIQUE BRASS

HABERDASHERY SNAP 50 MM/30

Code	Total length	Eye width	Weight	Breaking load
808/30 AB	50 mm	30 mm	15 g	30 kg



ZINC DIE CASTING

ANTIQUE BRASS

HABERDASHERY SNAP 52 MM/30Q

Code	Total length	Eye width	Weight	Breaking load
808/30Q AB	52 mm	30 mm	18 g	30 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 49 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
808/20Q CP	49 mm	20 mm	12 g	40 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 52 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
808/25Q CP	52 mm	25 mm	14 g	60 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 52 MM/30Q

Code	Total length	Eye width	Weight	Breaking load
808/30Q CP	52 mm	30 mm	18 g	30 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 54 MM/40Q

Code	Total length	Eye width	Weight	Breaking load
808/40Q CP	54 mm	40 mm	21 g	40 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 48 MM/10

Code	Total length	Eye width	Weight	Breaking load
808/10 CP	48 mm	10 mm	10 g	40 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 50 MM/16

Code	Total length	Eye width	Weight	Breaking load
808/16 CP	50 mm	16 mm	11 g	60 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 49 MM/20

Code	Total length	Eye width	Weight	Breaking load
808/20 CP	49 mm	20 mm	15 g	60 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 52 MM/25

Code	Total length	Eye width	Weight	Breaking load
808/25 CP	52 mm	25 mm	15 g	60 kg



ZINC DIE CASTING

BRASS PLATED

HABERDASHERY SNAP 52 MM/25

Code	Total length	Eye width	Weight	Breaking load
808/25 BP	52 mm	25 mm	15 g	60 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 54 MM/40

Code	Total length	Eye width	Weight	Breaking load
808/40 CP	54 mm	40 mm	21 g	35 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 51 MM/50

Code	Total length	Eye width	Weight	Breaking load
808/50 CP	51 mm	50 mm	19 g	35 kg



ZINC DIE CASTING

BRASS PLATED

HABERDASHERY SNAP 50 MM/30

Code	Total length	Eye width	Weight	Breaking load
808/30 BP	50 mm	30 mm	15 g	30 kg



ZINC DIE CASTING

CHROME PLATED

HABERDASHERY SNAP 63 MM/40Q

Code	Total length	Eye width	Weight	Breaking load
704/40Q CP	63 mm	40 mm	19 g	40 kg



ZINC DIE CASTING

ANTIQUE BRASS

HABERDASHERY SNAP 62 MM/40Q

Code	Total length	Eye width	Weight	Breaking load
704/40Q AB	62 mm	40 mm	19 g	40 kg



ZINC DIE CASTING

BLACK

HABERDASHERY SNAP 54 MM/40

Code	Total length	Eye width	Weight	Breaking load
808/40 BK	54 mm	40 mm	21 g	35 kg



ZINC DIE CASTING BLACK

HABERDASHERY SNAP 50 MM/30

Code	Total length	Eye width	Weight	Breaking load
808/30 BK	50 mm	30 mm	15 g	30 kg



ZINC DIE CASTING BLACK

HABERDASHERY SNAP 54 MM/40Q

Code	Total length	Eye width	Weight	Breaking load
808/40Q BK	54 mm	40 mm	21 g	40 kg



ZINC DIE CASTING GOLD PLATED

HABERDASHERY SNAP 50 MM/30Q

NEW

Code	Total length	Eye width	Weight	Breaking load
808/30 GP	50 mm	30 mm	15 g	30 kg



ZINC DIE CASTING GOLD PLATED

HABERDASHERY SNAP 50 MM/40Q

NEW

Code	Total length	Eye width	Weight	Breaking load
808/40 GP	54 mm	40 mm	21 g	35 kg



STEEL CHROME PLATED

METAL SNAP HOOK 50 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
C 17/20Q CP	50 mm	20 mm	9 g	40 kg



STEEL CHROME PLATED

METAL SNAP HOOK 50 MM/30Q

Code	Total length	Eye width	Weight	Breaking load
C 17/30Q CP	50 mm	30 mm	10 g	40 kg



STEEL CHROME PLATED

METAL SNAP HOOK 50 MM/40Q

Code	Total length	Eye width	Weight	Breaking load
C 17/40Q CP	50 mm	40 mm	19 g	40 kg



ZINC DIE CASTING CHROME PLATED

HABERDASHERY SNAP 34 MM/10

Code	Total length	Eye width	Weight	Breaking load
35/6 CP	34 mm	10 mm	6 g	12 kg



ZINC DIE CASTING CHROME PLATED

HABERDASHERY SNAP 34 MM/12

Code	Total length	Eye width	Weight	Breaking load
35/12 CP	34 mm	12 mm	4 g	15 kg



LEVER SNAP 45 MM/23Q



Z3801/25 BK

ZINC DIE CASTING

BLACK

Code	Total length	Eye width	Weight	Breaking load
Z3801/25 BK	45 mm	23 mm	19 g	2 kg



Z3801/25 NP

ZINC DIE CASTING

NICKEL PLATED

Code	Total length	Eye width	Weight	Breaking load
Z3801/25 NP	45 mm	23 mm	19 g	2 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 70 MM/9

Code	Total length	Eye width	Weight	Breaking load
405 CP	70 mm	9 mm	11 g	2 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 53 MM/16

Code	Total length	Eye width	Weight	Breaking load
K-H23mm	53 mm	16 mm	3 g	2 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 66 MM/8

Code	Total length	Eye width	Weight	Breaking load
406 CP	66 mm	8 mm	9 g	2 kg

SIMPLEX HOOK 20-50 MM/18-50

STEEL

NICKEL PLATED

Code	Total length	Eye width	Weight	Breaking load
150	20 mm	18 mm	1 g	15 kg
190	30 mm	28 mm	2 g	20 kg
210	40 mm	37 mm	4 g	30 kg
230	50 mm	46 mm	8 g	50 kg



150



190




210



230

Decorative Snap Hooks



ZINC DIE CASTING

NICKEL PLATED

SPRING SNAP DELUXE 51 MM/10

Code	Total length	Eye width	Weight	Breaking load
90 S/10 NP	51 mm	10 mm	11 g	90 kg



ZINC DIE CASTING

BLACK

SPRING SNAP DELUXE 51 MM/10

Code	Total length	Eye width	Weight	Breaking load
90 S/10 BK	51 mm	10 mm	11 g	90 kg



ZINC DIE CASTING

ROSE GOLD

SPRING SNAP DELUXE 51 MM/10

Code	Total length	Eye width	Weight	Breaking load
90 S/10 RG	51 mm	10 mm	11 g	90 kg



ZINC DIE CASTING

NICKEL PLATED

SPRING SNAP DELUXE 49 MM/10Q

Code	Total length	Eye width	Weight	Breaking load
90 S/10Q NP	49 mm	10 mm	11 g	90 kg




ZINC DIE CASTING

BLACK

SPRING SNAP DELUXE 49 MM/10Q

Code	Total length	Eye width	Weight	Breaking load
90 S/10Q BK	48 mm	10 mm	11 g	90 kg



ZINC DIE CASTING

ROSE GOLD

SPRING SNAP DELUXE 49 MM/10Q

Code	Total length	Eye width	Weight	Breaking load
90 S/10Q RG	47mm	10 mm	11 g	90 kg



ZINC DIE CASTING

NICKEL PLATED

SPRING SNAP DELUXE 48 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
90 S/13Q NP	49 mm	13 mm	12 g	90 kg



ZINC DIE CASTING

BLACK

SPRING SNAP DELUXE 48 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
90 S/13Q BK	49 mm	13 mm	12 g	90 kg



ZINC DIE CASTING

ROSE GOLD

SPRING SNAP DELUXE 48 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
90 S/13Q RG	49 mm	13 mm	12 g	90 kg



ZINC DIE CASTING

NICKEL PLATED

SPRING SNAP DELUXE 50 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
90 S/16Q NP	49 mm	16 mm	12 g	90 kg




ZINC DIE CASTING

BLACK

SPRING SNAP DELUXE 50 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
90 S/16Q BK	49 mm	16 mm	12 g	90 kg



ZINC DIE CASTING

ROSE GOLD

SPRING SNAP DELUXE 50 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
90 S/16Q RG	49 mm	16 mm	12 g	90 kg



ZINC DIE CASTING

NICKEL PLATED

SPRING SNAP DELUXE 77 MM/16

Code	Total length	Eye width	Weight	Breaking load
Z505A/16 NP	77 mm	16 mm	33 g	204 kg



ZINC DIE CASTING

NICKEL PLATED

SPRING SNAP DELUXE 86 MM/26

Code	Total length	Eye width	Weight	Breaking load
Z505A/26 NP	86 mm	26 mm	40 g	240 kg





ZINC DIE CASTING

NICKEL PLATED



**SPRING SNAP DELUXE WITH
SAFETY LOCK 84 MM/25Q**

Code	Total length	Eye width	Weight	Breaking load
90 SL/25Q NP	84 mm	25 mm	50 g	200 kg



ZINC DIE CASTING

NICKEL PLATED



**SPRING SNAP DELUXE WITH
SAFETY LOCK 82 MM/20Q**

Code	Total length	Eye width	Weight	Breaking load
90 SL/20Q NP	82 mm	20 mm	47 g	200 kg



ZINC DIE CASTING

NICKEL PLATED



**SPRING SNAP DELUXE WITH
SAFETY LOCK 88 MM/20**

Code	Total length	Eye width	Weight	Breaking load
90 SL/20 NP	88 mm	20 mm	51 g	200 kg



ZINC DIE CASTING

BLACK



**SPRING SNAP DELUXE WITH
SAFETY LOCK 84 MM/25Q**

Code	Total length	Eye width	Weight	Breaking load
90 SL/25Q BK	84 mm	25 mm	50 g	200 kg



ZINC DIE CASTING

BLACK



**SPRING SNAP DELUXE WITH
SAFETY LOCK 88 MM/20**

Code	Total length	Eye width	Weight	Breaking load
90 SL/20 BK	88 mm	20 mm	51 g	200 kg



ZINC DIE CASTING

BLACK



**SPRING SNAP DELUXE WITH
SAFETY LOCK 82 MM/20Q**

Code	Total length	Eye width	Weight	Breaking load
90 SL/20Q BK	82 mm	20 mm	47 g	200 kg



ZINC DIE CASTING

CHROME PLATED

SPRING SNAP DELUXE 80 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
90/25Q CP	80 mm	25 mm	48 g	200 kg



ZINC DIE CASTING

CHROME PLATED

SPRING SNAP DELUXE 80 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
90/20Q CP	80 mm	20 mm	44 g	200 kg



ZINC DIE CASTING

CHROME PLATED

SPRING SNAP DELUXE 80 MM/22Q

Code	Total length	Eye width	Weight	Breaking load
90/22Q CP	80 mm	22 mm	44 g	200 kg



ZINC DIE CASTING

CHROME PLATED

SPRING SNAP DELUXE 86 MM/13

Code	Total length	Eye width	Weight	Breaking load
90/13 CP	86 mm	13 mm	40 g	300 kg



ZINC DIE CASTING

CHROME PLATED

SPRING SNAP DELUXE 90 MM/17

Code	Total length	Eye width	Weight	Breaking load
90/17 CP	90 mm	17 mm	43 g	200 kg



ZINC DIE CASTING

BLACK

SPRING SNAP DELUXE 86 MM/13

Code	Total length	Eye width	Weight	Breaking load
90/13 BK	86 mm	13 mm	40 g	300 kg




ZINC DIE CASTING

CHROME PLATED

SPRING SNAP DELUXE 90 MM/20

Code	Total length	Eye width	Weight	Breaking load
90/20 CP	90 mm	20 mm	49 g	200 kg



ZINC DIE CASTING

BLACK

SPRING SNAP DELUXE 80 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
90/25Q BK	80 mm	25 mm	48 g	200 kg



ZINC DIE CASTING

BRASS PLATED

SPRING SNAP DELUXE 80 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
90/25Q BP	80 mm	25 mm	48 g	200 kg




ZINC DIE CASTING

NEO-CHROME

SPRING SNAP DELUXE 80 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
90/25Q NEO	80 mm	25 mm	48 g	200 kg




ZINC DIE CASTING

ROSE GOLD

SPRING SNAP DELUXE 80 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
90/25Q RG	80 mm	25 mm	48 g	200 kg



Solid Brass Snap Hooks



BRASS POLISHED

SNAP HOOK 51 MM/7

Code	Total length	Eye width	Weight	Breaking load
B38/06	51 mm	7 mm	13 g	100 kg



BRASS POLISHED

SNAP HOOK 45 MM/10

Code	Total length	Eye width	Weight	Breaking load
B45/10	45 mm	10 mm	13 g	80 kg



BRASS POLISHED

SNAP HOOK 52 MM/10

Code	Total length	Eye width	Weight	Breaking load
98B/10	52 mm	10 mm	12 g	70 kg



BRASS POLISHED

SNAP HOOK 56 MM/10

Code	Total length	Eye width	Weight	Breaking load
350B/10	56 mm	10 mm	18 g	70 kg



BRASS POLISHED

SNAP HOOK 57 MM/13

Code	Total length	Eye width	Weight	Breaking load
350B/13	57 mm	13 mm	18 g	100 kg



BRASS POLISHED

SNAP HOOK 62 MM/10

Code	Total length	Eye width	Weight	Breaking load
B50/10	62 mm	10 mm	20 g	70 kg



BRASS POLISHED

SNAP HOOK 62 MM/13

Code	Total length	Eye width	Weight	Breaking load
B50/13	62 mm	13 mm	26 g	80 kg



BRASS POLISHED

SNAP HOOK 65 MM/17

Code	Total length	Eye width	Weight	Breaking load
5055B/17	65 mm	17 mm	24 g	95 kg



SNAP HOOK 67 MM/10 BRASS POLISHED

Code	Total length	Eye width	Weight	Breaking load
B60/10L	67 mm	10 mm	26 g	170 kg



SNAP HOOK 75 MM/13 BRASS POLISHED

Code	Total length	Eye width	Weight	Breaking load
505AB/13	75 mm	13 mm	24 g	95 kg



SNAP HOOK 70 MM/13 BRASS POLISHED

Code	Total length	Eye width	Weight	Breaking load
B55/13	70 mm	13 mm	26 g	170 kg



SNAP HOOK 76 MM/14 BRASS POLISHED

Code	Total length	Eye width	Weight	Breaking load
B225/14	76 mm	14 mm	47 g	95 kg



BRASS CHROME PLATED

SNAP HOOK 80 MM/17

Code	Total length	Eye width	Weight	Breaking load
B225/17 CP	80 mm	17 mm	49 g	224 kg



BRASS CHROME PLATED

SNAP HOOK 79 MM/13


Code	Total length	Eye width	Weight	Breaking load
B70/13 CP	79 mm	13 mm	33 g	114 kg



BRASS POLISHED

SNAP HOOK 79 MM/13

Code	Total length	Eye width	Weight	Breaking load
B70/13	79 mm	13 mm	33 g	114 kg



BRASS POLISHED

SNAP HOOK 85 MM/20

Code	Total length	Eye width	Weight	Breaking load
B70/20	85 mm	20 mm	55 g	114 kg



BRASS POLISHED

SNAP HOOK 81 MM/17

Code	Total length	Eye width	Weight	Breaking load
B70/17	81 mm	17 mm	34 g	114 kg



BRASS POLISHED

SNAP HOOK 80 MM/17


Code	Total length	Eye width	Weight	Breaking load
B225/17	80 mm	17 mm	52 g	224 kg



BRASS POLISHED

SNAP HOOK 82 MM/17

Code	Total length	Eye width	Weight	Breaking load
505AB/17	82 mm	17 mm	44 g	200 kg



BRASS POLISHED

SNAP HOOK 80 MM/20


Code	Total length	Eye width	Weight	Breaking load
B225/20	80 mm	20 mm	48 g	170 kg



BRASS POLISHED

SNAP HOOK 81 MM/14


Code	Total length	Eye width	Weight	Breaking load
B004-12	81 mm	14 mm	51 g	220 kg



BRASS POLISHED

SNAP HOOK 100 MM/28

Code	Total length	Eye width	Weight	Breaking load
B225/28 LIGHT	100 mm	28 mm	77 g	280 kg



BRASS POLISHED

SNAP HOOK 120 MM/32

Code	Total length	Eye width	Weight	Breaking load
B225/28	12 cm	32 mm	123 g	300 kg



BRASS POLISHED

SNAP HOOK 57 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
B50/13Q	57 mm	13 mm	23 g	138 kg



BRASS POLISHED

SNAP HOOK 72 MM/16Q

Code	Total length	Eye width	Weight	Breaking load
HB0171/16Q	72 mm	16 mm	41 g	188 kg




BRASS POLISHED

SNAP HOOK 73 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
0170B/17Q	73 mm	17 mm	31 g	122 kg






BRASS POLISHED

SNAP HOOK 73 MM/20Q


Code	Total length	Eye width	Weight	Breaking load
HB0171/20Q	73 mm	20 mm	53 g	188 kg



BRASS POLISHED

SNAP HOOK 75 MM/20Q


Code	Total length	Eye width	Weight	Breaking load
5026BS/20Q	75 mm	20 mm	31 g	95 kg



BRASS POLISHED

SNAP HOOK 75 MM/20Q


Code	Total length	Eye width	Weight	Breaking load
B017/20Q	75 mm	20 mm	53 g	200 kg



BRASS CHROME PLATED

SNAP HOOK 75 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
B017/20Q CP	75 mm	20 mm	53 g	200 kg



BRASS POLISHED

SNAP HOOK 75 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
0170B/25Q	76 mm	25 mm	33 g	122 kg



BRASS POLISHED

SNAP HOOK 75 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
B017/17Q	75 mm	17 mm	53 g	220 kg



BRASS POLISHED

SNAP HOOK 58 MM/21Q


Code	Total length	Eye width	Weight	Breaking load
5055B/21Q	58 mm	21 mm	20 g	120 kg



BRASS POLISHED

SNAP HOOK 58 MM/26Q


Code	Total length	Eye width	Weight	Breaking load
5055B/26Q	58 mm	26 mm	20 g	120 kg



BRASS POLISHED

SNAP HOOK 75 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
B017/25Q	75 mm	25 mm	70 g	250 kg



BRASS POLISHED

SNAP HOOK 75 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
0170B/20Q	75 mm	20 mm	36 g	122 kg



BRASS POLISHED

SNAP HOOK 80 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
B80/20Q	80 mm	20 mm	48 g	200 kg



BRASS POLISHED

SNAP HOOK 62 MM/17


Code	Total length	Eye width	Weight	Breaking load
56BR/17	62 mm	17 mm	32 g	60 kg



BRASS POLISHED

SNAP HOOK 82 MM/25

Code	Total length	Eye width	Weight	Breaking load
25B/25	82 mm	25 mm	63 g	200 kg



BRASS POLISHED

SNAP HOOK 67 MM/22

Code	Total length	Eye width	Weight	Breaking load
56BR/22	67 mm	22 mm	35 g	80 kg



BRASS POLISHED

SNAP HOOK 65 MM/20

Code	Total length	Eye width	Weight	Breaking load
56BR/20	65 mm	20 mm	33 g	70 kg



BRASS POLISHED

SNAP HOOK 63 MM/20Q


Code	Total length	Eye width	Weight	Breaking load
56B/20Q	63 mm	20 mm	34 g	80 kg



BRASS POLISHED

SNAP HOOK 61 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
56B/17Q	61 mm	16 mm	33 g	80 kg



BRASS POLISHED

SNAP HOOK 65/17Q

Code	Total length	Eye width	Weight	Breaking load
56B/25Q	65 mm	25 mm	40 g	80 kg



BRASS POLISHED

SNAP HOOK 61 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
3726B/17	61 mm	17 mm	34 g	80 kg



BRASS POLISHED

SNAP HOOK 66 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
3726B/20	66 mm	20 mm	42 g	100 kg



SNAP HOOK 68 MM/25Q

BRASS POLISHED

Code	Total length	Eye width	Weight	Breaking load
3726B/25	68 mm	25 mm	48 g	100 kg



Stainless Snap Hooks



STAINLESS
POLISHED

SNAP HOOK 66 MM/10

Code	Total length	Eye width	Weight	Breaking load
SS60/10	66 mm	10 mm	21 g	220 kg



SNAP HOOK 82 MM/17
 STAINLESS
POLISHED

Code	Total length	Eye width	Weight	Breaking load
SS225/17	82 mm	17 mm	50 g	400 kg



STAINLESS
POLISHED

SNAP HOOK 66 MM/10

Code	Total length	Eye width	Weight	Breaking load
SS5026/10	66 mm	10 mm	21 g	220 kg



STAINLESS
POLISHED

SNAP HOOK 83 MM/17

Code	Total length	Eye width	Weight	Breaking load
SS227/17	83 mm	17 mm	38 g	250 kg



STAINLESS
POLISHED

SNAP HOOK 69 MM/13

Code	Total length	Eye width	Weight	Breaking load
SS5026/13	69 mm	13 mm	26 g	230 kg



STAINLESS
POLISHED

SNAP HOOK 64 MM/13

Code	Total length	Eye width	Weight	Breaking load
SS5026R/13	64 mm	13 mm	22 g	230 kg



STAINLESS
POLISHED

SNAP HOOK 120 MM/32

Code	Total length	Eye width	Weight	Breaking load
SS225/32	12 cm	32 mm	120 g	450 kg



STAINLESS POLISHED

SNAP HOOK 87 MM/20

Code	Total length	Eye width	Weight	Breaking load
SS80/20	87 mm	20 mm	47 g	350 kg



STAINLESS POLISHED

SNAP HOOK 78 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
017SS/25Q	78 mm	25 mm	55 g	250 kg



STAINLESS POLISHED

SNAP HOOK 84 MM/13

Code	Total length	Eye width	Weight	Breaking load
SS70/13	84 mm	13 mm	35 g	310 kg



STAINLESS POLISHED

SNAP HOOK 64 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
017SS/17Q	64 mm	13 mm	22 g	230 kg



STAINLESS POLISHED

SNAP HOOK 58 MM/12Q

Code	Total length	Eye width	Weight	Breaking load
2309SS/12Q	58 mm	12 mm	19 g	230 kg



STAINLESS POLISHED

SNAP HOOK 67 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
SS5026/13Q	67 mm	13 mm	27 g	230 kg



STAINLESS POLISHED

SNAP HOOK 64 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
017SS/20Q	64 mm	13 mm	22 g	230 kg



STAINLESS POLISHED

SNAP HOOK 58 MM/13

Code	Total length	Eye width	Weight	Breaking load
709SS/13	58 mm	13 mm	18 g	230 kg





STAINLESS POLISHED

SNAP HOOK 67 MM/17Q

NEW


Code	Total length	Eye width	Weight	Breaking load
SS5026-S/17Q	67 mm	17 mm	27 g	250 kg



STAINLESS POLISHED

SNAP HOOK 67 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
SS5026/20Q	67 mm	20 mm	28 g	220 kg



STAINLESS POLISHED

SNAP HOOK 74 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
SS5026/25Q	74 mm	25 mm	41 g	250 kg



STAINLESS POLISHED

SNAP HOOK 82 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
SS80/20Q	82 mm	20 mm	48 g	350 kg



STAINLESS POLISHED

SNAP HOOK 79 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
2309SS/20Q	79 mm	20 mm	41 g	220 kg



STAINLESS POLISHED

SNAP HOOK 82 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
2309SS/25Q	82 mm	25 mm	63 g	250 kg



STAINLESS POLISHED

SNAP HOOK 80 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
SS80/25Q	80 mm	25 mm	52 g	350 kg



STAINLESS POLISHED

SNAP HOOK 77 MM/26Q

Code	Total length	Eye width	Weight	Breaking load
ZM017SS/26Q	77 mm	26 mm	50 g	250 kg



STAINLESS POLISHED

SNAP HOOK 78 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
SS5025/20Q	78 mm	20 mm	33 g	220 kg



STAINLESS POLISHED

SNAP HOOK 51 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
56SS/13	51 mm	13 mm	23 g	130 kg



STAINLESS POLISHED

SNAP HOOK 65 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
56SS/17	65 mm	17 mm	35 g	140 kg



STAINLESS POLISHED

SNAP HOOK 75 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
200SS/20	75 mm	20 mm	56 g	150 kg



STAINLESS POLISHED

SNAP HOOK 65 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
56SS/20	65 mm	20 mm	41 g	150 kg



STAINLESS POLISHED

SNAP HOOK 79 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
200SS/25	79 mm	25 mm	63 g	150 kg



STAINLESS POLISHED

SNAP HOOK 66 MM/26Q

Code	Total length	Eye width	Weight	Breaking load
56SS/26	66 mm	26 mm	43 g	150 kg



STAINLESS POLISHED

SNAP HOOK 84 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
830SS/17	84 mm	17 mm	43 g	302 kg



STAINLESS POLISHED

SNAP HOOK 85 MM/12

Code	Total length	Eye width	Weight	Breaking load
830SS/12	58 mm	12 mm	16 g	150 kg



STAINLESS POLISHED

SNAP HOOK 70 MM/15

Code	Total length	Eye width	Weight	Breaking load
830SS/15	70 mm	15 mm	27 g	240 kg




STAINLESS POLISHED

SWEDISH SNAP HOOK 75 MM/30Q

NEW

Code	Total length	Eye width	Weight	Breaking load
848W SS/30Q	75 mm	30 mm	52 g	200 kg



STAINLESS POLISHED

SWEDISH SNAP HOOK 75 MM/40Q

NEW

Code	Total length	Eye width	Weight	Breaking load
848W SS/40Q	75 mm	40 mm	52 g	240 kg



STAINLESS POLISHED


SWEDISH SNAP HOOK 75 MM/50Q

NEW

Code	Total length	Eye width	Weight	Breaking load
848W SS/50Q	75 mm	50 mm	58 g	240 kg



Stainless Steel Snap Shackles



SS106/12 STAINLESS POLISHED



S2482 65MM STAINLESS POLISHED

STAINLESS STEEL SNAP SHACKLE 12-22Q

Code	Total length	Eye width	Weight	Breaking load
SS106/12	70 mm	12 mm	64 g	1900 kg
S2476 90MM	90 mm	13 mm	131 g	3000 kg
S2476 127MM	13 cm	22 mm	340 g	3800 kg

STAINLESS STEEL SNAP SHACKLE 12-24

Code	Total length	Eye width	Weight	Breaking load
S2482 65MM	65 mm	12 mm	61 g	1900 kg
S2482 88MM	88 mm	17 mm	115 g	2800 kg
S2482 122MM	12 cm	24 mm	272 g	3800 kg



S2470-65MM/20 STAINLESS POLISHED



S2483 52MM STAINLESS POLISHED

STAINLESS STEEL SNAP SHACKLE 20-25

Code	Total length	Eye width	Weight	Breaking load
S2470-65MM/20	65 mm	21 mm	40 g	1500 kg
S2470-76MM/25	76 mm	25 mm	68 g	1500 kg

STAINLESS STEEL SNAP SHACKLE 8-22

Code	Total length	Eye width	Weight	Breaking load
S2483 35MM	35 mm	8 mm	39 g	1800 kg
S2483 52MM	52 mm	12 mm	44 g	1800 kg
S2483 66MM	66 mm	16 mm	77 g	2800 kg
S2483 96MM	95 mm	22 mm	210 g	3800 kg



525000000KK

STAINLESS


POLISHED




STAINLESS STEEL SNAP SHACKLE KONG®
59 MM/16

NEW

Code	Total length	Eye width	Weight	Breaking load
525000000KK	59 mm	16 mm	75 g	1000 kg



Aluminum Keychain Carabiners



AL 5x50 B

ALUMINIUM

ANODIZED

ALUMINUM KEYCHAIN CARABINER 47 MM, D-SHAPE

Code		Color	Length	Inner diameter	Gate opening	Weight	Breaking load
AL 5x50 S		Silver	47 mm	38 mm	12 mm	6 g	15 kg
AL 5x50 B		Black	47 mm	38 mm	12 mm	6 g	15 kg



AL 6x60 R

ALUMINIUM

ANODIZED

ALUMINUM KEYCHAIN CARABINER 57 MM, D-SHAPE

Code		Color	Length	Inner diameter	Gate opening	Weight	Breaking load
AL 6x60 S		Silver	57 mm	46 mm	13 mm	7 g	20 kg
AL 6x60 B		Black	57 mm	46 mm	13 mm	9 g	20 kg



AL 7x70 BL

ALUMINIUM

ANODIZED

ALUMINUM KEYCHAIN CARABINER 68 MM, D-SHAPE

Code		Color	Length	Inner diameter	Gate opening	Weight	Breaking load
AL 7x70 S		Silver	68 mm	55 mm	15 mm	11 g	20 kg
AL 7x70 B		Black	67 mm	55 mm	17 mm	11 g	20 kg
AL 7x70 O		Orange	67 mm	55 mm	17 mm	11 g	20 kg



AL S Screw Lock

ALUMINIUM

ANODIZED

ALUMINUM KEYCHAIN CARABINER 48 MM, BRASS SCREW LOCK

Code		Color	Length	Inner diameter	Gate opening	Weight	Breaking load
AL S Screw Lock		Silver	48 mm	41 mm	4 mm	4 g	20 kg



REAL SIZE

ALUMINUM KEYCHAIN CARABINERS



SNAP HOOKS



AL-2 5x50 O

ALUMINIUM

ANODIZED

ALUMINUM KEYCHAIN CARABINER 49 MM, PEAR-SHAPED

Code		Color	Length	Inner diameter	Gate opening	Weight	Breaking load
AL-2 5x50 S		Silver	49 mm	42 mm	9 mm	3 g	5 kg
AL-2 5x50 B		Black	49 mm	42 mm	9 mm	3 g	5 kg



AL-2 6x60 S

ALUMINIUM

ANODIZED

ALUMINUM KEYCHAIN CARABINER 59 MM, PEAR-SHAPED

Code		Color	Length	Inner diameter	Gate opening	Weight	Breaking load
AL-2 6x60 S		Silver	59 mm	50 mm	10 mm	5 g	15 kg
AL-2 6x60 B		Black	59 mm	50 mm	10 mm	5 g	15 kg



AL-SL 7x70 BL


ALUMINIUM

ANODIZED

ALUMINUM KEYCHAIN CARABINER 74 MM, D-SHAPED (SCREW LOCK)

Code		Color	Length	Inner diameter	Gate opening	Weight	Breaking load
AL-SL 7x70 B		Black	74 mm	61 mm	17 mm	15 g	50 kg
AL-SL 7x70 O		Orange	74 mm	61 mm	17 mm	15 g	50 kg

High-Strength Aluminum Carabiners



A135/16/S

ALUMINIUM

ANODIZED

**ALUMINIUM CARABINER 74 MM/16 MM
– WITHOUT LOCK**



A135/20Q/BK

ALUMINIUM

ANODIZED

**ALUMINIUM CARABINER 71 MM/20Q MM
– WITHOUT LOCK**



Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A135/16/S		Silver	74 mm	16 mm	8 mm	15 g	400 kg
A135/16/BK		Black	74 mm	16 mm	8 mm	15 g	400 kg

Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A135/20Q/S		Silver	71 mm	20 mm	8 mm	14 g	400 kg
A135/20Q/RK		Black	71 mm	20 mm	8 mm	14 g	400 kg



A135/25Q/S

ALUMINIUM

ANODIZED

**ALUMINIUM CARABINER 71 MM/25Q MM
– WITHOUT LOCK**



A7805D1S/16/GM

ALUMINIUM

ANODIZED

**ALUMINIUM CARABINER 75 MM/16 MM
– WITHOUT LOCK**



Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A135/25Q/S		Silver	71 mm	25 mm	8 mm	15 g	400 kg
A135/25Q/BK		Black	71 mm	25 mm	8 mm	15 g	400 kg

NEW

Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A7805D1S/16/S		Silver	75 mm	16 mm	11 mm	18 g	400 kg
A7805D1S/16/GD		Gold	71 mm	20 mm	11 mm	16 g	550 kg
A7805D1S/16/GM		Gray	75 mm	16 mm	11 mm	18 g	400 kg
A7805D1S/16/BK		Black	75 mm	16 mm	11 mm	18 g	400 kg



A7805D4S/20Q/S

ALUMINIUM

ANODIZED

**ALUMINIUM CARABINER 71 MM/20Q MM
– WITHOUT LOCK**



Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A7805D4S/20Q/S		Silver	71 mm	20 mm	11 mm	16 g	550 kg
A7805D4S/20Q/BK		Black	71 mm	20 mm	11 mm	16 g	550 kg



A7805D2S/25Q/BK

ALUMINIUM

ANODIZED

**ALUMINIUM CARABINER 72 MM/25Q MM
– WITHOUT LOCK**



Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A7805D2S/25Q/S		Silver	72 mm	25 mm	11 mm	18 g	400 kg
A7805D4S/20Q/GD		Gold	71 mm	20 mm	11 mm	16 g	550 kg
A7805D2S/25Q/BK		Black	72 mm	25 mm	11 mm	18 g	400 kg



A7810D5B/10/S

ALUMINIUM

ANODIZED

**ALUMINIUM CARABINER 67 MM/10 MM
– TWIST-LOCK**



Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A7810D5B/10/S		Silver	67 mm	10 mm	5 mm	14 g	490 kg
A7810D5B/10/BK		Black	67 mm	10 mm	5 mm	14 g	490 kg



A7801D3TN/16/BK

ALUMINIUM

ANODIZED

**ALUMINIUM CARABINER 86 MM/16 MM
– TWIST-LOCK**



Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A7801D3TN/16/S		Silver	86 mm	16 mm	11 mm	24 g	400 kg
A7801D3TN/16/GD		Gold	86 mm	16 mm	11 mm	24 g	400 kg
A7801D3TN/16/BK		Black	86 mm	16 mm	11 mm	24 g	400 kg



A7810D4B/20Q/S

ALUMINIUM

ANODIZED

**ALUMINIUM CARABINER 69 MM/20Q MM
– SCREW LOCK**



Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A7810D4B/20Q/S		Silver	69 mm	20 mm	5 mm	15 g	490 kg
A7810D4B/20Q/BK		Black	69 mm	20 mm	5 mm	15 g	490 kg



A7803D2TN/25Q/BK

ALUMINIUM

ANODIZED

**ALUMINIUM CARABINER 86 MM/25Q MM
- TWIST-LOCK**

400
KG



A7801D4TN/20Q/S

ALUMINIUM

ANODIZED

**ALUMINIUM CARABINER 86 MM/20Q MM
- TWIST-LOCK**

400
KG

Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A7803D2TN/25Q/S		Silver	86 mm	25 mm	12 mm	26 g	400 kg
NEW A7803D2TN/25Q/GD		Gold	86 mm	25 mm	12 mm	26 g	400 kg
A7803D2TN/25Q/BK		Black	86 mm	25 mm	12 mm	26 g	400 kg

Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A7801D4TN/20Q/S		Silver	86 mm	20 mm	12 mm	26 g	400 kg
NEW A7801D4TN/20Q/GD		Gold	86 mm	20 mm	12 mm	26 g	400 kg
A7801D4TN/20Q/BK		Black	86 mm	20 mm	12 mm	26 g	400 kg



A7801D10TN/20/GD

ALUMINIUM

ANODIZED

**ALUMINIUM CARABINER 86 MM/20 MM
- TWIST-LOCK**

400
KG

NEW

Code		Color	Length	Eye width	Gate opening	Weight	Breaking load
A7801D10TN/20/S		Silver	86 mm	20 mm	27 g	27 g	400 kg
A7801D10TN/20/GD		Gold	86 mm	20 mm	27 g	27 g	400 kg
A7801D10TN/20/BK		Black	86 mm	20 mm	27 g	27 g	400 kg





A7803TN/S

ALUMINIUM

ANODIZED

**ALUMINIUM CARABINER 78 MM
- TWIST-LOCK**400
KG

A7802TN/BK

ALUMINIUM

ANODIZED

**ALUMINUM SNAP HOOK 80 MM
- BAYONET LOCKING**400
KG

SNAP HOOKS

Code		Color	Length	Inner diameter	Gate opening	Weight	Breaking load
A7803TN/S		Silver	78 mm	56 mm	19 mm	30 g	400 kg
A7803TN/BK		Black	78 mm	56 mm	19 mm	30 g	400 kg

Code		Color	Length	Inner diameter	Gate opening	Weight	Breaking load
A7802TN/S		Silver	80 mm	56 mm	20 mm	30 g	400 kg
A7802TN/BK		Black	80 mm	56 mm	20 mm	30 g	400 kg



A7802B/GM

ALUMINIUM

ANODIZED

**ALUMINIUM CARABINER 80 MM
- TWIST-LOCK**400
KG

A7819TN/BK

ALUMINIUM

ANODIZED

**ALUMINIUM CARABINER 61 MM
- TWIST-LOCK**400
KG

NEW

Code		Color	Length	Inner diameter	Gate opening	Weight	Breaking load
A7802B/S		Silver	80 mm	56 mm	20 mm	30 g	400 kg
A7802B/GM		Gray	80 mm	56 mm	20 mm	30 g	400 kg
A7802B/BK		Black	80 mm	56 mm	20 mm	30 g	400 kg

Code		Color	Length	Gate opening	Weight	Breaking load
A7819TN/BK		Black	61 mm	0 mm	12 g	490 kg



ASH20RS/20

ALUMINIUM

ANODIZED

**ALUMINIUM CARABINER 92 MM/20 MM
– WITHOUT LOCK**



ASH20SB/20Q

ALUMINIUM

ANODIZED

**ALUMINIUM CARABINER 82 MM/20 MM
– WITHOUT LOCK**

Code		Color	Length	Eye width	Weight	Breaking load
ASH20RS/20		Silver	92 mm	20 mm	22 g	280 kg
ASH20RB/20		Black	92 mm	20 mm	22 g	280 kg

Code		Color	Length	Eye width	Weight	Breaking load
ASH20SS/20Q		Silver	82 mm	20 mm	23 g	280 kg
ASH20SB/20Q		Black	82 mm	20 mm	23 g	280 kg




ASH25SS/25Q

ALUMINIUM

ANODIZED

**ALUMINIUM CARABINER 84 MM/25 MM
– WITHOUT LOCK**

Code		Color	Length	Eye width	Weight	Breaking load
ASH25SS/25Q		Silver	84 mm	25 mm	24 g	280 kg
ASH25SB/25Q		Black	84 mm	25 mm	24 g	280 kg



Special Snap Hooks



STEEL ZINC PLATED

SWEDISH SNAP HOOK 49 MM/11

Code	Total length	Eye width	Weight	Breaking load
830X/11 ZP	49 mm	11 mm	12 g	120 kg



STEEL ZINC PLATED

SWEDISH SNAP HOOK 58 MM/16

Code	Total length	Eye width	Weight	Breaking load
830X/16 ZP	58 mm	16 mm	18 g	140 kg



STEEL ZINC PLATED

SWEDISH SNAP HOOK 67 MM/20

Code	Total length	Eye width	Weight	Breaking load
830X/20 ZP	67 mm	20 mm	25 g	170 kg



STEEL ZINC PLATED

SWEDISH SNAP HOOK 61 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
830X/20Q ZP	61 mm	20 mm	24 g	170 kg



STEEL ZINC PLATED

SWEDISH SNAP HOOK 64 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
830XS/25Q ZP	64 mm	25 mm	25 g	190 kg



STEEL ZINC PLATED

SWEDISH SNAP HOOK 71 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
830X/25Q ZP	71 mm	25 mm	47 g	300 kg



STEEL BLACK

SWEDISH SNAP HOOK 49 MM/11

Code	Total length	Eye width	Weight	Breaking load
830X/11 BK	49 mm	11 mm	12 g	120 kg



STEEL BLACK

SWEDISH SNAP HOOK 58 MM/16

Code	Total length	Eye width	Weight	Breaking load
830X/16 BK	58 mm	16 mm	18 g	140 kg



STEEL BLACK

SWEDISH SNAP HOOK 67 MM/20

Code	Total length	Eye width	Weight	Breaking load
830X/20 BK	67 mm	20 mm	25 g	170 kg

SNAP HOOKS



SWEDISH SNAP HOOK 61 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
830X/20Q BK	61 mm	20 mm	24 g	170 kg

SWEDISH SNAP HOOK 63 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
830XS/25Q BK	63 mm	25 mm	25 g	190 kg

SWEDISH SNAP HOOK 71 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
830X/25Q BK	71 mm	25 mm	47 g	300 kg






REAL SIZE

DOUBLE ENDED SNAP HOOKS



Double Ended Snap Hooks

SNAP HOOKS



STAINLESS

POLISHED

DOUBLE ENDED BOLT SNAP 90 MM/10

Code	Total length	Eye width	Weight	Breaking load
161SS/90	90 mm	10 mm	59 g	200 kg




STAINLESS

POLISHED

DOUBLE ENDED BOLT SNAP 100 MM/10

Code	Total length	Eye width	Weight	Breaking load
161SS/100	100 mm	10 mm	68 g	200 kg



BRASS

POLISHED

DOUBLE ENDED BOLT SNAP 100 MM/10

Code	Total length	Eye width	Weight	Breaking load
162B	100 mm	12 mm	62 g	200 kg



BRASS

POLISHED

DOUBLE ENDED BOLT SNAP 89 MM/10

Code	Total length	Eye width	Weight	Breaking load
161B	89 mm	10 mm	49 g	160 kg




ZINC DIE CASTING

CHROME PLATED

DOUBLE ENDED BOLT SNAP 88 MM/10

Code	Total length	Eye width	Weight	Breaking load
DOUBLE CP	88 mm	10 mm	42 g	200 kg

Small-sized Snap Hooks <65mm



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 39 MM/6

Code	Total length	Eye width	Weight	Breaking load
38/06 CP	39 mm	6 mm	6 g	60 kg



ZINC DIE CASTING

CHROME PLATED

BABY SNAP HOOK 46 MM/10

Code	Total length	Eye width	Weight	Breaking load
45/10 CP	46 mm	10 mm	6 g	35 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 52 MM/10

Code	Total length	Eye width	Weight	Breaking load
50/10 CP	52 mm	10 mm	11 g	115 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 52 MM/8

Code	Total length	Eye width	Weight	Breaking load
50/08 CP	52 mm	8 mm	11 g	100 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 61 MM/10

Code	Total length	Eye width	Weight	Breaking load
55/10 CP	61 mm	10 mm	17 g	200 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 61 MM/13

Code	Total length	Eye width	Weight	Breaking load
55/13 CP	61 mm	13 mm	18 g	200 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 59 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
55/13Q CP	59 mm	13 mm	18 g	200 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 45 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
45/17Q CP	45 mm	17 mm	6 g	30 kg



ZINC DIE CASTING

BLACK

SNAP HOOK 45 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
45/20Q BK	45 mm	20 mm	6 g	30 kg



ZINC DIE CASTING

ANTIQUE BRASS

SNAP HOOK 56 MM/12

Code	Total length	Eye width	Weight	Breaking load
50/10 AB	56 mm	12 mm	11 g	115 kg



ZINC DIE CASTING

BLACK

SNAP HOOK 53 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
50/13Q BK	53 mm	13 mm	11 g	100 kg



ZINC DIE CASTING

BLACK

BABY SNAP HOOK 46 MM/10

Code	Total length	Eye width	Weight	Breaking load
45/10 BK	46 mm	10 mm	6 g	35 kg



ZINC DIE CASTING

GOLD PLATED

SNAP HOOK 55 MM/10

NEW

Code	Total length	Eye width	Weight	Breaking load
50/10 GP	55 mm	10 mm	12 g	90 kg



ZINC DIE CASTING

BLACK

SNAP HOOK 55 MM/10

Code	Total length	Eye width	Weight	Breaking load
50/10 BK	55 mm	10 mm	12 g	90 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 52 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
50/13Q CP	52 mm	13 mm	11 g	100 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 45 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
45/25Q CP	45 mm	25 mm	6 g	30 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK 45 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
45/20Q CP	45 mm	20 mm	6 g	30 kg



ZINC DIE CASTING

GOLD PLATED

SNAP HOOK 46 MM/10

NEW

Code	Total length	Eye width	Weight	Breaking load
45/10 GP	46 mm	10 mm	6 g	35 kg



ZINC DIE CASTING

ANTIQUE BRASS

SNAP HOOK 42 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
45/20Q AB	42 mm	20 mm	6 g	30 kg



ZINC DIE CASTING

ANTIQUE BRASS

SNAP HOOK 46 MM/12

Code	Total length	Eye width	Weight	Breaking load
45/12 AB	46 mm	12 mm	7 g	30 kg



ZINC DIE CASTING

BRASS PLATED

SNAP HOOK 45 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
45/17Q BP	45 mm	17 mm	6 g	30 kg



ZINC DIE CASTING BRASS PLATED

SNAP HOOK 45 MM/20Q


Code	Total length	Eye width	Weight	Breaking load
45/20Q BP	45 mm	20 mm	6 g	30 kg



ZINC DIE CASTING BRASS PLATED

SNAP HOOK 45 MM/25Q


Code	Total length	Eye width	Weight	Breaking load
45/25Q BP	45 mm	25 mm	6 g	30 kg



ZINC DIE CASTING BRASS PLATED

BABY SNAP HOOK 46 MM/10


Code	Total length	Eye width	Weight	Breaking load
45/10 BP	46 mm	10 mm	6 g	35 kg



ZINC DIE CASTING ROSE GOLD

SNAP HOOK 42 MM/20Q


Code	Total length	Eye width	Weight	Breaking load
45/20Q RG	42 mm	20 mm	6 g	30 kg



ZINC DIE CASTING ROSE GOLD

BABY SNAP HOOK 46 MM/10


Code	Total length	Eye width	Weight	Breaking load
45/10 RG	46 mm	10 mm	6 g	35 kg



ZINC DIE CASTING ROSE GOLD

SNAP HOOK 55 MM/10

Code	Total length	Eye width	Weight	Breaking load
50/10 RG	55 mm	10 mm	12 g	90 kg



ZINC DIE CASTING ROSE GOLD

SNAP HOOK 52 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
50/13Q RG	52 mm	13 mm	11 g	100 kg



ZINC DIE CASTING NEO-CHROME

BABY SNAP HOOK 46 MM/10

Code	Total length	Eye width	Weight	Breaking load
45/10 NEO	46 mm	10 mm	6 g	35 kg



ZINC DIE CASTING NEO-CHROME

SNAP HOOK 52 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
50/13Q NEO	52 mm	13 mm	11 g	100 kg



ZINC DIE CASTING NEO-CHROME

SNAP HOOK 42 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
45/20Q NEO	42 mm	20 mm	6 g	30 kg



ZINC DIE CASTING NEO-CHROME

SNAP HOOK 55 MM/10

Code	Total length	Eye width	Weight	Breaking load
50/10 NEO	55 mm	10 mm	12 g	90 kg



ZINC DIE CASTING GOLD PLATED

SNAP HOOK 52 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
50/13Q GP	52 mm	13 mm	11 g	100 kg

NEW



ZINC DIE CASTING

NICKEL PLATED

SNAP HOOK 52 MM/10

Code	Total length	Eye width	Weight	Breaking load
50/10 NP	52 mm	10 mm	11 g	115 kg



ZINC DIE CASTING

NICKEL PLATED

SNAP HOOK 52 MM/13Q

Code	Total length	Eye width	Weight	Breaking load
50/13Q NP	52 mm	13 mm	11 g	100 kg




ZINC DIE CASTING

NICKEL PLATED

BABY SNAP HOOK 46 MM/10

Code	Total length	Eye width	Weight	Breaking load
45/10 NP	46 mm	10 mm	6 g	35 kg



Snap Hook for Leashes



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 67 MM/10

Code	Total length	Eye width	Weight	Breaking load
60/10 CP	67 mm	10 mm	18 g	166 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 68 MM/13

Code	Total length	Eye width	Weight	Breaking load
60/13 CP	68 mm	13 mm	18 g	166 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 70 MM/17

Code	Total length	Eye width	Weight	Breaking load
60/17 CP	71 mm	17 mm	24 g	166 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 75 MM/13

Code	Total length	Eye width	Weight	Breaking load
70/13 CP	75 mm	13 mm	28 g	197 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 80 MM/17

Code	Total length	Eye width	Weight	Breaking load
70/17 CP	80 mm	17 mm	31 g	197 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 80 MM/20

Code	Total length	Eye width	Weight	Breaking load
70/20 CP	80 mm	20 mm	30 g	193 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 66 MM/17

Code	Total length	Eye width	Weight	Breaking load
60/17Q CP	66 mm	17 mm	19 g	166 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 67 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
60/20Q CP	67 mm	20 mm	22 g	155 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 67 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
60/25Q CP	67 mm	25 mm	21 g	125 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 76 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
70/17Q CP	76 mm	17 mm	29 g	197 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 76 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
70/20Q CP	76 mm	20 mm	30 g	197 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 77 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
70/25Q CP	77 mm	25 mm	33 g	197 kg



ZINC DIE CASTING BLACK

BOLD SNAP 66 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
60/20Q BK	66 mm	19 mm	20 g	130 kg



ZINC DIE CASTING BLACK

BOLD SNAP 66 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
60/17Q BK	66 mm	17 mm	20 g	166 kg



ZINC DIE CASTING BLACK

BOLD SNAP 66 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
60/25Q BK	66 mm	25 mm	21 g	125 kg



ZINC DIE CASTING BLACK

BOLD SNAP 80 MM/20

Code	Total length	Eye width	Weight	Breaking load
70/20 BK	80 mm	20 mm	30 g	150 kg



ZINC DIE CASTING BLACK

BOLD SNAP 70 MM/13

Code	Total length	Eye width	Weight	Breaking load
60/13 BK	70 mm	13 mm	18 g	150 kg



ZINC DIE CASTING BLACK

BOLD SNAP 75 MM/13

Code	Total length	Eye width	Weight	Breaking load
70/13 BK	75 mm	13 mm	24 g	197 kg



ZINC DIE CASTING BLACK

BOLD SNAP 76 MM/20Q


Code	Total length	Eye width	Weight	Breaking load
70/20Q BK	76 mm	20 mm	27 g	197 kg



ZINC DIE CASTING BLACK

BOLD SNAP 76 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
70/17Q BK	76 mm	17 mm	27 g	197 kg



ZINC DIE CASTING

ROSE GOLD

BOLD SNAP 70 MM/13

Code	Total length	Eye width	Weight	Breaking load
60/13 RG	70 mm	13 mm	18 g	166 kg




ZINC DIE CASTING

ROSE GOLD

BOLD SNAP 80 MM/20

Code	Total length	Eye width	Weight	Breaking load
70/20 RG	80 mm	20 mm	30 g	150 kg




ZINC DIE CASTING

ROSE GOLD

BOLD SNAP 66 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
60/17Q RG	66 mm	17 mm	20 g	166 kg




ZINC DIE CASTING

ROSE GOLD

BOLD SNAP 67 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
60/20Q RG	67 mm	20 mm	22 g	130 kg




ZINC DIE CASTING

ROSE GOLD

BOLD SNAP 76 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
70/20Q RG	76 mm	20 mm	27 g	197 kg



ZINC DIE CASTING

ROSE GOLD

BOLD SNAP 76 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
70/17Q RG	76 mm	17 mm	29 g	197 kg



ZINC DIE CASTING

ANTIQUE BRASS

BOLD SNAP 67 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
60/20Q AB	67 mm	20 mm	22 g	130 kg



ZINC DIE CASTING

ANTIQUE BRASS

BOLD SNAP 70 MM/13

Code	Total length	Eye width	Weight	Breaking load
60/13 AB	70 mm	13 mm	18 g	166 kg



ZINC DIE CASTING

ANTIQUE BRASS

BOLD SNAP 76 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
70/20Q AB	76 mm	20 mm	27 g	197 kg



ZINC DIE CASTING

ANTIQUE BRASS

BOLD SNAP 80 MM/20

Code	Total length	Eye width	Weight	Breaking load
70/20 AB	80 mm	20 mm	30 g	150 kg



ZINC DIE CASTING

ANTIQUE BRASS

BOLD SNAP 66 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
60/17Q AB	66 mm	17 mm	21 g	166 kg



ZINC DIE CASTING

NEO-CHROME

BOLD SNAP 66 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
60/17Q NEO	66 mm	17 mm	20 g	166 kg



ZINC DIE CASTING

NEO-CHROME

BOLD SNAP 67 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
60/20Q NEO	67 mm	20 mm	22 g	130 kg



ZINC DIE CASTING

NEO-CHROME

BOLD SNAP 70 MM/13

Code	Total length	Eye width	Weight	Breaking load
60/13 NEO	70 mm	13 mm	18 g	166 kg



ZINC DIE CASTING

NEO-CHROME

BOLD SNAP 76 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
70/17Q NEO	76 mm	17 mm	29 g	197 kg



ZINC DIE CASTING

NEO-CHROME

BOLD SNAP 76 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
70/20Q NEO	76 mm	20 mm	27 g	197 kg



ZINC DIE CASTING

NEO-CHROME

BOLD SNAP 80 MM/20

Code	Total length	Eye width	Weight	Breaking load
70/20 NEO	80 mm	20 mm	30 g	150 kg




ZINC DIE CASTING

GOLD PLATED

BOLD SNAP 66 MM/17Q

NEW

Code	Total length	Eye width	Weight	Breaking load
60/17Q GP	66 mm	17 mm	20 g	166 kg




ZINC DIE CASTING

GOLD PLATED

BOLD SNAP 66 MM/20Q

NEW

Code	Total length	Eye width	Weight	Breaking load
60/20Q GP	66 mm	19 mm	20 g	130 kg



ZINC DIE CASTING

GOLD PLATED

BOLD SNAP 66 MM/25Q

NEW

Code	Total length	Eye width	Weight	Breaking load
60/25Q GP	66 mm	25 mm	21 g	125 kg



ZINC DIE CASTING

GOLD PLATED

BOLD SNAP 76 MM/17Q

NEW

Code	Total length	Eye width	Weight	Breaking load
70/17Q GP	76 mm	17 mm	27 g	197 kg



ZINC DIE CASTING

GOLD PLATED

BOLD SNAP 76 MM/20Q

NEW

Code	Total length	Eye width	Weight	Breaking load
70/20Q GP	76 mm	20 mm	27 g	197 kg



ZINC DIE CASTING

GOLD PLATED

BOLD SNAP 80 MM/17

NEW

Code	Total length	Eye width	Weight	Breaking load
70/17 GP	80 mm	17 mm	31 g	197 kg



ZINC DIE CASTING

GOLD PLATED

BOLD SNAP 70 MM/13

NEW

Code	Total length	Eye width	Weight	Breaking load
60/13 GP	70 mm	13 mm	18 g	150 kg





ZINC DIE CASTING

NICKEL PLATED

BOLD SNAP 68 MM/13

Code	Total length	Eye width	Weight	Breaking load
60/13 NP	68 mm	13 mm	18 g	166 kg



ZINC DIE CASTING

NICKEL PLATED

BOLD SNAP 80 MM/20

Code	Total length	Eye width	Weight	Breaking load
70/20 NP	80 mm	20 mm	30 g	193 kg



ZINC DIE CASTING

NICKEL PLATED

BOLD SNAP 66 MM/17Q

Code	Total length	Eye width	Weight	Breaking load
60/17Q NP	66 mm	17 mm	19 g	166 kg



ZINC DIE CASTING

NICKEL PLATED

BOLD SNAP 80 MM/17

Code	Total length	Eye width	Weight	Breaking load
70/17 NP	80 mm	17 mm	31 g	190 kg



ZINC DIE CASTING

NICKEL PLATED

BOLD SNAP 76 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
70/20Q NP	76 mm	20 mm	30 g	197 kg



ZINC DIE CASTING

NICKEL PLATED

BOLD SNAP 67 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
60/20Q NP	67 mm	20 mm	22 g	155 kg



ZINC DIE CASTING

NICKEL PLATED

BOLD SNAP 75 MM/13

Code	Total length	Eye width	Weight	Breaking load
70/13 NP	75 mm	13 mm	28 g	197 kg



ZINC DIE CASTING

NICKEL PLATED

BOLD SNAP 64 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
Z1921/20Q NP	64 mm	20 mm	38 g	204 kg



ZINC DIE CASTING

NICKEL PLATED

BOLD SNAP 64 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
Z1921/25Q NP	64 mm	25 mm	48 g	240 kg



ZINC DIE CASTING

BLACK

BOLD SNAP 64 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
Z1921/20Q BK	64 mm	20 mm	38 g	204 kg



ZINC DIE CASTING

BLACK

BOLD SNAP 64 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
Z1921/25Q BK	64 mm	25 mm	48 g	240 kg



ZINC DIE CASTING

NICKEL PLATED

BOLD SNAP 72 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER V/20QNP	72 mm	20 mm	45 g	200 kg



ZINC DIE CASTING

CHROME PLATED

BOLD SNAP 77 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
TRIGGER V/20QCP	77 mm	20 mm	49 g	200 kg

ZINC DIE CASTING

NICKEL PLATED

LEASH SNAP HOOK WITH
BAYONET LOCK

NEW

Code	Total length	Eye width	Gate opening	Weight	Breaking load
ZA165/15Q NP	57 mm	15 mm	6 mm	24 g	100 kg
ZA165/20Q NP	70 mm	20 mm	8 mm	44 g	200 kg
ZA165/25Q NP	70 mm	25 mm	8 mm	44 g	200 kg



ZA165/15Q NP



ZA165/20Q NP



ZA165/25Q NP

ZINC DIE CASTING

BLACK

LEASH SNAP HOOK WITH
BAYONET LOCK

NEW

Code	Total length	Eye width	Gate opening	Weight	Breaking load
ZA165/15Q BK	57 mm	15 mm	6 mm	24 g	100 kg
ZA165/20Q BK	70 mm	20 mm	8 mm	44 g	200 kg
ZA165/25Q BK	70 mm	25 mm	8 mm	44 g	200 kg



ZA165/15Q BK



ZA165/20Q BK



ZA165/25Q BK





ZINC DIE CASTING

NICKEL PLATED

ZINC DIE CASTING

BLACK

LEASH SNAP HOOK WITH BAYONET LOCK

NEW

Code	Total length	Eye width	Gate opening	Weight	Breaking load
ZA165/16 NP	61 mm	15 mm	4.6 mm	23 g	100 kg
ZA165/20 NP	75 mm	20 mm	7.5 mm	41 g	200 kg

LEASH SNAP HOOK WITH BAYONET LOCK

NEW

Code	Total length	Eye width	Gate opening	Weight	Breaking load
ZA165/16 BK	61 mm	15 mm	4.6 mm	23 g	100 kg
ZA165/20 BK	75 mm	20 mm	7.5 mm	41 g	200 kg



ZA165/16 NP



ZA165/16 BK



ZA165/20 NP



ZA165/20 BK

ZINC DIE CASTING

NICKEL PLATED

BOLD SNAP

Code	Total length	Eye width	Weight	Breaking load
Z1923/13 NP	55 mm	13 mm	18 g	113 kg
Z1923/17 NP	75 mm	18 mm	38 g	204 kg
Z1923/16Q NP	52 mm	16 mm	20 g	113 kg
Z1923/20Q NP	70 mm	20 mm	38 g	204 kg
Z1923/25Q NP	71 mm	25 mm	48 g	240 kg



Z1923/13 NP



Z1923/16Q NP



Z1923/20Q NP



Z1923/25Q NP



Z1923/17 NP

ZINC DIE CASTING

ROSE GOLD

BOLD SNAP

Code	Total length	Eye width	Weight	Breaking load
Z1923/13 RG	55 mm	13 mm	18 g	113 kg
Z1923/17 RG	75 mm	18 mm	38 g	204 kg
Z1923/16Q RG	52 mm	16 mm	19 g	113 kg
Z1923/20Q RG	70 mm	20 mm	36 g	204 kg
Z1923/25Q RG	71 mm	25 mm	48 g	240 kg




Z1923/13 RG




Z1923/16Q RG



Z1923/20Q RG



Z1923/25Q RG



Z1923/17 RG



ZINC DIE CASTING

BLACK

BOLD SNAP

Code	Total length	Eye width	Weight	Breaking load
Z1923/13 BK	55 mm	13 mm	18 g	113 kg
Z1923/17 BK	75 mm	18 mm	38 g	204 kg
Z1923/16Q BK	52 mm	16 mm	19 g	113 kg
Z1923/20Q BK	70 mm	20 mm	36 g	204 kg
Z1923/25Q BK	71 mm	25 mm	48 g	240 kg



Z1923/13 BK



Z1923/16Q BK



Z1923/20Q BK



Z1923/25Q BK



Z1923/17 BK

ZINC DIE CASTING

GOLD PLATED

BOLD SNAP

NEW

Code	Total length	Eye width	Weight	Breaking load
Z1923/13 GP	55 mm	13 mm	18 g	113 kg
Z1923/16Q GP	52 mm	16 mm	20 g	113 kg
Z1923/20Q GP	70 mm	20 mm	34 g	204 kg
Z1923/25Q GP	71 mm	25 mm	48 g	240 kg



Z1923/13 GP



Z1923/16Q GP




Z1923/20Q GP



Z1923/25Q GP

Large-sized Snap Hooks >80mm



ZINC DIE CASTING CHROME PLATED

SNAP HOOK LARGE 82 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
80/25Q CP	82 mm	25 mm	47 g	260 kg



ZINC DIE CASTING CHROME PLATED

SNAP HOOK LARGE 80 MM/30Q

Code	Total length	Eye width	Weight	Breaking load
80/30Q CP	82 mm	30 mm	50 g	260 kg



ZINC DIE CASTING CHROME PLATED

SNAP HOOK LARGE 82 MM/22Q

Code	Total length	Eye width	Weight	Breaking load
80/22Q CP	82 mm	22 mm	45 g	260 kg



ZINC DIE CASTING CHROME PLATED

SNAP HOOK LARGE 85 MM/17

Code	Total length	Eye width	Weight	Breaking load
80/17 CP	85 mm	17 mm	43 g	338 kg



ZINC DIE CASTING CHROME PLATED

SNAP HOOK LARGE 92 MM/20

Code	Total length	Eye width	Weight	Breaking load
80/20 CP	92 mm	20 mm	44 g	260 kg



ZINC DIE CASTING CHROME PLATED

SNAP HOOK LARGE 82 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
80/20Q CP	82 mm	20 mm	42 g	260 kg



REAL SIZE |

LARGE-SIZED SNAP HOOKS >80MM



SNAP HOOK LARGE 80 MM/40Q

ZINC DIE CASTING

CHROME PLATED

Code	Total length	Eye width	Weight	Breaking load
80/40Q CP	82 mm	40 mm	54 g	260 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK LARGE 80 MM/13

Code	Total length	Eye width	Weight	Breaking load
80/13 CP	85 mm	13 mm	40 g	300 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK LARGE 95 MM/25

Code	Total length	Eye width	Weight	Breaking load
80/25 CP	95 mm	25 mm	48 g	260 kg



ZINC DIE CASTING

GOLD PLATED

SNAP HOOK LARGE 81 MM/20Q

NEW

Code	Total length	Eye width	Weight	Breaking load
80/20Q GP	81 mm	20 mm	43 g	230 kg



ZINC DIE CASTING

GOLD PLATED

SNAP HOOK LARGE 81 MM/25Q

NEW

Code	Total length	Eye width	Weight	Breaking load
80/25Q GP	81 mm	25 mm	48 g	260 kg



ZINC DIE CASTING

BLACK

SNAP HOOK LARGE 81 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
80/25Q BK	81 mm	25 mm	46 g	190 kg



ZINC DIE CASTING

BLACK

SNAP HOOK LARGE 81 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
80/20Q BK	81 mm	20 mm	43 g	230 kg



ZINC DIE CASTING BLACK

SNAP HOOK LARGE 85 MM/13

Code	Total length	Eye width	Weight	Breaking load
80/13 BK	85 mm	13 mm	40 g	300 kg



ZINC DIE CASTING BLACK

SNAP HOOK LARGE 86 MM/17


Code	Total length	Eye width	Weight	Breaking load
80/17 BK	86 mm	17 mm	41 g	230 kg



ZINC DIE CASTING BLACK

SNAP HOOK LARGE 90 MM/20


Code	Total length	Eye width	Weight	Breaking load
80/20 BK	90 mm	20 mm	46 g	230 kg



ZINC DIE CASTING ROSE GOLD

SNAP HOOK LARGE 90 MM/20


Code	Total length	Eye width	Weight	Breaking load
80/20 RG	90 mm	20 mm	46 g	230 kg



ZINC DIE CASTING ROSE GOLD

SNAP HOOK LARGE 86 MM/17


Code	Total length	Eye width	Weight	Breaking load
80/17 RG	86 mm	17 mm	41 g	230 kg



ZINC DIE CASTING ROSE GOLD

SNAP HOOK LARGE 80 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
80/20Q RG	81 mm	20 mm	45 g	260 kg



ZINC DIE CASTING ROSE GOLD

SNAP HOOK LARGE 80 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
80/25Q RG	81 mm	25 mm	46 g	190 kg



ZINC DIE CASTING

ANTIQUE BRASS

SNAP HOOK LARGE 80 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
80/25Q AB	81 mm	25 mm	47 g	260 kg



ZINC DIE CASTING

ANTIQUE BRASS

SNAP HOOK LARGE 81 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
80/20Q AB	81 mm	20 mm	43 g	260 kg



ZINC DIE CASTING

ANTIQUE BRASS

SNAP HOOK LARGE 85 MM/17

Code	Total length	Eye width	Weight	Breaking load
80/17 AB	85 mm	17 mm	43 g	338 kg



ZINC DIE CASTING

NEO-CHROME

SNAP HOOK LARGE 81 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
80/20Q NEO	81 mm	20 mm	45 g	260 kg



ZINC DIE CASTING

NEO-CHROME

SNAP HOOK LARGE 81 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
80/25Q NEO	81 mm	25 mm	46 g	190 kg



ZINC DIE CASTING

NEO-CHROME

SNAP HOOK LARGE 90 MM/20

Code	Total length	Eye width	Weight	Breaking load
80/20 NEO	90 mm	20 mm	46 g	230 kg



ZINC DIE CASTING

NEO-CHROME

SNAP HOOK LARGE 86 MM/17

Code	Total length	Eye width	Weight	Breaking load
80/17 NEO	86 mm	17 mm	41 g	230 kg



ZINC DIE CASTING

CHROME PLATED

SNAP HOOK LARGE 100 MM/28

Code	Total length	Eye width	Weight	Breaking load
ZC225/28 CP	100 mm	28 mm	68 g	340 kg



ZINC DIE CASTING

BRASS PLATED

SNAP HOOK LARGE 100 MM/28

Code	Total length	Eye width	Weight	Breaking load
ZB225/28 BP	100 mm	28 mm	68 g	340 kg



ZINC DIE CASTING

NICKEL PLATED

SNAP HOOK LARGE 85 MM/17

Code	Total length	Eye width	Weight	Breaking load
80/17 NP	85 mm	17 mm	43 g	338 kg



ZINC DIE CASTING

NICKEL PLATED

SNAP HOOK LARGE 90 MM/20

Code	Total length	Eye width	Weight	Breaking load
80/20 NP	92 mm	20 mm	44 g	260 kg



ZINC DIE CASTING

NICKEL PLATED

SNAP HOOK LARGE 82 MM/20Q

Code	Total length	Eye width	Weight	Breaking load
80/20Q NP	82 mm	20 mm	42 g	260 kg



ZINC DIE CASTING

NICKEL PLATED

SNAP HOOK LARGE 82 MM/25Q

Code	Total length	Eye width	Weight	Breaking load
80/25Q NP	82 mm	25 mm	47 g	260 kg





Snap hook for horses



SNAP HOOKS



HEAVY BOLT SNAP HORSE

ZINC DIE CASTING

CHROME PLATED

Code	Total length	Eye width	Weight	Breaking load
Horse/25 CP	12 cm	25 mm	108 g	250 kg



HEAVY BOLT SNAP HORSE

ZINC DIE CASTING

NICKEL PLATED

Code	Total length	Eye width	Weight	Breaking load
Z225HR/25 NP	12 cm	25 mm	97 g	250 kg



STAINLESS

POLISHED

SNAP HOOK FOR HALTERS

Code	Total length	Eye width	Weight	Breaking load
25SS/26	81 mm	25 mm	58 g	240 kg



BRASS

CHROME PLATED

SNAP HOOK FOR HALTERS

Code	Total length	Eye width	Weight	Breaking load
25B/25 CP	81 mm	25 mm	58 g	240 kg



ZINC DIE CASTING

CHROME PLATED

LEADING REIN SNAP HOOK

Code	Total length	Eye width	Weight	Breaking load
2001/25Q CP	60 mm	25 mm	44 g	130 kg



ZINC DIE CASTING

CHROME PLATED

FLAT SPRING HOOK

Code	Total length	Eye width	Weight	Breaking load
65/17Q CP	69 mm	17 mm	29 g	180 kg



ZINC DIE CASTING

NICKEL PLATED

WIVEL SNAP FOR HORSE BLANKET LEG STRAPS

Code	Total length	Eye width	Weight	Breaking load
2119HZ/25 NP	65 mm	24 mm	42 g	200 kg



Bull Snaps



ZINC DIE CASTING CHROME PLATED

ZINC BULL SNAP 11 CM/25

Code	Total length	Eye width	Weight	Breaking load
Bull ZN/25 CP	11 cm	25 mm	153 g	500 kg



MALLEABLE IRON NICKEL PLATED

STEEL BULL SNAP 100 MM/25

Code	Total length	Eye width	Weight	Breaking load
Bull FE/25 NP	100 mm	25 mm	147 g	500 kg



BRASS POLISHED

BRASS BULL SNAP 84 MM/17

Code	Total length	Eye width	Weight	Breaking load
251B-1/17	84 mm	17 mm	64 g	120 kg



BRASS POLISHED

BRASS BULL SNAP 97 MM/14

Code	Total length	Eye width	Weight	Breaking load
Bull B/25	97 mm	14 mm	134 g	300 kg



ZINC DIE CASTING

NICKEL PLATED

ZINC BULL SNAP 100 MM/28


Code	Total length	Eye width	Weight	Breaking load
Z3142-LT/29 NP	100 mm	28 mm	121 g	500 kg

STAINLESS

POLISHED

STAINLESS STEEL BULL SNAP 100 MM/26

Code	Total length	Eye width	Weight	Breaking load
3142LT SS/26	100 mm	26 mm	150 g	500 kg



Panic Snap Hooks




STAINLESS

POLISHED

PANIC SNAP 100 MM/14

Code	Total length	Eye width	Weight	Breaking load
1000SS/13	100 mm	14 mm	159 g	500 kg



BRASS

POLISHED

PANIC SNAP 100 MM/14

Code	Total length	Eye width	Weight	Breaking load
1001B/13	100 mm	14 mm	150 g	380 kg



BRASS

POLISHED

PANIC SNAP 97 MM/27

Code	Total length	Eye width	Weight	Breaking load
B2002/27	97 mm	27 mm	105 g	380 kg



ZINC DIE CASTING CHROME PLATED

PANIC SNAP 100 MM/12

Code	Total length	Eye width	Weight	Breaking load
PANIC BT/12 CP	100 mm	12 mm	127 g	340 kg



ZINC DIE CASTING CHROME PLATED

PANIC SNAP 11 CM/25

Code	Total length	Eye width	Weight	Breaking load
PANIC/25Q CP	11 cm	25 mm	136 g	220 kg



ZINC DIE CASTING CHROME PLATED

PANIC SNAP 12 CM/25

Code	Total length	Eye width	Weight	Breaking load
PANIC/25 CP	12 cm	25 mm	169 g	250 kg



Twist Panic Snaps



ZINC DIE CASTING

CHROME PLATED

TWIST PANIC SNAP HOOK 11 CM/25

Code	Total length	Eye width	Weight	Breaking load
C1006/25 CP	11 cm	25 mm	118 g	290 kg



STAINLESS

POLISHED

TWIST PANIC SNAP HOOK 11 CM/32

Code	Total length	Eye width	Weight	Breaking load
3002SS/32	11 cm	32 mm	163 g	380 kg



STEEL

BRASS PLATED

TWIST PANIC SNAP HOOK 11 CM/32

Code	Total length	Eye width	Weight	Breaking load
3002M/32 BP	11 cm	32 mm	163 g	380 kg




BRASS

POLISHED

TWIST PANIC SNAP HOOK 11 CM/28

Code	Total length	Eye width	Weight	Breaking load
B3002/28	11 cm	28 mm	163 g	380 kg

Roller Buckles



1407 W/35 NP

STEEL NICKEL PLATED

Code	Inner diameter	Height	D	Code	Inner diameter	Height	D
1407 W/10 NP	10 mm	6 mm	2 mm	1407 W/24 NP	24 mm	15 mm	3 mm
1407 W/12 NP	12 mm	8 mm	2 mm	1407 W/26 NP	26 mm	15 mm	3 mm
1407 W/14 NP	14 mm	8 mm	3 mm	1407 W/28 NP	28 mm	17 mm	3 mm
1407 W/16 NP	16 mm	10 mm	3 mm	1407 W/30 NP	30 mm	18 mm	4 mm
1407 W/18 NP	18 mm	14 mm	3 mm	1407 W/35 NP	35 mm	22 mm	4 mm
1407 W/20 NP	20 mm	14 mm	3 mm	1407 W/40 NP	40 mm	23 mm	5 mm
1407 W/22 NP	22 mm	13 mm	3 mm	1407 W/50 NP	50 mm	31 mm	6 mm



1407WB/30

BRASS POLISHED



1407 W/26 GM

STEEL GRAY



1407 W/30 RG

STEEL ROSE GOLD

Code	Inner diameter	Height	D
1407WB/13	13 mm	8 mm	3 mm
1407WB/16	16 mm	9 mm	3 mm
1407WB/20	20 mm	13 mm	3 mm
1407WB/26	26 mm	14 mm	3 mm
1407WB/30	30 mm	17 mm	4 mm
1407WB/40	40 mm	22 mm	4 mm

Code	Inner diameter	Height	D
1407 W/16 GM	16 mm	9 mm	3 mm
1407 W/20 GM	20 mm	13 mm	3 mm
1407 W/26 GM	26 mm	14 mm	3 mm
1407 W/30 GM	30 mm	17 mm	4 mm
1407 W/40 GM	40 mm	22 mm	5 mm

Code	Inner diameter	Height	D
1407 W/16 RG	16 mm	9 mm	3 mm
1407 W/20 RG	20 mm	13 mm	3 mm
1407 W/26 RG	26 mm	14 mm	3 mm
1407 W/30 RG	30 mm	17 mm	4 mm
1407 W/40 RG	40 mm	22 mm	5 mm



1407 W/26 GP

STEEL GOLD PLATED NEW

Code	Inner diameter	Height	D	Code	Inner diameter	Height	D
1407 W/16 GP	16 mm	9 mm	3 mm	1407 W/30 GP	30 mm	17 mm	4 mm
1407 W/20 GP	20 mm	14 mm	3 mm	1407 W/40 GP	40 mm	22 mm	5 mm
1407 W/26 GP	26 mm	14 mm	3 mm	1407 W/50 GP	50 mm	31 mm	6 mm



1407 W/26 AB

STEEL

ANTIQUE BRASS



1407 W/26 BK

STEEL

BLACK



50B/32

BRASS

POLISHED

Code	Inner diameter	Height	D
1407 W/16 AB	16 mm	10 mm	3 mm
1407 W/20 AB	20 mm	14 mm	3 mm
1407 W/26 AB	26 mm	15 mm	3 mm
1407 W/30 AB	30 mm	18 mm	4 mm
1407 W/40 AB	40 mm	23 mm	5 mm
1407 W/50 AB	50 mm	31 mm	6 mm

Code	Inner diameter	Height	D
1407 W/16 BK	16 mm	9 mm	3 mm
1407 W/20 BK	20 mm	13 mm	3 mm
1407 W/26 BK	26 mm	14 mm	3 mm
1407 W/30 BK	30 mm	17 mm	4 mm
1407 W/40 BK	40 mm	22 mm	5 mm
1407 W/50 BK	50 mm	31 mm	6 mm

Code	Inner diameter	Height	D
50B/16	16 mm	14 mm	3 mm
50B/20	20 mm	18 mm	3 mm
50B/26	26 mm	21 mm	3 mm
50B/32	32 mm	23 mm	4 mm
50B/38	38 mm	25 mm	4 mm



40B/20

BRASS

POLISHED



DBBRB/22

BRASS

POLISHED



49B/35

BRASS

POLISHED

HEAVY DUTY ROLLER BUCKLE

Code	Inner diameter	Height	D
40B/11	11 mm	8 mm	3 mm
40B/13	14 mm	9 mm	3 mm
40B/17	17 mm	10 mm	3 mm
40B/20	20 mm	16 mm	3 mm
40B/25	25 mm	8 mm	3 mm



1215B/18

HEAVY DUTY ROLLER BUCKLE

Code	Inner diameter	Height	D
DBBRB/22	22 mm	12 mm	4 mm
1214B-10R/25	25 mm	14 mm	5 mm
1214B-12R/30	32 mm	17 mm	5 mm

BRASS

POLISHED

NEW

CENTER BAR BUCKLE

Code	Inner diameter	Height	D
1215B/18	19 mm	9 mm	2.5 mm
1215B/20	21 mm	12 mm	4 mm

HEAVY DUTY ROLLER BUCKLE

Code	Inner diameter	Height	D
49B/20	20 mm	21 mm	3 mm
49B/25	25 mm	30 mm	4 mm
49B/30	30 mm	32 mm	5 mm
49B/35	32 mm	34 mm	5 mm
49B/40	40 mm	41 mm	3 mm
49B/50	50 mm	41 mm	3 mm



ROLLER BUCKLES



150B/17

BRASS

POLISHED

HEAVY DUTY ROLLER BUCKLE

Code	Inner diameter	Height	D
150B/17	17 mm	15 mm	3 mm
150B/20	20 mm	17 mm	4 mm
150B/25	25 mm	23 mm	5 mm
150B/30	30 mm	22 mm	5 mm



999/50 D

STEEL

CHROME PLATED

DOUBLE PRONG ROLLER BUCKLE

Code	Inner diameter	Height	D
999/50 D	52 mm	31 mm	7 mm
999/60 D	65 mm	38 mm	7 mm



1407B/50

BRASS

POLISHED

BRASS ROLLER BUCKLE

Code	Inner diameter	Height	D
1407B/20	20 mm	12 mm	4.3 mm
1407B/25	25 mm	13 mm	4.4 mm
1407B/32	33 mm	19 mm	4 mm
1407B/40	40 mm	21 mm	5 mm
1407B/50	50 mm	22 mm	5 mm



Z40-LT/20 BK

ZINC DIE CASTING

BLACK

ROLLER BUCKLE WITH LOCKING TONGUE

Code	Inner diameter	Height	D
Z40-LT/20 BK	20 mm	11 mm	3 mm
Z40-LT/25 BK	26 mm	11 mm	3.5 mm



Z40-LT/20 NP

ZINC DIE CASTING

NICKEL PLATED

ROLLER BUCKLE WITH LOCKING TONGUE

Code	Inner diameter	Height	D
Z40-LT/20 NP	20 mm	11 mm	3 mm
Z40-LT/25 NP	26 mm	11 mm	3.5 mm




40SS LT/20

STAINLESS

POLISHED

ROLLER BUCKLE WITH LOCKING TONGUE

Code	Inner width	Height	ø Prong	D
40SS LT/20	20 mm	11 mm	3.2 mm	3 mm
40SS LT/25	26 mm	11 mm	3.2 mm	3.5 mm





ROLLER BUCKLES



10758SS/20

STAINLESS

POLISHED



1305RSS/20

STAINLESS

POLISHED



49SS/20

STAINLESS

POLISHED

CONTOURED STAINLESS STEEL ROLLER BUCKLE

ROLLER BUCKLE

Code	Inner diameter	Height	D
10758SS/13	14 mm	11 mm	3 mm
10758SS/17	17 mm	12 mm	4 mm
10758SS/20	20 mm	16 mm	4 mm

ROLLER BUCKLE

Code	Inner diameter	Height	D
1305RSS/13	12 mm	11 mm	4 mm
1305RSS/17	16 mm	11 mm	4 mm
1305RSS/20	20 mm	11 mm	4 mm



121B/20

BRASS

POLISHED

CENTER BAR BRASS BUCKLE

Code	Inner diameter	Height	D
121B/13	13 mm	12 mm	3 mm
121B/17	16 mm	14 mm	3 mm
121B/20	20 mm	17 mm	4 mm
121B/25	25 mm	18 mm	5 mm



121SS/13

STAINLESS

POLISHED

CENTER BAR BUCKLE

Code	Inner diameter	Height	D
121SS/13	13 mm	12 mm	3 mm
121SS/17	18 mm	13 mm	3 mm
121SS/20	21 mm	16 mm	3 mm
121SS/25	27 mm	21 mm	3 mm

CENTER BAR ROLLER BUCKLE

Code	Inner diameter	Height	D
150SS/13	13 mm	13 mm	3 mm
150SS/17	17 mm	14 mm	3 mm
150SS/20	20 mm	15 mm	4 mm
150SS/25	25 mm	23 mm	4 mm
150SS/30	30 mm	25 mm	5 mm



150SS/20

STAINLESS

POLISHED



121Z/13 CP

ZINC DIE CASTING

POLISHED

CENTER BAR BUCKLE

Code	Inner diameter	Height	D
121Z/13 CP	13 mm	12 mm	3 mm
121Z/17 CP	17 mm	14 mm	3 mm
121Z/20 CP	20 mm	14 mm	3 mm
121Z/25 CP	25 mm	20 mm	3 mm



122SS/20

STAINLESS

POLISHED

CENTER BAR BUCKLE

Code	Inner diameter	Height	D
122SS/20	21 mm	15 mm	3 mm
122SS/26	25 mm	19 mm	3 mm
122SS/29	29 mm	18 mm	3 mm

NEW



999SS/40 D

STAINLESS POLISHED

DOUBLE PRONG ROLLER BUCKLE

Code	Inner diameter	Height	D
999SS/40 D	40 mm	24 mm	6 mm
999SS/50 D	50 mm	27 mm	6 mm



999SS/40

STAINLESS POLISHED

Code	Inner diameter	Height	D
999SS/25	25 mm	18 mm	5 mm
999SS/30	30 mm	25 mm	6 mm
999SS/40	40 mm	24 mm	6 mm
999SS/50	50 mm	27 mm	6 mm



1407SS/26

STAINLESS POLISHED

Code	Inner diameter	Height	D
1407SS/13	13 mm	8 mm	3 mm
1407SS/16	16 mm	9 mm	3 mm
1407SS/20	20 mm	13 mm	3 mm
1407SS/26	26 mm	14 mm	4 mm
1407SS/30	30 mm	16 mm	4 mm
1407SS/40	40 mm	23 mm	5 mm
1407SS/50	50 mm	29 mm	6 mm



1407SS/50 DF

STAINLESS POLISHED

DOUBLE PRONG ROLLER BUCKLE

NEW

Code	Inner diameter	Height	D
1407SS/50 DF	50 mm	35 mm	5 mm



2507SS/25

STAINLESS POLISHED

Code	Inner diameter	Height	D
2507SS/25	27 mm	4 mm	5 mm



40SS/20

STAINLESS POLISHED

CENTER BAR ROLLER BUCKLE

Code	Inner diameter	Height	D
40SS/20	21 mm	12 mm	3 mm
40SS/25	27 mm	11 mm	3 mm



121Z/13 BK

ZINC DIE CASTING BLACK

CENTER BAR BUCKLE

NEW

Code	Inner diameter	Height	D
121Z/13 BK	13 mm	10 mm	3 mm
121Z/16 BK	16 mm	13 mm	3.3 mm
121Z/20 BK	20 mm	15 mm	4.2 mm
121Z/25 BK	26 mm	19 mm	4 mm



1179/25 CP

STEEL CHROME PLATED

GIRTH BUCKLE

Code	Inner diameter	Height	D
1179/25 CP	25 mm	14 mm	5 mm



150Z/25 NP

ZINC DIE CASTING NICKEL PLATED

CENTER BAR ROLLER BUCKLE

Code	Inner diameter	Height	D
150Z/13 NP	13 mm	12 mm	3 mm
150Z/17 NP	17 mm	14 mm	3 mm
150Z/20 NP	20 mm	14 mm	3 mm
150Z/25 NP	25 mm	20 mm	3 mm



Belt Buckles



SOLID BRASS BELT BUCKLE 41 MM

B001/40

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 38 MM

B027/38

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 40 MM

B028/40

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 41 MM

B003/40

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 39 MM

B030/40

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 39 MM

B007/40

BRASS

POLISHED



SOLID BRASS BELT
BUCKLE 32 MM

980B/30

BRASS POLISHED



SOLID BRASS BELT
BUCKLE 40 MM

B005/40

BRASS POLISHED



SOLID BRASS BELT
BUCKLE 30 MM

B007/30

BRASS POLISHED



SOLID BRASS BELT
BUCKLE 38 MM

B017/40

BRASS POLISHED



SOLID BRASS BELT
BUCKLE 31 MM

B031/30

BRASS POLISHED



SOLID BRASS BELT
BUCKLE 40 MM

B019/40

BRASS POLISHED



SOLID BRASS BELT
BUCKLE 30 MM

B019/30

BRASS POLISHED



SOLID BRASS BELT
BUCKLE 38 MM

980B/40

BRASS POLISHED





BELT BUCKLES

METAL BUCKLES

SOLID BRASS BELT BUCKLE 35 MM

B035/35

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 40 MM

B035/40

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 26 MM

B025/26

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 21 MM

B026/20

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 30 MM

B006/30

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 40 MM

B006/40

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 35-40 MM

B1049/40

B1049/35

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 45 MM

B034/45

BRASS

POLISHED



SOLID BRASS BELT BUCKLE 30 MM

B006/30 CP

BRASS CHROME PLATED



SOLID BRASS BELT BUCKLE 40 MM

B006/40 CP

BRASS CHROME PLATED



METAL BUCKLES





BELT BUCKLES

BELT BUCKLE 40 MM

XGJ 805/40 AS

ZINC DIE CASTING

ANTIQUÉ SILVER



BELT BUCKLE 35 MM

XGJ 816/35 AS

ZINC DIE CASTING

ANTIQUÉ SILVER



BELT BUCKLE 30 MM

XGJ 817/30 AS

ZINC DIE CASTING

ANTIQUÉ SILVER



BELT BUCKLE 40 MM

XGJ 812/40 AS

ZINC DIE CASTING

ANTIQUÉ SILVER



BELT BUCKLE 40 MM

XGJ 805/40 CP

ZINC DIE CASTING

CHROME PLATED



BELT BUCKLE 25 MM

XGJ 336/25 CP

ZINC DIE CASTING

CHROME PLATED



BELT BUCKLE 29 MM

XGJ 826/29 CP

ZINC DIE CASTING

CHROME PLATED



BELT BUCKLE 30 MM

XGJ 814/30 CP

ZINC DIE CASTING

CHROME PLATED



BELT BUCKLE 40 MM

XGJ 502/40 CP

ZINC DIE CASTING

CHROME PLATED



BELT BUCKLE 35 MM

XGJ 816/35 CP

ZINC DIE CASTING

CHROME PLATED



BELT BUCKLE 30 MM

XGJ 566/30 AS

ZINC DIE CASTING

ANTIQUE SILVER



BELT BUCKLE 15 MM

PH76741/15 GP

ZINC DIE CASTING

GOLD PLATED

NEW



BELT BUCKLE 20 MM

PH76884/20 GP

ZINC DIE CASTING

GOLD PLATED

NEW





BELT BUCKLES

BELT BUCKLE WITH KEEPER 30 MM

Z6333/30 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 15 MM

PH76741/15 NP

ZINC DIE CASTING

BRUSHED NICKEL

NEW



BELT BUCKLE 30 MM

PH75405/30

ZINC DIE CASTING

BRUSHED



BELT BUCKLE 20 MM

PH76884/20 NP

ZINC DIE CASTING

BRUSHED NICKEL

NEW



BELT BUCKLE 30 MM

Z3919/30 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 35 MM

DM-0387/36 BrNP

ZINC DIE CASTING

BRUSHED NICKEL

NEW



BELT BUCKLE 30 MM

Z3919/30 BGM

ZINC DIE CASTING

BRUSHED GUN METAL



SLIDER STYLE BUCKLE 35 MM

PH32843/35

ZINC DIE CASTING

BRUSHED



SLIDER STYLE BUCKLE 32 MM

K83256/32 BK

STEEL

BLACK




SLIDER STYLE BUCKLE 35 MM

DM-0387/36 BGM

STEEL

BRUSHED GUN METAL

NEW



BELT BUCKLE 30 MM

LJ0242/30 Gold

ZINC DIE CASTING

GOLD PLATED



SLIDER STYLE BUCKLE 32 MM

K83256/32 NFM

STEEL





BELT BUCKLES

BELT BUCKLE WITH KEEPER 35 MM

DK9948BSS/35

STAINLESS

POLISHED



SLIDER STYLE BUCKLE 40 MM

SZ2186/40 BGM

STEEL

BRUSHED GUN METAL



BELT BUCKLE 30 MM

PH33456/30

ZINC DIE CASTING



PH33466/30

ZINC DIE CASTING





BELT PIN BUCKLE 35 MM

9901BSS/35

STAINLESS BRUSHED



9906BSS/35

STAINLESS BRUSHED



9907BSS/35

STAINLESS BRUSHED



BELT PIN BUCKLE 39 MM

12BSS/38

STAINLESS BRUSHED

NEW



BELT STAINLESS STEEL PIN BUCKLE BRUSHED 40 MM

9940BSS/40

STAINLESS

BRUSHED



9945BSS/40

STAINLESS

BRUSHED



9985BSS/40

STAINLESS


BRUSHED



9987BSS/40

STAINLESS


BRUSHED



9906BSS/40

STAINLESS

BRUSHED



9996BSS/40

STAINLESS

BRUSHED



9998BSS/40

STAINLESS BRUSHED



9913BSS/40

STAINLESS BRUSHED



9939BSS/40

STAINLESS BRUSHED



BELT STAINLESS STEEL PIN BUCKLE 40 MM

9940SS/40

STAINLESS

POLISHED



9945SS/40

STAINLESS

POLISHED



BELT STAINLESS STEEL PIN BUCKLE BRUSHED 30 MM

9913BSS/30

STAINLESS

BRUSHED



9917BSS/30

STAINLESS

BRUSHED



9922BSS/30

STAINLESS

BRUSHED



BELT PIN BUCKLE BRUSHED 35 MM

9916BSS/35

STAINLESS BRUSHED



BELT PIN BUCKLE 35 MM

9916SS/35

STAINLESS POLISHED



BELT PIN BUCKLE 42 MM

9942SS/40

STAINLESS POLISHED



BELT PIN BUCKLE BRUSHED 40 MM

9942BSS/40

STAINLESS BRUSHED



BELT PIN BUCKLE 35 MM

9938SS/35

STAINLESS POLISHED



BELT PIN BUCKLE BRUSHED 35 MM

9938BSS/35

STAINLESS BRUSHED



BELT PIN BUCKLE 30 MM

6333N BSS/30

STAINLESS

BRUSHED



BELT PIN BUCKLE 30 MM

6333N SS/30

STAINLESS

POLISHED



BELT BUCKLE 40 MM

PH75497/40

ZINC DIE CASTING



BELT BUCKLE 40 MM

PH76118/40

ZINC DIE CASTING



BELT BUCKLE 40 MM

PH76804/40

ZINC DIE CASTING

ZINC PLATED



**HUNTING BELT BUCKLE
40 MM – NICKEL FREE**

PH76548/40 ONF

ZINC DIE CASTING

ANTIQUE SILVER







BELT BUCKLES

BELT BUCKLE 40 MM

Z8411/40 AS

ZINC DIE CASTING

ANTIQUE SILVER



BELT BUCKLE 39 MM

ZK1228/40 AS

ZINC DIE CASTING

ANTIQUE SILVER



BELT BUCKLE 39 MM

ZK3630/40 AS

ZINC DIE CASTING

ANTIQUE SILVER



BELT BUCKLE 30 MM

ZK0296/30 AS

ZINC DIE CASTING

ANTIQUE SILVER



BELT BUCKLE 30 MM

ZK1370/30 AS

ZINC DIE CASTING

ANTIQUE SILVER



SMALL BELT BUCKLE 20 MM

PH75364/20

ZINC DIE CASTING

ANTIQUE SILVER



HUNTING BELT BUCKLE 40 MM

PH76548/40 AB

ZINC DIE CASTING

ANTIQUE BRASS



BELT BUCKLE 35 MM

B1049/35 BK

BRASS BLACK



BELT BUCKLE 40 MM

Z4430/40 BK

ZINC DIE CASTING BLACK



SOLID BRASS BELT BUCKLE 40 MM

B1049/40 BK

BRASS BLACK



BELT STAINLESS STEEL PIN BUCKLE 40 MM

9913SS/40 BK

STAINLESS BLACK NEW



BELT STAINLESS STEEL PIN BUCKLE 40 MM

9939SS/40 BK

STAINLESS BLACK NEW





BELT BUCKLES

FIREFIGHTER BELT BUCKLE 54 MM

22312SS

STAINLESS

POLISH

NEW



BELT BUCKLE 38 MM

PH4269/38

ZINC DIE CASTING

ANTIQUE SILVER



DOUBLE PRONG BUCKLE 52 MM

22312

STEEL

NICKEL PLATED



BELT BUCKLE 35 MM

Z0289/35 AS

ZINC DIE CASTING

ANTIQUE SILVER



BELT BUCKLE 30 MM

Z2498/30 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 30 MM

Z2912/30 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 30 MM

ZK2175/30 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 35 MM

Z0365/35 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 35 MM

ZK1106/35 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 35 MM

Z9601/35 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 40 MM

ZK1776/40 BrNP

ZINC DIE CASTING

BRUSHED NICKEL





BELT BUCKLES

BELT BUCKLE 40 MM

ZK2049/40 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 40 MM

Z2986/40 BrNP

ZINC DIE CASTING

BRUSHED NICKEL



BELT BUCKLE 30 MM

ZK1333/30 BGM

- ZINC DIE CASTING
- BRUSHED GUN METAL



BELT BUCKLE 30 MM

Z2498/30 BGM

- ZINC DIE CASTING
- BRUSHED GUN METAL



BELT BUCKLE 35 MM

ZK3841/35 BGM

- ZINC DIE CASTING
- BRUSHED GUN METAL



BELT BUCKLE 30 MM

Z2912/30 BGM

- ZINC DIE CASTING
- BRUSHED GUN METAL



BELT BUCKLE 30 MM

ZK2175/30 BGM

- ZINC DIE CASTING
- BRUSHED GUN METAL



BELT BUCKLE 35 MM

ZK1106/35 BGM

- ZINC DIE CASTING
- BRUSHED GUN METAL





BELT BUCKLES

BELT BUCKLE 35 MM

Z9601/35 BGM

ZINC DIE CASTING

BRUSHED GUN METAL



BELT BUCKLE 35 MM

Z0365/35 BGM

ZINC DIE CASTING

BRUSHED GUN METAL



BELT BUCKLE 40 MM

ZY9958/40 BGM

ZINC DIE CASTING

BRUSHED GUN METAL



BELT BUCKLE 40 MM

ZK2049/40 BGM

ZINC DIE CASTING

BRUSHED GUN METAL



BELT BUCKLE 40 MM

Z2986/40 BGM

ZINC DIE CASTING

BRUSHED GUN METAL



BELT BUCKLE 40 MM

ZK1776/40 BGM

ZINC DIE CASTING

BRUSHED GUN METAL



BELT BUCKLE 40 MM

ZK1583/40 BGM

ZINC DIE CASTING

BRUSHED GUN METAL



DOUBLE PRONG BUCKLE 40 MM


ZY5777/40 BGM

ZINC DIE CASTING

BRUSHED GUN METAL



Collar Buckles



Z9913/20 NP

ZINC DIE CASTING

NICKEL PLATED



Z9913/20 RG

ZINC DIE CASTING

ROSE GOLD



Z9913/20 NEO


ZINC DIE CASTING

NEO-CHROME

Code	Inner diameter	Shank	Lenght
Z9913/16 NP	16 mm	3 mm	21 mm
Z9913/20 NP	20 mm	3.1 mm	26 mm
Z9913/25 NP	25 mm	3.8 mm	33 mm
Z9913/30 NP	30 mm	4 mm	40 mm

Code	Inner diameter	Shank	Lenght
Z9913/16 RG	16 mm	3 mm	21 mm
Z9913/20 RG	20 mm	3.1 mm	26 mm
Z9913/25 RG	25 mm	3.8 mm	33 mm
Z9913/30 RG	30 mm	4 mm	40 mm

Code	Inner diameter	Shank	Lenght
Z9913/16 NEO	16 mm	3 mm	21 mm
Z9913/20 NEO	20 mm	3.1 mm	26 mm
Z9913/25 NEO	25 mm	3.8 mm	33 mm
Z9913/30 NEO	30 mm	4 mm	40 mm



XGJ/25 NEO

ZINC DIE CASTING

NEO-CHROME

Code	Inner diameter	Shank	Lenght
XGJ/16 NEO	16 mm	2.5 mm	34 mm
XGJ/20 NEO	20 mm	2.6 mm	42 mm
XGJ/25 NEO	25 mm	3.3 mm	54 mm





XGJ/20 NP

ZINC DIE CASTING

NICKEL PLATED



XGJ/25 BK

ZINC DIE CASTING

BLACK



NEW XGJ/16 GP

ZINC DIE CASTING

GOLD PLATED

Code	Inner diameter	Shank	Lenght
XGJ/10 NP	10 mm	2.5 mm	25 mm
XGJ-L/10 NP	10 mm	2.5 mm	26 mm
XGJ/13 NP	13 mm	2.5 mm	30 mm
XGJ-L/13 NP	13 mm	2.7 mm	28 mm
XGJ/16 NP	16 mm	2.5 mm	35 mm
XGJ/20 NP	20 mm	2.7 mm	42 mm
XGJ/25 NP	25 mm	3.1 mm	54 mm
XGJ/30 NP	30 mm	3.1 mm	63 mm
XGJ/40 NP	40 mm	4 mm	62 mm
NEW XGJ/50 NP	50 mm	4.8 mm	68 mm

Code	Inner diameter	Shank	Lenght
XGJ/10 BK	10 mm	2.5 mm	25 mm
XGJ-L/10 BK	10 mm	2.5 mm	26 mm
XGJ/13 BK	13 mm	2.3 mm	30 mm
XGJ-L/13 BK	13 mm	2.7 mm	33 mm
XGJ/16 BK	16 mm	2.3 mm	34 mm
XGJ/20 BK	20 mm	2.6 mm	42 mm
XGJ/25 BK	25 mm	3.3 mm	54 mm
XGJ/30 BK	30 mm	4 mm	63 mm
XGJ/40 BK	40 mm	4 mm	63 mm
NEW XGJ/50 BK	50 mm	4.8 mm	68 mm

Code	Inner diameter	Shank	Lenght
XGJ-L/10 GP	10 mm	2.5 mm	26 mm
XGJ-L/13 GP	13 mm	3.5 mm	33 mm
XGJ/16 GP	16 mm	1.9 mm	34 mm
XGJ/25 GP	25 mm	4 mm	54 mm
XGJ/40 GP	40 mm	5.5 mm	63 mm



XGJ/20 RG

ZINC DIE CASTING

ROSE GOLD



147SS/20

STAINLESS

POLISHED



XGJ/25 AB

ZINC DIE CASTING

ANTIQUE BRASS

Code	Inner diameter	Shank	Lenght
XGJ/10 RG	10 mm	2.5 mm	25 mm
XGJ-L/10 RG	10 mm	2.5 mm	26 mm
XGJ/13 RG	13 mm	2.3 mm	30 mm
XGJ-L/13 RG	13 mm	2.7 mm	33 mm
XGJ/16 RG	16 mm	2.3 mm	33 mm
XGJ/20 RG	20 mm	2.6 mm	42 mm
XGJ/25 RG	25 mm	3.3 mm	55 mm
XGJ/40 RG	40 mm	4.2 mm	62 mm

Code	Inner diameter	Shank	Lenght
147SS/10	10 mm	2.5 mm	26 mm
147SS/13	13 mm	2.5 mm	31 mm
147SS/17	16 mm	2.8 mm	36 mm
147LSS/16	16 mm	2.7 mm	37 mm
147SS/20	20 mm	2.7 mm	42 mm
147SS/25	26 mm	3.5 mm	55 mm
147SS/38	38 mm	3.6 mm	68 mm

Code	Inner diameter	Shank	Lenght
XGJ/10 AB	10 mm	2.5 mm	26 mm
XGJ/13 AB	13 mm	2.8 mm	33 mm
XGJ/16 AB	16 mm	2.5 mm	34 mm
XGJ/20 AB	20 mm	2.6 mm	41 mm
XGJ/25 AB	25 mm	3.3 mm	55 mm
XGJ/40 AB	40 mm	4 mm	63 mm
NEW XGJ/50 AB	50 mm	4.8 mm	68 mm



COLLAR BUCKLES



146BS/32

BRASS

POLISHED



147B/20

BRASS

POLISHED



147B/20 CP

BRASS

CHROME PLATED

Code	Inner diameter	Shank	Lenght
146B/13	13 mm	3 mm	35 mm
146BS/17	17 mm	3.3 mm	43 mm
146BS/20	20 mm	4 mm	50 mm
146BS/25	25 mm	4.4 mm	57 mm
146BS/32	32 mm	4.9 mm	67 mm
146BS/40	40 mm	4.4 mm	81 mm

Code	Inner diameter	Shank	Lenght
147B/17	16 mm	3.1 mm	37 mm
147B/20	20 mm	3.5 mm	46 mm
147B/25	25 mm	4.4 mm	57 mm

Code	Inner diameter	Shank	Lenght
147B/17 CP	16 mm	3.1 mm	37 mm
147B/20 CP	20 mm	3.2 mm	46 mm
147B/25 CP	25 mm	4.5 mm	56 mm



NEW

ZK9R/20 NP

ZINC DIE CASTING

NICKEL PLATED

Code	Inner diameter	Shank	Lenght
ZK9R/20 NP	20 mm	3.6 mm	40 mm
ZK9R/25 NP	25 mm	3 mm	51 mm



NEW

ZK9R/20 BK

ZINC DIE CASTING

BLACK

Code	Inner diameter	Shank	Lenght
ZK9R/20 BK	20 mm	3.6 mm	40 mm
ZK9R/25 BK	25 mm	3 mm	51 mm



146SS/20

STAINLESS

POLISHED

Code	Inner diameter	Shank	Lenght
146SS/20	20 mm	4 mm	45 mm
146SS/25	25 mm	4.2 mm	52 mm



12JB/21

BRASS

POLISHED

Code	Inner diameter	Shank	Lenght
12JB/21	20 mm	2.5 mm	30 mm
12JB/26	25 mm	3 mm	37 mm




S-P-RB/20 BK

STEEL

RATCHET BUCKLE

NEW

Code	Inner diameter	Shank	Lenght
S-P-RB/20 BK	25 mm	0	57 mm



Cam Buckles



CAM 01/20

ZINC DIE CASTING

ZINC PLATED

SELF-LOCKING BUCKLE

Code	Inner diameter
CAM 01/20	20 mm
CAM 01/25	25 mm
CAM 01/40	40 mm



CAM02 SS/50


STAINLESS

POLISHED

SELF-LOCKING BUCKLE

Code	Inner diameter
NEW CAM02 SS/20	20 mm
CAM02 SS/25	25 mm
CAM02 SS/50	50 mm

Special Buckles



888K/30 NP STEEL NICKEL PLATED



888K/25 CP STEEL CHROME PLATED


SAFETY CAR BUCKLE

Code	Inner diameter
888K/25 NP	25 mm
888K/30 NP	30 mm

SAFETY CAR BUCKLE

Code	Inner diameter
888K/25 CP	25 mm





Watch Buckles

METAL BUCKLES



NEW W04S25 SS/22

STAINLESS

POLISHED



NEW W4020S SS/20

STAINLESS

POLISHED


Code	Inner diameter	Shank	Length
W04S25 SS/22	22 mm	4 mm	24 mm

Code	Inner diameter	Shank	Length
W4020S SS/20	20 mm	2.5 mm	19 mm





3 & 2 Way Halter Squares



3 SIDED HALTER SQUARE 13 MM

Z370/13 CP

ZINC DIE CASTING

CHROME PLATED



3 SIDED HALTER SQUARE 16 MM

Z370/16 CP

ZINC DIE CASTING

CHROME PLATED



3 SIDED HALTER SQUARE 20 MM

Z370/20 CP

ZINC DIE CASTING

CHROME PLATED



3 SIDED HALTER SQUARE 25 MM

Z370/25 CP

ZINC DIE CASTING

CHROME PLATED



3 SIDED HALTER SQUARE 25 MM

S373/25 CP

STEEL

CHROME PLATED




3 SIDED HALTER SQUARE 13 MM

NEW

B370/13

BRASS

POLISHED



3 SIDED HALTER SQUARE 17 MM

NEW

B370/17

BRASS

POLISHED



3 SIDED HALTER SQUARE 20 MM

B370/20

BRASS

POLISHED



3 SIDED HALTER SQUARE 25 MM

B370/25

BRASS

POLISHED




3 SIDED HALTER SQUARE 20 MM

SS370/20

STAINLESS

POLISHED




3 SIDED HALTER SQUARE 25 MM

SS370/25

STAINLESS

POLISHED



3 SIDED HALTER SQUARE 25 MM

Z370/25 RG

ZINC DIE CASTING

ROSE GOLD



3 SIDED HALTER SQUARE 25 MM

Z370/25 BK

ZINC DIE CASTING

BLACK



2 SIDED HALTER SQUARE 25 MM

B369/25

BRASS

POLISHED



2 SIDED HALTER SQUARE 20 MM

B3690/20

BRASS

POLISHED



2 SIDED HALTER SQUARE 20 MM

B369/20

BRASS

POLISHED



2 SIDED HALTER SQUARE 25 MM

369SS/25

STAINLESS

POLISHED



2 SIDED HALTER SQUARE 20 MM

369SS/20


STAINLESS

POLISHED

Made by Tereza Klvaňová



Bridle Buckles



12ST/25 NP

STEEL

NICKEL PLATED



12SS/25

STAINLESS

POLISHED

BRIDLE BUCKLE PREMIUM

Code	Inner width	Inner height	Shank	D
12ST/14 NP	14 mm	17 mm	3.1 mm	4 mm
12ST/16 NP	16 mm	20 mm	3.1 mm	4 mm
12ST/20 NP	20 mm	25 mm	3.5 mm	4 mm
12ST/25 NP	25 mm	34 mm	4 mm	4 mm
12ST/30 NP	30 mm	40 mm	4 mm	4 mm

Code	Inner width	Inner height	Shank	D
12SS/13	13 mm	18 mm	2.7 mm	3 mm
12SS/17	16 mm	18 mm	3.1 mm	3 mm
12SS/20	20 mm	25 mm	3.1 mm	3 mm
12SS/23	23 mm	27 mm	3.6 mm	3 mm
12SS/25	26 mm	30 mm	4 mm	4 mm



12RSS/25

STAINLESS

POLISHED



12ST/25 BK

STEEL

BLACK

Code	Inner width	Inner height	Shank	D
12RSS/10	10 mm	15 mm	3 mm	3.3 mm
12RSS/14	14 mm	19 mm	3 mm	3.3 mm
12RSS/16	16 mm	21 mm	3.3 mm	4 mm
12RSS/20	20 mm	27 mm	4 mm	4.6 mm
12RSS/23	23 mm	28 mm	4 mm	4.6 mm
12RSS/25	25 mm	32 mm	5 mm	5.5 mm

Code	Inner width	Inner height	Shank	D
12ST/16 BK	16 mm	20 mm	3.1 mm	4 mm
12ST/20 BK	20 mm	25 mm	3.5 mm	4 mm
12ST/25 BK	25 mm	34 mm	4 mm	4 mm
12ST/30 BK	30 mm	40 mm	4 mm	4 mm



12z/25 NP

ZINC DIE CASTING

NICKEL PLATED



12z/25 CP

ZINC DIE CASTING

CHROME PLATED

Code	Inner width	Inner height	Shank	D
12z/13 NP	13 mm	17 mm	3.1 mm	2 mm
12z/17 NP	17 mm	19 mm	3.1 mm	2 mm
12z/20 NP	19 mm	24 mm	3.5 mm	3 mm
12z/25 NP	25 mm	30 mm	5 mm	4 mm

Code	Inner width	Inner height	Shank	D
12z/13 CP	13 mm	17 mm	2.5 mm	2 mm
12z/17 CP	17 mm	20 mm	3 mm	3 mm
12z/20 CP	19 mm	24 mm	3.1 mm	3 mm
12z/25 CP	25 mm	30 mm	3.6 mm	4 mm





BRIDLE BUCKLES



299SS/20

STAINLESS

POLISHED



12Z/20 AB

ZINC DIE CASTING

ANTIQUE BRASS

STAMPED BRIDLE BUCKLE

Code	Inner width	Inner height	Shank	D
299SS/13	13 mm	9 mm	2.7 mm	2 mm
299SS/17	16 mm	12.5 mm	2.5 mm	3 mm
299SS/20	20 mm	13 mm	2.7 mm	3 mm

Code	Inner width	Inner height	Shank	D
12Z/17 AB	17 mm	19 mm	3.1 mm	3 mm
12Z/20 AB	19 mm	24 mm	3.5 mm	3 mm
12Z/25 AB	25 mm	30 mm	5 mm	4 mm



12B/25

BRASS

POLISHED




5B/25

BRASS

POLISHED

Code	Inner width	Inner height	Shank	D
12B/13	13 mm	18 mm	2.7 mm	2 mm
12B/17	16 mm	20 mm	3.1 mm	4 mm
12B/20	20 mm	25 mm	3.5 mm	3 mm
12B/25	25 mm	30 mm	4.5 mm	4.5 mm
12B/32	32 mm	32 mm	4.7 mm	6 mm

Code	Inner width	Inner height	Shank	D
5B/13	15 mm	19 mm	3.1 mm	3 mm
5B/17	18 mm	21 mm	3.5 mm	3 mm
5B/20	20 mm	25 mm	4 mm	4 mm
5B/25	26 mm	33 mm	5 mm	4 mm



Halter Buckles



705B/17

BRASS

POLISHED

Code	Inner width	Inner height	Shank
705B/13	13 mm	10 mm	3.6 mm
705B/17	17 mm	12 mm	4 mm
705B/20	20 mm	13 mm	4 mm
705B/25	25 mm	17 mm	4.5 mm
705B/30	32 mm	21 mm	4.5 mm



705Z/20 CP

ZINC DIE CASTING

CHROME PLATED

Code	Inner width	Inner height	Shank
705Z/17 CP	17 mm	14 mm	3.6 mm
705Z/20 CP	20 mm	15 mm	4 mm
705Z/25 CP	25 mm	18 mm	4 mm



5706B/25

BRASS

POLISHED

Code	Inner width	Inner height	Shank
5706B/25	25 mm	13 mm	4 mm
5706B/30	30 mm	14 mm	4.5 mm



132SS/20

STAINLESS

POLISHED

Code	Inner width	Inner height	Shank
132-LSS/14	14 mm	11 mm	3 mm
132-LSS/16	16 mm	14 mm	3 mm
132-LSS/20	20 mm	17 mm	3.3 mm
132-LSS/26	26 mm	16 mm	3.3 mm



5705SZ/13 NP

ZINC DIE CASTING

NICKEL PLATED

Code	Inner width	Inner height	Shank
5705SZ/13 NP	13 mm	11 mm	2.7 mm



Made by Koller Brigitte



5709Z/28 CP

ZINC DIE CASTING CHROME PLATED




5705SS/25

STAINLESS POLISHED

DOUBLE BAR HALTER BUCKLE

Code	Inner width	Inner height	Shank
5709Z/28 CP	28 mm	16 mm	4 mm

Code	Inner width	Inner height	Shank
5705SS/17	17 mm	14 mm	3.6 mm
5705SS/20	20 mm	13 mm	4.5 mm
5705SS/25	25 mm	17 mm	4 mm
5705SS/32	32 mm	21 mm	5.5 mm



Conway Buckles



210Z/20 CP

ZINC DIE CASTING

CHROME PLATED



210SS/17

STAINLESS

POLISHED



210B/13

BRASS

POLISHED

Code	Inner diameter	Ø Spike
210Z/13 CP	13 mm	4.5 mm
210Z/17 CP	17 mm	4 mm
210Z/20 CP	20 mm	5 mm
210Z/25 CP	25 mm	5 mm

Code	Inner diameter	Ø Spike
210SS/13	13 mm	3 mm
210SS/17	17 mm	4.8 mm
210SS/20	20 mm	5 mm
210SS/25	25 mm	5 mm

Code	Inner diameter	Ø Spike
210B/13	13 mm	4.2 mm
210B/17	16 mm	4.6 mm
210B/20	20 mm	4.8 mm



210Z/20 BK

ZINC DIE CASTING

BLACK

Code	Inner diameter	Ø Spike
210Z/13 BK	13 mm	4.5 mm
210Z/17 BK	17 mm	4 mm
210Z/20 BK	20 mm	5 mm
210Z/25 BK	25 mm	5 mm





Blanket Buckles

HORSE BLANKET SURCINGLE BUCKLE SET

B3181/50

BRASS

POLISHED



HORSE BLANKET SURCINGLE BUCKLE SET

SS 3181/50

STAINLESS

POLISHED



HORSE BLANKET SURCINGLE BUCKLE SET


S 3181/50 CP

STEEL

CHROME PLATED



Inner Diameter



Girth Buckles



FLAT GIRTH BUCKLE

1280/25 CP

STEEL

CHROME PLATED



BRASS FLAT GIRTH BUCKLE

B1280/25

BRASS

POLISHED

STAINLESS STEEL GIRTH BUCKLE



1240SP-SS/26

STAINLESS

POLISHED



1140SS/25

STAINLESS

POLISHED



1140SP-SS/25

STAINLESS

POLISHED

Inner Diameter



Center Bar Buckles



ENGLISH STIRRUP BUCKLE

1180/25 CP

STEEL

CHROME PLATED



**STAINLESS STEEL
ENGLISH STIRRUP BUCKLE**

1180SS/25

STAINLESS

POLISHED



ENGLISH STIRRUP BUCKLE

1180ST/26 NP

STEEL

NICKEL PLATED



Horse Lead Ropes



POLY LEAD ROPE WITH SNAP

Code	ø	Length
VKL Z225 CP	14 mm	2 m



CHAIN LEASH FOR HORSE WITHOUT HANDLE

STEEL CHROME PLATED

Code	ø	Length
V 40/60C	4 mm	60 cm



HORSE LEAD SHANK CHAIN (WITHOUT LEAD LINE)

STAINLESS POLISHED NEW


Code	ø	Length
19620SS/4.0x60	4 mm	60 cm



HORSE LEAD SHANK CHAIN (WITHOUT LEAD LINE)

BRASS POLISHED NEW

Code	ø	Length
19623B/4.0x60	4 mm	60 cm



RIGGING DEE FLAT

3335SS/76

STAINLESS POLISHED

RIGGING „C“

32708SS/90

STAINLESS POLISHED



1954SSF/25

STAINLESS POLISHED

CLIP WITH D RING

Code	Inner diameter	Height	D
1954SSF/25	25 mm	40 mm	6 mm




9102/20 NP

STEEL NICKEL PLATED

CLIP WITH D RING

Code	Inner diameter	Height	D
9102/16 NP	16 mm	13 mm	3 mm
9102/20 NP	20 mm	17 mm	3 mm



Single Cap Rivets

SINGLE CAP RIVET

STEEL

NICKEL PLATED



20 O

A	B	C
3 mm	6 mm	6 mm



63 O

A	B	C
3 mm	8 mm	8 mm



66 O

A	B	C
3 mm	7 mm	7 mm



70 O

A	B	C
3 mm	10 mm	10 mm



70 O 13 mm

A	B	C
3 mm	13 mm	10 mm



70 O 8 mm

A	B	C
3 mm	8 mm	10 mm



72 O

A	B	C
4 mm	11 mm	12 mm



75 O

A	B	C
4 mm	13 mm	12 mm

SINGLE CAP RIVET

STEEL

ANTIQUE COPPER



70 O - AC

A	B	C
3 mm	10 mm	10 mm



72 O - AC

A	B	C
4 mm	11 mm	12 mm



75 O - AC

A	B	C
4 mm	13 mm	12 mm



75 O - AB

A	B	C
4 mm	13 mm	12 mm

SINGLE CAP RIVET

STEEL

ANTIQUE BRASS

COPPER RIVETS & BURRS

COPPER



RCH09 B/9x3.3x14

A	B	C
3 mm	14 mm	9 mm



RCH12 B/12x4x14

A	B	C
4 mm	14 mm	12 mm



RCH09 B/9x3.3x20

A	B	C
3 mm	20 mm	9 mm

COPPER RIVETS & BURRS COPPER



RCH12 B/12x4x20	
A	4 mm
B	20 mm
C	12 mm




RCH09 B/9x3.3x26	
A	3 mm
B	26 mm
C	9 mm




RCH12 B/12x4x26	
A	3 mm
B	26 mm
C	12 mm


BRASS RIVETS & BURRS BRASS




11280-20		
A	B	C
4 mm	14 mm	12 mm



11281-20		
A	B	C
4 mm	20 mm	12 mm




11282-21		
A	B	C
3 mm	26 mm	9 mm



11280-21		
A	B	C
3 mm	14 mm	9 mm





Double Cap Rivets

DOUBLE CAP RIVET

STEEL

NICKEL PLATED

				
20 Z	66 Z	63 Z	70 Z 8 mm	6x8 J/13
A B C	A B C	A B C	A B C	A B C
3 mm 6 mm 6 mm	3 mm 7 mm 7 mm	3 mm 8 mm 8 mm	3 mm 8 mm 10 mm	2 mm 8 mm 6 mm
				
79 Z	70 Z	72 Z	75 Z	79 Z 15 mm
A B C	A B C	A B C	A B C	A B C
4 mm 8 mm 12 mm	3 mm 10 mm 10 mm	4 mm 11 mm 12 mm	4 mm 13 mm 12 mm	4 mm 15 mm 13 mm

DOUBLE CAP RIVET

STAINLESS

					
SS 66 Z	SS 63 Z	SS 70 Z	72 Z - SS	SS 70 Z 8 mm	75 Z - SS
A B C	A B C	A B C	A B C	A B C	A B C
4 mm 7 mm 7 mm	3 mm 8 mm 8 mm	3 mm 8 mm 8 mm	3 mm 10 mm 10 mm	3 mm 8 mm 10 mm	3 mm 12 mm 12 mm

DOUBLE CAP RIVET

BRASS

				
B66 Z	B63 Z	B70 Z	B72 Z	8x10 BOJ/25
A B C	A B C	A B C	A B C	A B C
3 mm 7 mm 7 mm	3 mm 8 mm 8 mm	3 mm 10 mm 10 mm	4 mm 11 mm 12 mm	3 mm 10 mm 8 mm

DOUBLE CAP RIVET

STEEL

BLACK

					
66 Z - DK	63 Z - DK	70 Z 8 mm - DK	NEW 79 Z - DK	70 Z - DK	70 Z 13 mm - DK
A B C	A B C	A B C	A B C	A B C	A B C
3 mm 6 mm 6 mm	3 mm 8 mm 8 mm	3 mm 8 mm 10 mm	4 mm 8 mm 12 mm	3 mm 10 mm 10 mm	3 mm 13 mm 10 mm
					
72 Z - DK					
A B C					
3 mm 11 mm 12 mm					



DOUBLE CAP RIVETS

DOUBLE CAP RIVET

STEEL

ANTIQUE COPPER

														
66 Z - AC			70 Z - AC			70 Z 13mm AC			72 Z - AC			75 Z - AC		
A	B	C	A	B	C	A	B	C	A	B	C	A	B	C
3 mm	7 mm	7 mm	3 mm	10 mm	10 mm	3 mm	13 mm	10 mm	4 mm	11 mm	12 mm	4 mm	13 mm	12 mm

DOUBLE CAP RIVET

STEEL

NEO-CHROME

					
66 Z - NEO			70 Z - NEO		
A	B	C	A	B	C
3 mm	7 mm	7 mm	3 mm	10 mm	10 mm

DOUBLE CAP RIVET - NICKEL FREE

BRASS

								
B70 Z - NF			B72 Z - NF			B75 Z - NF		
A	B	C	A	B	C	A	B	C
3 mm	10 mm	10 mm	4 mm	11 mm	12 mm	4 mm	13 mm	12 mm

DOUBLE CAP RIVET

STEEL

ANTIQUE BRASS

																	
66 Z - AB			70 Z 8 mm - AB			79 Z - AB			70 Z - AB			70 Z 13mm AB			72 Z - AB		
A	B	C	A	B	C	A	B	C	A	B	C	A	B	C	A	B	C
3 mm	7 mm	7 mm	3 mm	8 mm	10 mm	4 mm	8 mm	12 mm	3 mm	10 mm	10 mm	3 mm	13 mm	10 mm	4 mm	11 mm	12 mm

DOUBLE CAP RIVET

STEEL

ROSE GOLD


														
66 Z - RG			70 Z 8mm - RG			79 Z - RG			70 Z - RG			70 Z 13mm RG		
A	B	C	A	B	C	A	B	C	A	B	C	A	B	C
3 mm	7 mm	7 mm	3 mm	8 mm	10 mm	4 mm	8 mm	12 mm	3 mm	10 mm	10 mm	3 mm	13 mm	10 mm
														
72 Z - RG														
A	B	C												
4 mm	11 mm	12 mm												

DOUBLE CAP RIVET

STEEL

BRASS PLATED

																	
66 Z - BP			70 Z 8 mm - BP			79 Z - BP			70 Z - BP			70 Z 13mm BP			72 Z - BP		
A	B	C	A	B	C	A	B	C	A	B	C	A	B	C	A	B	C
3 mm	7 mm	7 mm	3 mm	8 mm	10 mm	4 mm	8 mm	12 mm	3 mm	10 mm	10 mm	3 mm	13 mm	10 mm	4 mm	11 mm	12 mm
																	
75 Z - BP			B66 Z - BP			B63 Z - BP			B70 Z - BP			B72 Z - BP					
A	B	C	A	B	C	A	B	C	A	B	C	A	B	C			
4 mm	13 mm	12 mm	3 mm	7 mm	7 mm	3 mm	8 mm	8 mm	3 mm	10 mm	10 mm	4 mm	11 mm	12 mm			



Chicago Screws

STAINLESS STEEL SCREW POST 4-10 MM

STAINLESS

POLISHED



SS SPH8-4

A	4 mm
B	4 mm
C	8 mm
S	4 mm



SS SPH8-5

A	5 mm
B	4 mm
C	8 mm
S	4 mm



SS SPH8-6

A	6 mm
B	4 mm
C	8 mm
S	6 mm



SS SPH4

A	4 mm
B	4 mm
C	10 mm
S	3.5 mm



SS SPH5

A	4 mm
B	5 mm
C	10 mm
S	4 mm



SS SPH6

A	4 mm
B	6 mm
C	10 mm
S	6 mm



SS SPH8

A	5 mm
B	8 mm
C	10 mm
S	6 mm



SS SPH8-4

A	4 mm
B	4 mm
C	8 mm
S	4 mm



SS SPH8-5

A	4 mm
B	5 mm
C	8 mm
S	4 mm



SS SPH8-6

A	4 mm
B	6 mm
C	8 mm
S	6 mm



NEW SS SPH6-H

A	4 mm
B	6 mm
C	10 mm
S	4 mm



SS SPH8-8

A	4 mm
B	8 mm
C	8 mm
S	6 mm



SS SPH10

A	5 mm
B	8 mm
C	10 mm
S	6 mm

STEEL SCREW POST 4-20 MM

STEEL

NICKEL PLATED



SPH6-4

A	3 mm
B	4 mm
C	6 mm
S	3 mm



SPH6-5

A	3 mm
B	4 mm
C	6 mm
S	4 mm



SPH6-6

A	3 mm
B	4 mm
C	6 mm
S	4 mm



SPH8-4

A	3.8 mm
B	4 mm
C	8 mm
S	3 mm



SPH8-5

A	3.8 mm
B	4 mm
C	8 mm
S	4 mm



SPH8-6

A	3.8 mm
B	4 mm
C	8 mm
S	5 mm



SPH4

A	5 mm
B	4 mm
C	10 mm
S	3 mm



SPH5

A	5 mm
B	5 mm
C	10 mm
S	3 mm



SPH6

A	5 mm
B	6 mm
C	10 mm
S	4 mm



SPH8

A	5 mm
B	8 mm
C	10 mm
S	5 mm



SPH10

A	5 mm
B	10 mm
C	10 mm
S	5 mm



SPH12

A	5 mm
B	12 mm
C	10 mm
S	5 mm




SPH15

A	5 mm
B	15 mm
C	10 mm
S	5 mm



SPH20

A	5 mm
B	10 mm
C	20 mm
S	5 mm



STEEL SCREW POST 4-10 MM

STEEL

ANTIQUE BRASS



SPH-4 AB

A 5 mm

B 4 mm

C 10 mm

S 3 mm



SPH-5 AB

A 5 mm

B 5 mm

C 10 mm

S 4 mm



SPH-6 AB

A 5 mm

B 6 mm

C 5 mm

S 5 mm



SPH6-4 AB

A 3 mm

B 4 mm

C 6 mm

S 3 mm



SPH6-5 AB

A 3 mm

B 4 mm

C 6 mm

S 4 mm



SPH6-6 AB

A 3 mm

B 4 mm

C 6 mm

S 4 mm



SPH-8 AB

A mm

B 8 mm

C 10 mm

S 6 mm



SPH8-4 AB

A 3.8 mm

B 4 mm

C 8 mm

S 3 mm



SPH8-5 AB

A 3.8 mm

B 4 mm

C 8 mm

S 4 mm



SPH8-6 AB

A 3.8 mm

B 4 mm

C 8 mm

S 5 mm



SPH-10 AB

A 5 mm

B 10 mm

C 10 mm

S 6 mm

STEEL SCREW POST 4-10 MM

STEEL

BLACK NICKLE



SPH6-4 BNP

A 3 mm

B 4 mm

C 6 mm

S 3 mm



SPH6-5 BNP

A 3 mm

B 5 mm

C 6 mm

S 5 mm



SPH6-6 BNP

A 3 mm

B 6 mm

C 6 mm

S 4 mm



SPH8-4 BNP

A 3.8 mm

B 4 mm

C 8 mm

S 3 mm



SPH8-5 BNP

A 3.8 mm

B 5 mm

C 8 mm

S 4 mm



SPH8-6 BNP

A 3.8 mm

B 6 mm

C 8 mm

S 5 mm



SPH-4 BNP

A 4 mm

B 4 mm

C 10 mm

S 4 mm



SPH-5 BNP

A 4 mm

B 5 mm

C 10 mm

S 4 mm



SPH-6 BNP

A 4 mm

B 6 mm

C 10 mm

S 5 mm



SPH-8 BNP

A 5 mm

B 8 mm

C 10 mm

S 5 mm



SPH-10 BNP

A 5 mm

B 10 mm

C 10 mm

S 5 mm



SPH-4 BN

A 5 mm

B 4 mm

C 10 mm

S 4 mm



SPH-6 BN

A 5 mm

B 6 mm

C 10 mm

S 4 mm



SPH-6 BN

A 5 mm

B 6 mm

C 10 mm

S 4 mm

STEEL SCREW POST 4-10 MM

ZINC DIE CASTING

BRUSHED GUN METAL

NEW



SPH-5 BGM

A 4 mm

B 5 mm

C 10 mm

S 4 mm



SPH-6 BGM


A 4 mm

B 6 mm

C 10 mm

S 5 mm





STEEL SCREW POST 4-10 MM

STEEL

ROSE GOLD

SPH-4 RG	SPH-5 RG	SPH-6 RG	SPH6-5 RG	SPH6-6 RG	SPH6-4 RG
A 4 mm	A 4 mm	A 4 mm	A 3 mm	A 3 mm	A 3 mm
B 4 mm	B 5 mm	B 6 mm	B 4 mm	B 4 mm	B 4 mm
C 10 mm	C 10 mm	C 10 mm	C 6 mm	C 6 mm	C 6 mm
S 3 mm	S 4 mm	S 4 mm	S 4 mm	S 4 mm	S 3 mm

SPH-8 RG	SPH8-4 RG	SPH8-5 RG	SPH8-6 RG	SPH-10 RG
A 5 mm	A 3.8 mm	A 3.8 mm	A 3.8 mm	A 5 mm
B 8 mm	B 4 mm	B 4 mm	B 4 mm	B 10 mm
C 10 mm	C 8 mm	C 8 mm	C 8 mm	C 10 mm
S 6 mm	S 3 mm	S 4 mm	S 5 mm	S 6 mm

STEEL SCREW POST 4-10 MM

STEEL

BRASS PLATED

SPH-4 BP	SPH-5 BP	SPH-6 BP	SPH-8 BP	SPH-10 BP
A 5 mm	A 5 mm	A 5 mm	A 5 mm	A 5 mm
B 4 mm	B 5 mm	B 6 mm	B 8 mm	B 10 mm
C 10 mm	C 10 mm	C 10 mm	C 10 mm	C 10 mm
S 3 mm	S 4 mm	S 5 mm	S 5 mm	S 5 mm

STEEL SCREW POST 4-10 MM

BRASS

POLISHED

B SPH-4	B SPH-5	B SPH-6	B SPH-8	B SPH-8-4	B SPH-8-5
A 4 mm	A 4 mm	A 4 mm	A 4 mm	A 4 mm	A 4 mm
B 4 mm	B 5 mm	B 6 mm	B 8 mm	B 4 mm	B 5 mm
C 10 mm	C 10 mm	C 10 mm	C 10 mm	C 10 mm	C 10 mm
S 4 mm	S 5 mm	S 6 mm	S 6 mm	S 4 mm	S 5 mm

STEEL SCREW POST 4-6 MM

STEEL

NEO-CHROME

B SPH-8-6	B SPH-8-8	B SPH-10	SPH-4 NEO	SPH-5 NEO	SPH-6 NEO
A 4 mm	A 4 mm	A 5 mm	A 4 mm	A 4 mm	A 4 mm
B 6 mm	B 8 mm	B 10 mm	B 4 mm	B 5 mm	B 6 mm
C 10 mm	C 8 mm	C 10 mm	C 10 mm	C 10 mm	C 10 mm
S 6 mm	S 6 mm	S 6 mm	S 3 mm	S 4 mm	S 4 mm

STEEL SCREW POST 4-10 MM

STEEL

BLACK



SPH-4 BK

A	4 mm
B	4 mm
C	10 mm
S	3 mm

SPH-5 BK

A	4 mm
B	5 mm
C	10 mm
S	4 mm

SPH-6 BK

A	4 mm
B	6 mm
C	10 mm
S	5 mm

SPH-8 BK

A	5 mm
B	8 mm
C	10 mm
S	5 mm

SPH-10 BK

A	5 mm
B	10 mm
C	10 mm
S	5 mm

ECONOMY CHICAGO SCREW 3-6 MM

STEEL

NICKEL PLATED



SP-2

A	4 mm
B	3 mm
C	8 mm
S	3 mm

SP-4

A	4 mm
B	4 mm
C	8 mm
S	3 mm

SP-5

A	4 mm
B	5 mm
C	8 mm
S	5 mm

SP-6

A	4 mm
B	6 mm
C	8 mm
S	5 mm

DECORATIVE CHICAGO SCREW 6 MM

STEEL

NICKEL PLATED



SPH-6/D1

A	4 mm
B	6 mm
C	10 mm
S	5.5 mm

SPH-6/D2

A	4 mm
B	6 mm
C	12 mm
S	5.5 mm

SPH-6/D3

A	4 mm
B	6 mm
C	10 mm
S	5.5 mm

SPH-5/D5

A	4 mm
B	6 mm
C	10 mm
S	5.5 mm

DECORATIVE CHICAGO SCREW 6 MM

STEEL

BLACK NICKLE



SPH-6/D4

A	4 mm
B	6 mm
C	10 mm
S	5.5 mm

DOUBLE-SIDED STEEL SCREW
POST 6-8 MM

STEEL

NICKEL PLATED



DSPH-6

A	5 mm
B	6 mm
C	10 mm
S	5 mm

DSPH-8

A	5 mm
B	8 mm
C	10 mm
S	5 mm

DOUBLE-SIDED STEEL SCREW
POST 6-8 MM

STEEL

ANTIQUE BRASS



DSPH-6 AB

A	5 mm
B	6 mm
C	10 mm
S	4 mm

DSPH-8 AB

A	5 mm
B	8 mm
C	10 mm
S	5 mm

DOUBLE-SIDED STEEL SCREW
POST 6-8 MM

STEEL

BLACK NICKLE



DSPH-6 BNP


A	5 mm
B	6 mm
C	10 mm
S	4 mm

DSPH-8 BNP

A	5 mm
B	8 mm
C	10 mm
S	5 mm



Rhinestone Rivets



GRACIA SQUARE WHITE CHATON RIVET

BRASS

NICKEL PLATED



GRACIA Z7x7/K

GRACIA Z4x4/K

A	3 mm	2.7 mm
B	8 mm	4.5 mm
C	8x8 mm	4x4 mm

SQUARE RHINESTONE RIVET RAINBOW

BRASS

NICKEL PLATED



GRACIA Z4x4/ABAB

A	3 mm
B	5 mm
C	4x4 mm

GRACIA SQUARE GOLD CHATON RIVET

BRASS

NICKEL PLATED



GRACIA Z7x7/AM


GRACIA Z4x4/AM

A	3 mm	2.7 mm
B	8 mm	4.5 mm
C	8x8 mm	4x4 mm

SQUARE RHINESTONE RIVET EMERALD GREEN

BRASS

NICKEL PLATED



GRACIA Z4x4/EM

A	3 mm
B	5 mm
C	4x4 mm

SQUARE RHINESTONE RIVET DARK BLUE

BRASS

NICKEL PLATED



GRACIA Z4x4/B

A	3 mm
B	5 mm
C	4x4 mm

SQUARE RHINESTONE RIVET NAVY BLUE

BRASS

NICKEL PLATED



GRACIA Z4x4/AQ

A	3 mm
B	5 mm
C	4x4 mm

SQUARE RHINESTONE RIVET OXBLOOD

BRASS

NICKEL PLATED



GRACIA Z4x4/GA

A	3 mm
B	5 mm
C	4x4 mm

SQUARE RHINESTONE RIVET RED

BRASS

NICKEL PLATED



GRACIA Z4x4/RE

A	3 mm
B	5 mm
C	4x4 mm

SQUARE RHINESTONE RIVET MAUVE

BRASS

NICKEL PLATED



GRACIA Z4x4/PU

A	3 mm
B	5 mm
C	4x4 mm

SQUARE RHINESTONE RIVET VIOLET

BRASS NICKEL PLATED



GRACIA Z4x4/AL

A	3 mm
B	5 mm
C	4x4 mm

CHATON RIVET WHITE CLOSED

BRASS NICKEL PLATED



GRACIA Z7/K

GRACIA Z6/K

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm

CHATON RIVET RED CLOSED

BRASS NICKEL PLATED



GRACIA Z7/RE

GRACIA Z6/RE

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm

CHATON RIVET OXBLOOD CLOSED

BRASS NICKEL PLATED



GRACIA Z6/GA

A	3 mm
B	6 mm
C	6 mm

CHATON RIVET BLUE CLOSED

BRASS NICKEL PLATED



GRACIA Z6/B

GRACIA Z7/B

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm

CHATON RIVET BLUE CLOSED

BRASS NICKEL PLATED



GRACIA Z6/BL

A	3 mm
B	6 mm
C	6 mm

CHATON RIVET RAINBOW CLOSED

BRASS NICKEL PLATED



GRACIA Z7/ABAB

GRACIA Z6/ABAB

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm

CHATON RIVET ANTIQUE GOLD CLOSED

BRASS NICKEL PLATED



GRACIA Z7/AM

GRACIA Z6/AM

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm



CHATON RIVET GREEN CLOSED

BRASS

NICKEL PLATED



GRACIA Z7/GR

GRACIA Z6/GR

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm

CHATON RIVET EMERALD GREEN CLOSED

BRASS

NICKEL PLATED



GRACIA Z6/EM

A	3 mm
B	6 mm
C	6 mm

CHATON RIVET GOLD CLOSED

BRASS

CHROME PLATED



GRACIA Z7/AM BP

GRACIA Z6/AM BP

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm

CHATON RIVET SELF TAPPING OLD PINK

BRASS

NICKEL PLATED



GRACIA 6/P

A	3 mm
B	6 mm
C	6 mm

CHATON RIVET PINK CLOSED

BRASS

NICKEL PLATED



GRACIA Z7/PI

GRACIA Z6/PI

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm

CHATON RIVET ANTIQUE PINK CLOSED

BRASS

NICKEL PLATED



GRACIA Z7/PU

GRACIA Z6/PU

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm



CHATON RIVET WHITE SELF TAPPING

BRASS NICKEL PLATED



GRACIA 7/K GRACIA 6/K

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm

CHATON RIVET RED SELF TAPPING

BRASS NICKEL PLATED



GRACIA 7/R GRACIA 6/R

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm

CHATON RIVET LIGHT BLUE SELF TAPPING

BRASS NICKEL PLATED



GRACIA 6/BL

A	3 mm
B	6 mm
C	6 mm

CHATON RIVET DARK BLUE SELF TAPPING

BRASS NICKEL PLATED




GRACIA 7/B GRACIA 6/B

A	3 mm	3 mm
B	6 mm	6 mm
C	7 mm	6 mm



Cone Rivets



ROUND SPOT RIVET
Ø 10X10

STEEL

NICKEL PLATED

PECKA V

A	B	C
3 mm	10 mm	10 mm



CONE RIVET Ø10X9

STEEL

NICKEL PLATED

KUZEL S

A	B	C	D
3 mm	8 mm	10 mm	6 mm




CONE RIVET Ø12X7

STEEL


NICKEL PLATED

KUZEL V

A	B	C	D
3 mm	7 mm	12 mm	6 mm



Made by Saartje Declercq and Lucifera's Vice



Snap Fasteners

SNAP BUTTON

STEEL

NICKEL PLATED



Code	A	B	C
1249-08	4 mm	4 mm	8 mm



Code	A	B	C
1249-10	3 mm	7 mm	10 mm



Code	A	B	C
1249-12	3 mm	7 mm	12 mm

SNAP BUTTON

STEEL

BLACK NICKLE



Code	A	B	C
1249-08 BN	3 mm	4 mm	8 mm



Code	A	B	C
1249-10 BN	3 mm	6 mm	10 mm



Code	A	B	C
1249-12 BN	3 mm	7 mm	12 mm



SNAP BUTTON

STEEL

ANTIQUE BRASS

Code	A	B	C
1249-12 AB	3 mm	7 mm	12 mm



SNAP BUTTON

STEEL

BRASS PLATED

Code	A	B	C
1249-12 BP	3 mm	7 mm	12 mm



HEAVY-DUTY SNAP FASTENER

STEEL

ANTIQUE BRASS

Code	A	B	C
805-12.5 AB	2.5 mm	4 mm	12.5 mm
805-15 AB	2.5 mm	4 mm	15 mm



HEAVY-DUTY SNAP FASTENER

STEEL

ANTIQUE COPPER

Code	A	B	C
805-12.5 AC	3 mm	4 mm	12.5 mm
805-15 AC	3.5 mm	4 mm	15 mm
NEW 805-15-L AC	3.5 mm	8 mm	15 mm



HANDBAG FEET



HEAVY-DUTY SNAP FASTENER

STEEL

BRASS PLATED

Code	A	B	C
805-12.5 BP	3 mm	4 mm	12.5 mm
805-15 BP	3.5 mm	4 mm	15 mm




HEAVY-DUTY SNAP FASTENER

STEEL

NICKEL PLATED

Code	A	B	C
805-12.5 NP	3 mm	4 mm	12.5 mm
805-15 NP	3.5 mm	4 mm	15 mm
NEW 805-15-L NP	3.5 mm	8 mm	15 mm

Handbag Feet



BRASS FEET FOR HAND BAGS

BRASS

BLACK

Code	Height	D
BLN B/12x7 BK	7 mm	12 mm



BRASS FEET FOR HAND BAGS

BRASS

BRASS PLATED

Code	Height	D
BLN B/12x7	7 mm	12 mm



BRASS FEET FOR HAND BAGS


BRASS

NICKEL PLATED

Code	Height	D
BLN B/12x7 NP	7 mm	12 mm



Made by Aliaksandr Lazdouski



Eyelets



EYELET Ø 3.6 MM

STEEL

NICKEL PLATED

Code	#	A	B	C
E 6x5.0	E	6 mm	3.6 mm	5 mm
W 6	W	6 mm	3.6 mm	0 mm



EYELET Ø 5.2 MM

STEEL

NICKEL PLATED

Code	#	A	B	C
E10x5.2	E	10 mm	5.2 mm	6 mm
E10x5.2x9.0	E	10 mm	5.2 mm	9 mm
W 10	W	10 mm	5.2 mm	0 mm



EYELET Ø 6 MM

STEEL

NICKEL PLATED

Code	#	A	B	C
E12x6.0	E	12 mm	6 mm	7 mm
E12x6.0x10	E	12 mm	6 mm	10 mm
W 12	W	12 mm	6 mm	0 mm

EYELET Ø 7 MM

STEEL

NICKEL PLATED



Code	#	A	B	C
E13x7.0	E	13 mm	7 mm	7 mm
W 13	W	13 mm	7 mm	0 mm

GROMMET Ø 13 MM

STEEL

NICKEL PLATED



Code	#	A	B	C
E23x7.0+W	E	23 mm	13 mm	7 mm
E25x7.0+W	E	25 mm	13 mm	7 mm

EYELET Ø 5.2 MM

STEEL

ANTIQUE COPPER



Code	#	A	B	C
E10x5.2 AC	E	10 mm	5 mm	6 mm
W 10 AC	W	10 mm		

EYELET Ø 6 MM

STEEL

ANTIQUE COPPER



Code	#	A	B	C
E12x6.0 AC	E	12 mm	6 mm	7 mm
W 12 AC	W	12 mm		

EYELET Ø 5.2 MM

STEEL

ANTIQUE BRASS



Code	#	A	B	C
E10x5.2 AB	E	10 mm	5.2 mm	5.5 mm
W 10 AB	W	10 mm		

EYELET Ø 6 MM

STEEL

ANTIQUE BRASS



Code	#	A	B	C
E12x6.0 AB	E	12 mm	6 mm	7 mm
W 12 AB	W	12 mm		

EYELET Ø 5.2 MM

STEEL

ROSE GOLD



Code	#	A	B	C
E10x5.2 RG	E	10 mm	5 mm	6 mm
W 10 RG	W	10 mm		

EYELET Ø 6 MM

STEEL

ROSE GOLD



Code	#	A	B	C
E12x6.0 RG	E	12 mm	6 mm	7 mm
W 12 RG	W	12 mm		



EYELET Ø 5.2 MM

STAINLESS

POLISHED

Code	#	A	B	C
SSE10x5.2	E	10 mm	5.5 mm	5.2 mm
SS W 10	W	10 mm		



EYELET Ø 6 MM

STAINLESS

POLISHED

Code	#	A	B	C
SS E12x6.0	E	12 mm	6 mm	7 mm
SS W 12	W	12 mm		



EYELET Ø 7 MM

STAINLESS

POLISHED

Code	#	A	B	C
SS E13x7.0	E	13 mm	7 mm	7 mm
SS W 13	W	13 mm		



EYELET Ø 5.2 MM

BRASS

BRASS PLATED

Code	A	B	C
BE10x5.2	10 mm	5 mm	6 mm
BW10	10 mm		



EYELET Ø 6 MM

BRASS

BRASS PLATED

Code	A	B	C
BE12x6.0	12 mm	6 mm	7 mm
BW12	12 mm		



EYELET Ø 4 MM

STEEL

NICKEL PLATED

Code	#	A	B	C
E9x5.5	E	9 mm	5.5 mm	4 mm
W9x2.5	W	9 mm	2.5 mm	



EYELET Ø 5.2 MM – NICKEL FREE

BRASS


Code	A	B	C
BE10x5.2 NF	10 mm	5 mm	6 mm
BW10 NF	10 mm		




EYELET Ø 6 MM – NICKEL FREE

BRASS

Code	A	B	C
BE12x6.0 NF	12 mm	6 mm	7 mm
BW12 NF	12 mm		



Made by Saartje Declercq and Lucifera's Vice



Button Studs

BRASS BUTTON STUDS
 BRASS
NICKEL PLATED



Code	A	B	C
SK-6	6 mm	7 mm	9 mm
SK-6-LP	6 mm	8 mm	7 mm
SK-10	8 mm	10 mm	10 mm

BRASS BUTTON STUDS
 BRASS
BLACK NICKLE



Code	A	B	C
SK-6 BN	6 mm	8 mm	9 mm
SK-10 BN	8 mm	10 mm	10 mm

BRASS BUTTON STUDS
 BRASS
ANTIQUE BRASS



Code	A	B	C
SK-6 AB	6 mm	8 mm	9 mm
SK-6-LP AB	6 mm	8 mm	7 mm
SK-10 AB	8 mm	8 mm	9 mm

BRASS BUTTON STUDS
 BRASS
BRASS PLATED




Code	A	B	C
SK-6 BP	6 mm	7 mm	9 mm
SK-10 BP	8 mm	10 mm	10 mm



Made by Pavla Nováková

LOXX Fasteners



LOXX® FASTENER – TOP

BRASS NICKEL PLATED

Code	Height	Width	Inner ø
09140.05000	15 mm	20 mm	10 mm



LOXX® FASTENER – BOTTOM

BRASS NICKEL PLATED

Code	Height	Width	Inner ø
95121.05000	13 mm	20 mm	10 mm



LOXX® FASTENER – TOP

BRASS POLISHED

Code	Height	Width	Inner ø
05140.14000	15 mm	20 mm	10 mm



LOXX® FASTENER – BOTTOM

BRASS POLISHED

Code	Height	Width	Inner ø
95121.14000	13 mm	20 mm	10 mm



LOXX® FASTENER – TOP

STAINLESS POLISHED

Code	Height	Width	Inner ø
09865.02098	15 mm	20 mm	10 mm



LOXX® FASTENER – BOTTOM

STAINLESS POLISHED

Code	Height	Width	Inner ø
95121.14000	13 mm	20 mm	10 mm



LOXX® FASTENER – TOP

BRASS ANTIQUE BRASS

Code	Height	Width	Inner ø
05140.25000	15 mm	20 mm	10 mm



LOXX® FASTENER – BOTTOM

BRASS ANTIQUE BRASS

Code	Height	Width	Inner ø
95121.25000	13 mm	20 mm	10 mm



LOXX® FASTENER – TOP

BRASS BLACK

Code	Height	Width	Inner ø
05140.79098	15 mm	20 mm	10 mm



LOXX® FASTENER – BOTTOM

BRASS BLACK

Code	Height	Width	Inner ø
95121.79098	13 mm	20 mm	10 mm





LOXX® FASTENER SET

BRASS NICKEL PLATED

Code	Height	Width	Inner ø
999020	15 mm	20 mm	10 mm



LOXX® FASTENER SET

BRASS POLISHED

Code	Height	Width	Inner ø
999020B	15 mm	20 mm	10 mm



LOXX® FASTENER SET

BRASS ANTIQUE BRASS

Code	Height	Width	Inner ø
999020AB	15 mm	20 mm	10 mm



SMALL LOXX® FASTENER WRENCH

STEEL NICKEL PLATED

Code	Height	Width	Inner ø
04492.05000	31 mm	24 mm	13 mm




LARGE LOXX® FASTENER WRENCH

Code	Height	Width	Inner ø
04500.00000	30 mm	13 cm	14 mm



Magnetic Snaps



DOUBLE RIVET MAGNETIC SNAPS

STEEL

NICKEL PLATED

Code	A	B	C
MB-10 NP	10 mm	4.5 mm	10 mm
MB-14	14 mm	6 mm	12 mm
MB-18	18 mm	6 mm	12 mm



DOUBLE RIVET MAGNETIC SNAPS

STEEL

ANTIQUE BRASS

Code	A	B	C
MB-10 AB	10 mm	4.5 mm	10 mm
MB-14 AB	14 mm	6 mm	12 mm



DOUBLE RIVET MAGNETIC SNAPS

STEEL

BLACK NICKLE

Code	A	B	C
MB-10 BN	10 mm	4.5 mm	10 mm
MB-14 BN	14 mm	6 mm	12 mm



Zippers

YKK

ZIPPERS



**METAL YKK ZIPPER TWO-WAY
– GOLD/BROWN RIBBON**

BRASS

Code	Size	Color
6015105-#236	5	BROWN TAPE



**METAL YKK ZIPPER TWO-WAY
– GOLD/BLACK RIBBON**

BRASS

Code	Size	Color
6015105-#236	5	BROWN TAPE
6012862-#580	5	BLACK TAPE



**METAL YKK ZIPPER TWO-WAY
– SILVER/BLACK RIBBON**

BRASS

Code	Size	Color
6015107-#236	5	BROWN TAPE
6015107-#580	5	BLACK TAPE



3420938

ZINC DIE CASTING

BRASS PLATED

ZIPPER SLIDER

Code	Size
6359864	3
3420938	5



3706805

ZINC DIE CASTING

BRASS PLATED

ZIPPER SLIDER

Code	Size
6725900	3
3706805	5



8767418

ZINC DIE CASTING

BRASS PLATED

**YKK ZIPPER SLIDER
WITHOUT LOCK**

NEW

Code	Size
8767418	5



3574774

ZINC DIE CASTING

BRASS PLATED

**YKK ZIPPER SLIDER WITHOUT
PULL TAB**

NEW

Code	Size
3574774	5



ZHD1965/9 BP

ZINC DIE CASTING

BRASS PLATED

**D-RING FOR YKK
SLIDERS**

NEW

Code	Size
ZHD1965/9 BP	5



8767417

ZINC DIE CASTING

NEW

**YKK ZIPPER SLIDER
WITHOUT LOCK – NICKEL FREE**

Code	Size
8767417	5



6289386

ZINC DIE CASTING

ZIPPER SLIDER – NICKEL FREE

Code	Size
6295310	3
6289386	5



3785725

ZINC DIE CASTING

ZIPPER SLIDER – NICKEL FREE

Code	Size
3589089	3
3785725	5



3569865

ZINC DIE CASTING

NEW

YKK ZIPPER SLIDER WITHOUT PULL TAB – NICKEL FREE

Code	Size
3569865	5



ZHD1965/9 NP

ZINC DIE CASTING

NICKEL PLATED

D-RING FOR YKK SLIDERS – NICKEL PLATED

NEW

Code	Size
ZHD1965/9 NP	5



0281049

ZINC DIE CASTING

ZIPPER TOP STOPS – NICKEL FREE

Code	Size
0339318	3
0281049	5



0003485

ZINC DIE CASTING

BRASS PLATED

ZIPPER TOP STOP

Code	Size
0236369	3
0003485	5



0008264

ZINC DIE CASTING

BRASS PLATED

ZIPPER BOTTOM STOPS

Code	Size
0008264	5



0003516

ZINC DIE CASTING

BRASS PLATED

ZIPPER BOTTOM STOPS

Code	Size
0003516	3



0280871

ZINC DIE CASTING

ZIPPER BOTTOM STOPS – NICKEL FREE

Code	Size
0280871	5



6940133

ZINC DIE CASTING

ZIPPER BOTTOM STOPS – NICKEL FREE

Code	Size
6940133v	3





PP440

SLIDER PULLER

NEW

Code	Size
PP440	3, 5





Spike Rivets

SPIKES & PYRAMID RIVETS



SPIKE – CONICAL SPOT

ZINC DIE CASTING NICKEL PLATED

Code	Ø	Height	Shank
LK 15	9 mm	5 mm	4 mm



SPIKE – CONICAL SPOT

ZINC DIE CASTING NICKEL PLATED

Code	Ø	Height	Shank
LK 07	10 mm	5.5 mm	5 mm



SPIKE

ZINC DIE CASTING NICKEL PLATED

Code	Ø	Height	Shank
LK 17	8 mm	7 mm	4 mm



SPIKE

ZINC DIE CASTING NICKEL PLATED

Code	Ø	Height	Shank
LK 02Z NP	8 mm	12 mm	11 mm



SPIKE

ZINC DIE CASTING BRASS PLATED

Code	Ø	Height	Shank
LK 02Z BP	8 mm	12 mm	11 mm



SPIKE


ZINC DIE CASTING NICKEL PLATED

Code	Ø	Height	Shank
0563	12 mm	14 mm	5 mm



Made by Vladimír Tlustý

Cone Screw Spikes



REPLACEMENT EXTRA LONG SCREW

STEEL NICKEL PLATED

Code	ø	Height
LK S	3 mm	9 mm



SPIKE SMALL

ZINC DIE CASTING NICKEL PLATED

Code	ø	Height
LK 97	7 mm	10 mm



SPIKE

ZINC DIE CASTING NICKEL PLATED

Code	ø	Height
LK 02	8 mm	12 mm



SPIKE

ZINC DIE CASTING
NICKEL PLATED

Code	ø	Height
LK 99	13 mm	12 mm



SPIKE NOT SHARP

ZINC DIE CASTING
NICKEL PLATED

Code	ø	Height
LK 100	8 mm	12 mm



SPIKE HEXAGON

ZINC DIE CASTING
NICKEL PLATED

Code	ø	Height
LK 32	8 mm	14 mm



SPIKE

ZINC DIE CASTING
NICKEL PLATED

Code	ø	Height
LK 08	10 mm	26 mm



SPIKE

ZINC DIE CASTING
NICKEL PLATED NEW

Code	ø	Height
LK 1 13mm	8 mm	13 mm



SPIKE

ZINC DIE CASTING
NICKEL PLATED NEW

Code	ø	Height
LK 1 17mm	8 mm	17 mm



SPIKE

ZINC DIE CASTING
NICKEL PLATED

Code	ø	Height
LK 09	10 mm	20 mm



CLAW SPIKE

ZINC DIE CASTING
NICKEL PLATED

Code	ø	Height
LK 101	10 mm	25 mm



SUPER TALL SPIKE

ZINC DIE CASTING

NICKEL PLATED

Code	ø	Height
LK 102	10 mm	55 mm



SUPER TALL SPIKE 39 MM

ZINC DIE CASTING

NICKEL PLATED

Code	ø	Height
LK 137	7 mm	39 mm



SPIKE 40 MM

ZINC DIE CASTING

NICKEL PLATED

Code	ø	Height
LK 138	7 mm	40 mm



**CLAW SPIKES
26 MM**


ZINC DIE CASTING

NICKEL PLATED

Code	ø	Height
LK 131	6.8 mm	26 mm



Pyramid Rivets



PYRAMID RIVET 10X10 MM

ZINC DIE CASTING

NICKEL PLATED



PYRAMID RIVET 12X12 MM

ZINC DIE CASTING

NICKEL PLATED



FANCY PYRAMID 13X13 MM

ZINC DIE CASTING

NICKEL PLATED

Code	LK 77	LK 37	LK 74
Shank	4 mm	4 mm	5 mm
Length	10 mm	12 mm	13 mm
Width	10 mm	12 mm	13 mm



BRASS LEATHER STAPLE

BRASS

NICKEL PLATED



BRASS LEATHER STAPLE

BRASS

BRASS PLATED



BRASS LEATHER STAPLE

BRASS

ANTIQUE BRASS

Code	BLS/8x5x6 NP	BLS/8x5x6 BP	BLS/8x5x6 AB
Height	5 mm	5 mm	5 mm
Width	8 mm	8 mm	8 mm
Shank	6 mm	6 mm	6 mm



BRASS LEATHER STAPLE

BRASS

BLACK NICKLE




STAINLESS STEEL LEATHER STAPLE

STAINLESS

POLISHED

Code	BLS/8x5x6 BNP	SSLS/8x5x6 NP
Height	5 mm	5 mm
Width	8 mm	8 mm
Shank	6 mm	6 mm



Decorative Rivets



DOG DACHSHUND

ZINC DIE CASTING

NICKEL PLATED



DOG SHEPHERD

ZINC DIE CASTING

NICKEL PLATED



DOG FRENCH BULLDOG

ZINC DIE CASTING

NICKEL PLATED

Code	DOG 1	DOG 2	DOG 8
Width	24 mm	29 mm	23 mm
Height	15 mm	22 mm	20 mm
Shank	4 mm	5 mm	4 mm



DECORATIVE RIVET SPOT

ZINC DIE CASTING

NICKEL PLATED



DECORATIVE RIVET PAW

ZINC DIE CASTING

NICKEL PLATED



BIG PAW

ZINC DIE CASTING

NICKEL PLATED



PAW

ZINC DIE CASTING

NICKEL PLATED

Code	LK 34	LK 63	LK 65	LK 67
Width	9 mm	4 mm	12.5 mm	8 mm
Height	9 mm	12 mm	15 mm	8 mm
Shank	4 mm	10 mm	5 mm	4 mm



BONE

ZINC DIE CASTING

NICKEL PLATED

Code	LK 70	LK 71	LK 72	LK 64/B
Width	13 mm	20 mm	16 mm	12.5 mm
Height	9 mm	14 mm	10 mm	15 mm
Shank	4 mm	5 mm	4 mm	5 mm



DECORATIVE RIVET STAR

ZINC DIE CASTING

NICKEL PLATED

Code	LK 61	LK 10	LK 62	LK 16
Width	8 mm	13 mm	18 mm	15 mm
Height	8 mm	13 mm	18 mm	15 mm
Shank	4 mm	4 mm	4 mm	4 mm



**DECORATIVE RIVET
SHERIFF STAR**

ZINC DIE CASTING

NICKEL PLATED



SKULL

ZINC DIE CASTING

NICKEL PLATED

Code	LK 165
Width	13 mm
Height	13 mm
Shank	4 mm

Code	LK 13	LK 30
Width	25 mm	18 mm
Height	19 mm	13 mm
Shank	5 mm	4 mm



DECORATIVE RIVET ORNAMENT

ZINC DIE CASTING

NICKEL PLATED

Code	LK 161	LK 155
Width	12 mm	16 mm
Height	13 mm	16 mm
Shank	4 mm	4 mm





Leathercraft Conchos



SLIDER CHARM CROWN

ZINC DIE CASTING
CHROME PLATED



SLIDER CHARM PAW

ZINC DIE CASTING
CHROME PLATED



SLIDER CHARM HORSESHOE

ZINC DIE CASTING
CHROME PLATED



SLIDER CHARM HEART

ZINC DIE CASTING
CHROME PLATED

Code	LKN 1/10	LKN 6/10	LKN 10/10	LKN 2/10
Height	10 mm	10 mm	10 mm	10 mm



Made by Vladimír Tlustý



Collar Charms

**CHARM CROWN**

ZINC DIE CASTING

CHROME PLATED

**CHARM HEART**

ZINC DIE CASTING

CHROME PLATED

**CHARM HEART**

ZINC DIE CASTING

CHROME PLATED

**CHARM BONE**

ZINC DIE CASTING

CHROME PLATED

**CHARM BONE LARGE**

ZINC DIE CASTING

CHROME PLATED

Code	LKP 1	LKP 2	LKP 3	LKP 36	LKP 5
Width	10 mm	13 mm	10 mm	3 mm	9 mm
Height	13 mm	13 mm	10 mm	15 mm	25 mm

**CHARM PAW**

ZINC DIE CASTING

CHROME PLATED

**CHARM BONE**

ZINC DIE CASTING

CHROME PLATED

**CHARM SKULL**

ZINC DIE CASTING

CHROME PLATED

**CHARM BONE**

ZINC DIE CASTING

CHROME PLATED

Code	LKP 6	LKP 7	LKP 8	LKP 9
Width	10 mm	3 mm	9 mm	25 mm
Height	10 mm	15 mm	15 mm	16 mm

**CHARM WHITE DOGGIE**

ZINC DIE CASTING

CHROME PLATED

**CHARM PAW**

ZINC DIE CASTING

CHROME PLATED

**CHARM HEART**

ZINC DIE CASTING

CHROME PLATED

**CHARM HEART**

ZINC DIE CASTING

CHROME PLATED

Code	LKP 10	LKP 13	LKP 30	LKP 34
Width	10 mm	16 mm	13 mm	4 mm
Height	20 mm	16 mm	13 mm	4 mm



CHARM
WHITE CAT

ZINC DIE CASTING

CHROME PLATED



CHARM
BLACK CAT

ZINC DIE CASTING

CHROME PLATED



CHARM DOGGIE

ZINC DIE CASTING

CHROME PLATED

Code	LKP 31	LKP 32	LKP 4
Width	25 mm	20 mm	15 mm
Height	17 mm	20 mm	20 mm



Dog ID Tags



ALUMINUM BONE-SHAPED PET ID



ALUMINIUM ANODIZED



ALUMINIUM ANODIZED



ALUMINIUM ANODIZED



ALUMINIUM ANODIZED

Code	INP AL 1	INP AL 2	INP AL 3	INP AL 4
Width	27 mm	27 mm	27 mm	27 mm
Height	40 mm	40 mm	40 mm	40 mm
Code	INP AL 5	INP AL 6	INP AL 7	INP AL 8
Width	20 mm	20 mm	20 mm	20 mm
Height	30 mm	30 mm	30 mm	30 mm





PAW BLUE

ZINC DIE CASTING

CHROME PLATED



PAW PINK

ZINC DIE CASTING

CHROME PLATED



Code	LKP 14	LKP 15
Width	30 mm	30 mm
Height	25 mm	25 mm



PAW PINK

ZINC DIE CASTING

CHROME PLATED



PAW BLUE

ZINC DIE CASTING

CHROME PLATED



BONE PINK

ZINC DIE CASTING

CHROME PLATED

Code	LKP 15 PINK	LKP 20	LKP 14 BLUE	LKP 19	LKP 23
Width	22 mm	30 mm	22 mm	30 mm	30 mm
Height	22 mm	30 mm	22 mm	30 mm	30 mm







HEART RED

ZINC DIE CASTING CHROME PLATED

Code	LKP 16 RED	LKP 21
Width	22 mm	30 mm
Height	22 mm	30 mm



ID ADDRESS TUBE

ATL/CP

BRASS CHROME PLATED



ID ADDRESS TUBE

ATL/BP

BRASS BRASS PLATED



STAINLESS DOG ID TAG

INP CIR SS/30

STAINLESS POLISHED



STAINLESS DOG ID TAG

INP CIR SS/30 BP

STAINLESS BRASS PLATED



STAINLESS DOG ID TAG

INP CIR SS/30 BK

STAINLESS BLACK NICKLE



STAINLESS DOG ID TAG

INP CIR SS/30 RG

STAINLESS ROSE GOLD

Code	INP CIR SS/30	INP CIR SS/30 BP	INP CIR SS/30 BK	INP CIR SS/30 RG
Width	30 mm	30 mm	30 mm	30 mm
Height	30 mm	30 mm	30 mm	30 mm





Dog Whistles



WHISTLE

WH

BRASS

NICKEL PLATED



WHISTLE GREEN

WHA/G

ALUMINIUM

ANODIZED



WHISTLE SILVER

WHA/S

ALUMINIUM

ANODIZED




WHISTLE WITH CHAIN
AND SNAP HOOK

WHC

BRASS

NICKEL PLATED





Paracord



**PARACORD Ø 4 MM
– BLACK**

Code	Diameter	Length
PAR550/B/1036	4 mm	30 m



**PARACORD Ø 4 MM
– GRAY**

Code	Diameter	Length
PAR550/GR/030	4 mm	30 m



**PARACORD Ø 4 MM
– CHOCOLATE**

Code	Diameter	Length
PAR550/CHOC/178	4 mm	30 m



**PARACORD Ø 4 MM
– COYOTE BROWN**

Code	Diameter	Length
PAR550/CBR/1029	4 mm	30 m



**PARACORD Ø 4 MM
– TAN**

Code	Diameter	Length
PAR550/T/1975	4 mm	30 m



**PARACORD Ø 4 MM
– ARMY GREEN**

Code	Diameter	Length
PAR550/AG/1060	4 mm	30 m



**PARACORD Ø 4 MM
– ARMY SPRUCE**

NEW

Code	Diameter	Length
PAR550/AS/1060	4 mm	30 m



**PARACORD Ø 4 MM
– NEON GREEN**

Code	Diameter	Length
PAR550/NG/2121	4 mm	30 m



**PARACORD Ø 4 MM
– GREEN**

NEW

Code	Diameter	Length
PAR550/G/025	4 mm	30 m



PARACORD Ø 4 MM
– EMERALD GREEN

Code	Diameter	Length
PAR550/EG/086	4 mm	30 m



PARACORD Ø 4 MM
– SKY BLUE

Code	Diameter	Length
PAR550/SL/028	4 mm	30 m



PARACORD Ø 4 MM
– ICE MINT

Code	Diameter	Length
PAR550/IM/086	4 mm	30 m



PARACORD Ø 4 MM
– NAVY BLUE


NEW

Code	Diameter	Length
PAR550/NABL/038	4 mm	30 m



PARACORD Ø 4 MM
– CHERRY RED

Code	Diameter	Length
PAR550/CH/4678	4 mm	30 m




PARACORD Ø 4 MM
– LAVENDER

NEW

Code	Diameter	Length
PAR550/LAV/092	4 mm	30 m





**PARACORD Ø 4 MM
– PURPLE**

Code	Diameter	Length
PAR550/PUR/026	4 mm	30 m



**PARACORD Ø 4 MM
– NEON PINK**

Code	Diameter	Length
PAR550/NP/4680	4 mm	30 m



**PARACORD Ø 4 MM
– ORANGE**

Code	Diameter	Length
PAR550/SO/1716	4 mm	30 m



**PARACORD Ø 4 MM
– GOLD**

NEW

Code	Diameter	Length
PAR550/GOLD/087	4 mm	30 m



**PARACORD Ø 4 MM
– NEON YELLOW**

Code	Diameter	Length
PAR550/NB/4683	4 mm	30 m



**PARACORD Ø 4 MM
– PASTEL YELLOW**

Code	Diameter	Length
PAR550/PL/2535	4 mm	30 m



**PARACORD Ø 4 MM
– WHITE**

Code	Diameter	Length
PAR550/WH/007	4 mm	30 m



Rope Clamps



ROPE PLASTIC CLAMP – BLACK



Code	ø Min	ø Max
26PL/6	6 mm	6 mm
26PL/8-10	8 mm	10 mm
26PL/12	12 mm	12 mm
26PL/14-16	14 mm	16 mm



26PL/6S

STOPPER FOR ROPE PLASTIC CLAMP

Code	ø Min	ø Max	Length
26PL/6S	6 mm	6 mm	21 mm
26PL/8-10S	8 mm	10 mm	26 mm
26PL/12S	12 mm	12 mm	32 mm
26PL/14-16S	14 mm	16 mm	39 mm





RC B/6x8 NP

BRASS ROPE CLAMP

BRASS NICKEL PLATED

Code	ø Min	ø Max	Length
RC B/6x8 NP	6 mm	8 mm	12 mm
RC B/8x8 NP	8 mm	8 mm	16 mm
RC B/10x10 NP	10 mm	10 mm	20 mm
RC B/12x10 NP	12 mm	10 mm	23 mm



RC B/6x8 RG

BRASS ROPE CLAMP

BRASS ROSE GOLD

Code	ø Min	ø Max	Length
RC B/6x8 RG	6 mm	8 mm	12 mm
RC B/8x8 RG	8 mm	8 mm	16 mm
RC B/10x10 RG	10 mm	10 mm	20 mm
RC B/12x10 RG	12 mm	10 mm	23 mm



RC B/6x8 BK

BRASS ROPE CLAMP

BRASS BLACK NICKLE

Code	ø Min	ø Max	Length
RC B/6x8 BK	6 mm	8 mm	12 mm
RC B/8x8 BK	8 mm	8 mm	16 mm
RC B/10x10 BK	10 mm	10 mm	20 mm
RC B/12x10 BK	12 mm	10 mm	23 mm



RC B/6x8 AB

BRASS ROPE CLAMP

BRASS ANTIQUE BRASS

Code	ø Min	ø Max	Length
RC B/6x8 AB	6 mm	8 mm	12 mm
RC B/8x8 AB	8 mm	8 mm	16 mm
RC B/10x10 AB	10 mm	10 mm	20 mm
RC B/12x10 AB	12 mm	10 mm	23 mm



RC B/6x8

BRASS ROPE CLAMP

BRASS BRASS PLATED

Code	ø Min	ø Max	Length
RC B/6x8	6 mm	8 mm	12 mm
RC B/8x8	8 mm	8 mm	16 mm
RC B/10x10	10 mm	10 mm	20 mm
RC B/12x10	12 mm	10 mm	23 mm



RC/20x10 NP

METAL ROPE CLAMP

STEEL NICKEL PLATED

Code	ø Min	ø Max
RC/20x10 NP	10 mm	10 mm



RC/20x10 BNP

METAL ROPE CLAMP

STEEL BLACK NICKLE

Code	ø Min	ø Max
RC/20x10 BNP	10 mm	10 mm



26ST/6 ZP

STEEL ROPE CLAMP

STEEL ZINC PLATED

Code	ø Min	ø Max	Length
26ST/4 ZP	4 mm	4 mm	25 mm
26ST/6 ZP	6 mm	6 mm	38 mm
26ST/8 ZP	8 mm	8 mm	41 mm
26ST/10 Z	10 mm	10 mm	39 mm
26ST/12-14 ZP	12 mm	14 mm	49 mm
26ST/16 ZP	16 mm	16 mm	52 mm



26B/14

BRASS ROPE CLAMP

BRASS POLISHED

Code	ø Min	ø Max	Length
26B/14	14 mm	14 mm	43 mm
26B/16	16 mm	16 mm	44 mm



26ST/6 BK

STEEL ROPE CLAMP

STEEL BLACK

Code	ø Min	ø Max	Length
26ST/6 BK	6 mm	6 mm	38 mm
26ST/8 BK	8 mm	8 mm	41 mm
26ST/10 BK	10 mm	10 mm	39 mm
26ST/12-14 BK	12 mm	14 mm	49 mm



26ST/6 AB

STEEL ROPE CLAMP

STEEL ANTIQUE BRASS

Code	ø Min	ø Max	Length
26ST/8 AB	8 mm	8 mm	41 mm
26ST/10 AB	10 mm	10 mm	39 mm
26ST/12-14 AB	12 mm	14 mm	49 mm



Tools for Rope Clamps

SETTING DIES FOR OUR ROPE CLAMPS



Code	Size	ø MIN	ø MAX
0001-06	6 mm	6 mm	6 mm
0001-08	8 mm	8 mm	8 mm
0001-10	10 mm	10 mm	10 mm
0001-12	12 mm	12 mm	14 mm
0001-16	16 mm	16 mm	16 mm



Cord End Cap

BRASS CORD END CAP

BRASS

NICKEL PLATED



NEW

Code	Length	ø
CEC B/3 NP	2.5 mm	3 mm
CEC B/4 NP	3 mm	4 mm
CEC B/4.8x5.3 NP	4.8 mm	5.2 mm
CEC B/5 NP	3.4 mm	5 mm
CEC B/6x7 NP	7 mm	6 mm
CEC B/8x7 NP	7 mm	8 mm
CEC B/10x10 NP	10 mm	10 mm
CEC B/12x10 NP	10 mm	12 mm
CEC B/14x13 NP	13 mm	14 mm

BRASS CORD END CAP

BRASS

BLACK



Code	Length	ø
CEC B/6x7 BK	7 mm	6 mm
CEC B/8x7 BK	7 mm	8 mm
CEC B/10x10 BK	10 mm	10 mm
CEC B/12x10 BK	10 mm	12 mm
CEC B/14x13 BK	14 mm	13 mm



CORD END CAP



BRASS CORD END CAP

BRASS

ROSE GOLD

Code	Length	Ø
CEC B/6x7 RG	7 mm	6 mm
CEC B/8x7 RG	7 mm	8 mm
CEC B/10x10 RG	10 mm	10 mm
CEC B/12x10 RG	10 mm	12 mm



BRASS CORD END CAP

BRASS

POLISHED

Code	Length	Ø
CEC B/4	2.5 mm	4 mm
NEW CEC B/4.8x5.3	4.8 mm	5.2 mm
CEC B/5	3 mm	5 mm
CEC B/6	3.4 mm	6 mm
CEC B/6x7	7 mm	6 mm
CEC B/8x7	7 mm	8 mm
CEC B/10x10	10 mm	10 mm
CEC B/12x10	10 mm	12 mm
CEC B/14x13	14 mm	13 mm



BRASS CORD END CAP

BRASS

NEO-CHROME

Code	Length	Ø
CEC B/6x7 NEO	7 mm	6 mm
CEC B/8x7 NEO	7 mm	8 mm
CEC B/10x10 NEO	10 mm	10 mm
CEC B/12x10 NEO	10 mm	12 mm



BRASS CORD END CAP

BRASS

ANTIQUE BRASS

Code	Length	Ø
CEC B/6x7 AB	7 mm	6 mm
CEC B/8x7 AB	7 mm	8 mm
CEC B/10x10 AB	10 mm	10 mm
CEC B/12x10 AB	10 mm	12 mm





Solid Color Polypropylene Webbing



WEBBING – BLACK

Code	Width	Thickness	Code	Width	Thickness
WE10/B	10 mm	1.8 mm	WE25/B/T	25 mm	1.6 mm
WE15/B	15 mm	2 mm	WE25/B	25 mm	2.5 mm
WE16/B/T	16 mm	1.6 mm	WE30/B	30 mm	3 mm
WE20/B/T	20 mm	1.6 mm	WE40/B	40 mm	2 mm
WE20/B	20 mm	2.5 mm	WE45/B	45 mm	2 mm
			WE50/B	50 mm	2 mm



WEBBING – RED

Code	Width	Thickness	Code	Width	Thickness
WE10/R	10 mm	1.8 mm	WE25/R	25 mm	3 mm
WE15/R	15 mm	2 mm	WE30/R	30 mm	3 mm
WE20/R	20 mm	3 mm	WE40/R	40 mm	2 mm
WE20/R/T	20 mm	1.6 mm	WE50/R	50 mm	2 mm

NEW



SOLID COLOR POLYPROPYLENE WEBBINGS



POLYESTER



WEBBING – NEON ORANGE

Code	Width	Thickness
WE15/NO	15 mm	2 mm
WE20/NO	20 mm	2 mm
WE25/NO	25 mm	3 mm
WE30/NO	30 mm	3 mm
WE40/NO	40 mm	3 mm

WEBBING – NEON PINK

Code	Width	Thickness
WE10/NP	10 mm	1.8 mm
WE15/NP	15 mm	2 mm
WE20/NP	20 mm	3 mm
WE25/NP	25 mm	3 mm

WEBBING – BROWN

Code	Width	Thickness
WE10/Br	10 mm	1.8 mm
WE15/Br	15 mm	2 mm
WE20/Br	20 mm	3 mm
WE25/Br	25 mm	3 mm



WEBBING – ORANGE

Code	Width	Thickness
WE10/O	10 mm	1.8 mm



WEBBING – PURPLE

Code	Width	Thickness
WE10/W	10 mm	1.8 mm



WEBBING – VIOLET

Code	Width	Thickness
WE10/V	10 mm	1.8 mm
WE15/V	15 mm	2 mm
WE20/V	20 mm	2.5 mm
WE25/V	25 mm	2.5 mm



WEBBING – LAVENDER

NEW

Code	Width	Thickness
WE10/LAV	10 mm	1.8 mm
WE15/LAV	15 mm	2 mm
WE20/LAV	20 mm	3 mm
WE25/LAV	25 mm	3 mm




WEBBING – BLUE

Code	Width	Thickness
WE10/BL	10 mm	1.8 mm
WE15/BL	15 mm	2 mm
WE20/BL	20 mm	3 mm
WE25/BL	25 mm	3 mm



WEBBING – SKY BLUE


Code	Width	Thickness
WE10/Lb	10 mm	1.8 mm
WE40/Lb	40 mm	2 mm



WEBBING – ICE BLUE


NEW

Code	Width	Thickness
WE10/IB	10 mm	1.8 mm
WE15/IB	15 mm	2 mm
WE20/IB	20 mm	3 mm
WE25/IB	25 mm	3 mm



WEBBING – TEAL

Code	Width	Thickness
WE10/TE	10 mm	1.8 mm
WE15/TE	15 mm	2 mm
WE20/TE	20 mm	3 mm
WE25/TE	25 mm	3 mm




WEBBING – NEON GREEN

Code	Width	Thickness
WE15/NG	15 mm	2 mm
WE20/NG	20 mm	3 mm
WE25/NG	25 mm	3 mm
WE30/NG	30 mm	3 mm



WEBBING – HUNTER GREEN

Code	Width	Thickness
WE10/HG	10 mm	1.8 mm
WE15/HG	15 mm	2 mm
WE20/HG	20 mm	3 mm
WE25/HG	25 mm	3 mm



WEBBING – GREEN

Code	Width	Thickness
WE10/G	10 mm	1.8 mm



WEBBING – WHITE

Code	Width	Thickness
WE10/WH	10 mm	1.8 mm
WE15/WH	15 mm	2 mm
WE20/WH	20 mm	3 mm
WE25/WH	25 mm	3 mm



WEBBING – KHAKE

Code	Width	Thickness
WE10/K	10 mm	1.8 mm
WE15/K	15 mm	2 mm
WE20/K	20 mm	3 mm
WE25/K	25 mm	3 mm



POLYESTER

WEBBING – NEON YELLOW

Code	Width	Thickness
WE15/NY	15 mm	2 mm
WE20/NY	20 mm	3 mm
WE25/NY	25 mm	3 mm
WE40/NY	40 mm	3 mm



WEBBING – YELLOW

Code	Width	Thickness
WE10/Y	10 mm	1.8 mm

SOLID COLOR POLYPROPYLENE WEBBINGS



BLACK ULTRAFLEX
WEBBING 15-25 MM



Code	Width	Thickness
WE15/FLEX-B	15 mm	3.5 mm
WE20/FLEX-B	20 mm	3.5 mm
WE25/FLEX-B	25 mm	3.5 mm



ORANGE ULTRAFLEX
WEBBING 15-25 MM



Code	Width	Thickness
WE15/FLEX-O	15 mm	3.5 mm
WE20/FLEX-O	20 mm	3.5 mm
WE25/FLEX-O	25 mm	3.5 mm



POLYESTER

BLACK SEATBELT WEBBING
20 - 25 MM

Code	Width	Thickness
WE20/B/SB	20 mm	1.2 mm
WE25/B/SB	25 mm	1.2 mm



BLACK QUILTED
POLYPROPYLENE
WEBBING 20 MM-25 MM

Code	Width	Thickness
WE20/B-367592	20 mm	2.6 mm
WE25/B-367592	25 mm	2.6 mm



POLYESTER

BLACK QUILTED
POLYESTER WEBBING
15 MM - 25 MM

Code	Width	Thickness
WE15/B-377106	15 mm	3.3 mm
WE20/B-377106	20 mm	3.3 mm
WE25/B-377106	25 mm	3.3 mm





Rubber Tracer Polypropylene Webbing



**RUBBER WEBBING
– BLACK**

Code	Width	Thickness
WE20/BRUW	20 mm	2 mm



**RUBBER WEBBING
– BLACK**

Code	Width	Thickness
WE15/BRU	15 mm	2 mm
WE20/BRU	20 mm	2 mm
WE25/BRU	25 mm	2 mm



**RUBBER WEBBING
– RED**

Code	Width	Thickness
WE15/RRU	15 mm	2 mm
WE20/RRU	20 mm	2 mm
WE25/RRU	25 mm	2 mm



**RUBBER WEBBING
– BURGUNDY**

Code	Width	Thickness
WE20/BURU	20 mm	2 mm



**RUBBER WEBBING
– ORANGE**

Code	Width	Thickness
WE15/ORU	15 mm	2 mm
WE20/ORU	20 mm	2 mm



**RUBBER WEBBING
– COGNAC**

Code	Width	Thickness
WE20/CORU	20 mm	2 mm



Made by Aliaksandr Lazdouski



RUBBER WEBBING
– BROWN

Code	Width	Thickness
WE20/BRRU	20 mm	2 mm



RUBBER WEBBING
– VIOLET

Code	Width	Thickness
WE15/VRU	15 mm	2 mm
WE20/VRU	20 mm	2 mm
WE25/VRU	25 mm	2 mm



RUBBER WEBBING
– PURPLE

Code	Width	Thickness
WE15/LILRU	15 mm	2 mm



**RUBBER WEBBING
– NEON PINK**

Code	Width	Thickness
WE15/PRU	15 mm	2 mm
WE20/PRU	20 mm	2 mm




**RUBBER WEBBING
– PINK**

Code	Width	Thickness
WE20/WRU	20 mm	2 mm




**RUBBER WEBBING
– PINK**

Code	Width	Thickness
WE20/WBRU	20 mm	2 mm



**RUBBER WEBBING
– KEROSENE**

Code	Width	Thickness
WE15/KRU	15 mm	2 mm




**RUBBER WEBBING
– KEROSENE**

Code	Width	Thickness
WE20/KRU	20 mm	2 mm



**RUBBER WEBBING
– SKY BLUE**

Code	Width	Thickness
WE20/LBRU	20 mm	2 mm




**RUBBER WEBBING
– BLUE**

Code	Width	Thickness
WE15/BLRU	15 mm	2 mm
WE20/BLRU	20 mm	2 mm
WE25/BLRU	25 mm	2 mm




**RUBBER WEBBING
– YELLOW**

Code	Width	Thickness
WE15/YRU	15 mm	2 mm
WE20/YRU	20 mm	2 mm
WE25/YRU	25 mm	2 mm




**RUBBER WEBBING
– GRAY**

Code	Width	Thickness
WE15/SRU	15 mm	2 mm
WE20/SRU	20 mm	2 mm




RUBBER WEBBING
– GREEN

Code	Width	Thickness
WE15/GRU	15 mm	2 mm
WE20/GRU	20 mm	2 mm
WE25/GRU	25 mm	2 mm




RUBBER WEBBING
– LIME

Code	Width	Thickness
WE15/LRU	15 mm	2 mm




RUBBER WEBBING
– LIME

Code	Width	Thickness
WE20/GLRU	20 mm	2 mm



RUBBER WEBBING
– LIME

Code	Width	Thickness
WE20/LRU	20 mm	2 mm



RUBBER WEBBING
– TURQUOISE

Code	Width	Thickness
WE20/TRU	20 mm	2 mm






COTTON RUBBER WEBBING

Code	Width	Thickness
WE20/CBRU	20 mm	2 mm



**COTTON RUBBER WEBBING
– BLACK / GREY**

Code	Width	Thickness
WE20/CPBRU	20 mm	3 mm



**RUBBER WEBBING
– BLACK / BLUE**

Code	Width	Thickness
WE20/BLBRU/3448	20 mm	3 mm



**RUBBER WEBBING
– BLACK / RED**

Code	Width	Thickness
WE20/RBRU	20 mm	3 mm



**RUBBER WEBBING
– BLACK / NEON GREEN**

Code	Width	Thickness
WE20/NGBRU	20 mm	3 mm



**RUBBER WEBBING
– BLACK / NEON ORANGE**

Code	Width	Thickness
WE20/NOBRU	20 mm	3 mm



**RUBBER WEBBING
– BLACK / NEON PINK**


Code	Width	Thickness
WE20/NPBRU	20 mm	3 mm



Waterproof Webbing


WEBBINGS

WATERPROOF WEBBING – BLACK



Code	Width	Thickness	Code	Width	Thickness
CW10/B	10 mm	2.5 mm	CW20/B	20 mm	2.5 mm
CW13/B/1.5	13 mm	1.5 mm	CW25/B/1.5	25 mm	1.5 mm
CW13/B	13 mm	2.5 mm	CW25/B	25 mm	2.5 mm
CW16/B/1.5	16 mm	1.5 mm	CW30/B	30 mm	2.5 mm
CW16/B	16 mm	2.5 mm	CW38/B	38 mm	2.5 mm
CW20/B/1.5	20 mm	1.5 mm	CW50/B	50 mm	2.5 mm

NEW




WATERPROOF WEBBING – GRAY

Code	Width	Thickness
CW16/GRAY	16 mm	2.5 mm
CW20/GRAY	20 mm	2.5 mm
CW25/GRAY	25 mm	2.5 mm



WATERPROOF WEBBING – DARK BROWN

Code	Width	Thickness
CW16/DBR	16 mm	2.5 mm
CW20/DBR	20 mm	2.5 mm
CW25/DBR	25 mm	2.5 mm



WATERPROOF WEBBING – CHOCOLATE NOIR

NEW

Code	Width	Thickness
CW10/CHOC	10 mm	2.5 mm
CW13/CHOC	13 mm	2.5 mm
CW16/CHOC	16 mm	2.5 mm
CW20/CHOC	20 mm	2.5 mm
CW25/CHOC	25 mm	2.5 mm




WATERPROOF WEBBING – BROWN

Code	Width	Thickness
CW16/BR	16 mm	2.5 mm
CW20/BR	20 mm	2.5 mm
CW25/BR	25 mm	2.5 mm



WATERPROOF WEBBING – SADDLE BROWN

Code	Width	Thickness
CW16/SBR	16 mm	2.5 mm
CW20/SBR	20 mm	2.5 mm
CW25/SBR	25 mm	2.5 mm



WATERPROOF WEBBING – CANDY RED

Code	Width	Thickness
CW10/CR	10 mm	2.5 mm
CW13/CR	13 mm	2.5 mm
CW16/CR	16 mm	2.5 mm
CW20/CR	20 mm	2.5 mm
CW25/CR	25 mm	2.5 mm




**WATERPROOF WEBBING
– RED**

Code	Width	Thickness
CW16/R	16 mm	2.5 mm
CW20/R	20 mm	2.5 mm
CW25/R	25 mm	2.5 mm



**WATERPROOF WEBBING
– WINE**

Code	Width	Thickness
CW16/WI	16 mm	2.5 mm
CW20/WI	20 mm	2.5 mm
CW25/WI	25 mm	2.5 mm



**WATERPROOF WEBBING
WW– VIVA MAGENTA**

Code	Width	Thickness
CW10/VM	10 mm	2.5 mm
CW13/VM	13 mm	2.5 mm
CW16/VM	16 mm	2.5 mm
CW20/VM	20 mm	2.5 mm
CW25/VM	25 mm	2.5 mm



WATERPROOF WEBBING
– PASTEL PINK

Code	Width	Thickness
CW16/PI	16 mm	2.5 mm
CW20/PI	20 mm	2.5 mm
CW25/PI	25 mm	2.5 mm



WATERPROOF WEBBING
– NEON PINK

Code	Width	Thickness
CW10/NP	10 mm	2.5 mm
CW13/NP	13 mm	2.5 mm
CW16/NP	16 mm	2.5 mm
CW20/NP	20 mm	2.5 mm
CW25/NP	25 mm	2.5 mm



WATERPROOF WEBBING
– NEON PINK

Code	Width	Thickness
CW10/DNP	10 mm	2.5 mm
CW13/DNP	13 mm	2.5 mm
CW16/DNP	16 mm	2.5 mm
CW20/DNP	20 mm	2.5 mm
CW25/DNP	25 mm	2.5 mm



WATERPROOF WEBBING
– LEVANDER

Code	Width	Thickness
CW10/L	10 mm	2.5 mm
CW13/L	13 mm	2.5 mm
CW16/L	16 mm	2.5 mm
CW20/L	20 mm	2.5 mm
CW25/L	25 mm	2.5 mm



WATERPROOF WEBBING
– PASTEL LAVENDER

Code	Width	Thickness
CW10/PL	10 mm	2.5 mm
CW13/PL	13 mm	2.5 mm
CW16/PL	16 mm	2.5 mm
CW20/PL	20 mm	2.5 mm
CW25/PL	25 mm	2.5 mm



WATERPROOF WEBBING
– PURPLE

Code	Width	Thickness
CW10/P	10 mm	2.5 mm
CW13/P	13 mm	2.5 mm
CW16/P	16 mm	2.5 mm
CW20/P	20 mm	2.5 mm
CW25/P	25 mm	2.5 mm



WATERPROOF WEBBING
– LILAC

Code	Width	Thickness
CW16/LIL	16 mm	2.5 mm
CW20/LIL	20 mm	2.5 mm
CW25/LIL	25 mm	2.5 mm



WATERPROOF WEBBING
– VIOLET

Code	Width	Thickness
CW16/V	16 mm	2.5 mm
CW20/V	20 mm	2.5 mm
CW25/V	25 mm	2.5 mm




WATERPROOF WEBBING
– APRICOT BRANDY

Code	Width	Thickness
CW16/APB	16 mm	2.5 mm
CW20/APB	20 mm	2.5 mm
CW25/APB	25 mm	2.5 mm




WATERPROOF WEBBING – NEON ORANGE

Code	Width	Thickness
CW10/NO	10 mm	2.5 mm
CW13/NO	13 mm	2.5 mm
CW16/NO	16 mm	2.5 mm
CW20/NO	20 mm	2.5 mm
CW25/NO	25 mm	2.5 mm
NEW CW30/NO	30 mm	2.5 mm
NEW CW38/NO	38 mm	2.5 mm




WATERPROOF WEBBING – BLUE

Code	Width	Thickness
CW10/BL	10 mm	2.5 mm
CW13/BL	13 mm	2.5 mm
CW16/BL	16 mm	2.5 mm
CW20/BL	20 mm	2.5 mm
CW25/BL	25 mm	2.5 mm




WATERPROOF WEBBING – PASTEL BLUE

Code	Width	Thickness
CW16/BABL	16 mm	2.5 mm
CW20/BABL	20 mm	2.5 mm
CW25/BABL	25 mm	2.5 mm




WATERPROOF WEBBING – SKY BLUE

Code	Width	Thickness
CW10/SB	10 mm	2.5 mm
CW13/SB	13 mm	2.5 mm
CW16/SB	16 mm	2.5 mm
CW20/SB	20 mm	2.5 mm
CW25/SB	25 mm	2.5 mm




WATERPROOF WEBBING – COOL BLUE

Code	Width	Thickness
CW10/CBL	10 mm	2.5 mm
CW13/CBL	13 mm	2.5 mm
CW16/CBL	16 mm	2.5 mm
CW20/CBL	20 mm	2.5 mm
CW25/CBL	25 mm	2.5 mm




WATERPROOF WEBBING – PASTEL GREEN

Code	Width	Thickness
CW10/PG	10 mm	2.5 mm
CW13/PG	13 mm	2.5 mm
CW16/PG	16 mm	2.5 mm
CW20/PG	20 mm	2.5 mm
CW25/PG	25 mm	2.5 mm




WATERPROOF WEBBING – CARIBBEAN GREEN

Code	Width	Thickness
CW10/CG	10 mm	2.5 mm
CW13/CG	13 mm	2.5 mm
CW16/CG	16 mm	2.5 mm
CW20/CG	20 mm	2.5 mm
CW25/CG	25 mm	2.5 mm



WATERPROOF WEBBING – NEON GREEN

Code	Width	Thickness
CW10/NG	10 mm	2.5 mm
CW13/NG	13 mm	2.5 mm
CW16/NG	16 mm	2.5 mm
CW20/NG	20 mm	2.5 mm
CW25/NG	25 mm	2.5 mm



WATERPROOF WEBBING – OLIVE


Code	Width	Thickness
CW13/G	13 mm	2.5 mm
CW16/G	16 mm	2.5 mm
CW20/G	20 mm	2.5 mm
CW25/G	25 mm	2.5 mm



WATERPROOF WEBBING – JADE


NEW

Code	Width	Thickness
CW10/JADE	10 mm	2.5 mm
CW13/JADE	13 mm	2.5 mm
CW16/JADE	16 mm	2.5 mm
CW20/JADE	20 mm	2.5 mm
CW25/JADE	25 mm	2.5 mm



WATERPROOF WEBBING – HUNTER GREEN

Code	Width	Thickness
CW16/HG	16 mm	2.5 mm
CW20/HG	20 mm	2.5 mm
CW25/HG	25 mm	2.5 mm



WATERPROOF WEBBING – KHAKI

Code	Width	Thickness
CW16/KH	16 mm	2.5 mm
CW20/KH	20 mm	2.5 mm
CW25/KH	25 mm	2.5 mm



WATERPROOF WEBBING – MINT GREEN

Code	Width	Thickness
CW16/MINT	16 mm	2.5 mm
CW20/MINT	20 mm	2.5 mm
CW25/MINT	25 mm	2.5 mm




WATERPROOF WEBBING – NEON YELLOW

Code	Width	Thickness
CW10/NY	10 mm	2.5 mm
CW13/NY	13 mm	2.5 mm
CW16/NY	16 mm	2.5 mm
CW20/NY	20 mm	2.5 mm
CW25/NY	25 mm	2.5 mm



WATERPROOF WEBBING – PASTEL YELLOW

Code	Width	Thickness
CW10/PY	10 mm	2.6 mm
CW13/PY	13 mm	2.6 mm
CW16/PY	16 mm	2.6 mm
CW20/PY	20 mm	2.6 mm
CW25/PY	25 mm	2.6 mm



WATERPROOF WEBBING – SUNFLOWER YELLOW

Code	Width	Thickness
CW13/SY	13 mm	2.5 mm
CW16/SY	16 mm	2.5 mm
CW20/SY	20 mm	2.5 mm
CW25/SY	25 mm	2.5 mm




WATERPROOF WEBBING – GOLD

Code	Width	Thickness
CW10/GOLD	10 mm	2.6 mm
CW13/GOLD	13 mm	2.6 mm
CW16/GOLD	16 mm	2.6 mm
CW20/GOLD	20 mm	2.6 mm
CW25/GOLD	25 mm	2.6 mm



WATERPROOF WEBBING – WHITE

Code	Width	Thickness
CW10/W	10 mm	2.5 mm
CW13/W	13 mm	2.5 mm
CW16/W	16 mm	2.5 mm
CW20/W	20 mm	2.5 mm
CW25/W	25 mm	2.5 mm



**WATERPROOF WEBBING
– KEROSENE**

Code	Width	Thickness
CW13/K	13 mm	2.5 mm
CW16/K	16 mm	2.5 mm
CW20/K	20 mm	2.5 mm
CW25/K	25 mm	2.5 mm



**WATERPROOF WEBBING
SUPER GRIP – BLACK**

Code	Width	Thickness
SGW13/B	13 mm	7 mm
SGW16/B	16 mm	7 mm
SGW19/B	19 mm	7 mm



**BARK WATERPROOF
WEBBING – BLACK**


Code	Width	Thickness
CWD16/B	16 mm	2.5 mm
CWD20/B	20 mm	2.5 mm
CWD25/B	25 mm	2.5 mm





WATERPROOF WEBBING – PINK / BRINDLE

Code	Width	Thickness
CW16/BRINDLE	16 mm	2.5 mm
CW20/BRINDLE	20 mm	2.5 mm



WATERPROOF WEBBING – BLUE / BRINDLE

Code	Width	Thickness
CW16/BRINDLE BL	16 mm	2.5 mm
CW20/BRINDLE BL	20 mm	2.5 mm



HEXA WATERPROOF WEBBING – GRAY

Code	Width	Thickness
CWH10/GRAY	10 mm	2.6 mm
CWH13/GRAY	13 mm	2.6 mm
CWH16/GRAY	16 mm	2.6 mm
CWH20/GRAY	20 mm	2.6 mm
CWH25/GRAY	25 mm	2.6 mm




HEXA WATERPROOF WEBBING – BLACK

Code	Width	Thickness
CWH10/B	10 mm	2.6 mm
CWH13/B	13 mm	2.6 mm
CWH16/B	16 mm	2.6 mm
CWH20/B	20 mm	2.6 mm




Code	Width	Thickness
CWH25/B	25 mm	2.6 mm
CWH30/B	30 mm	2.6 mm
CWH38/B	38 mm	2.6 mm
CWH40/B	40 mm	2.6 mm
CWH50/B	50 mm	2.6 mm




HEXA WATERPROOF WEBBING – KEROSENE

Code	Width	Thickness
CWH10/K	10 mm	2.6 mm
CWH13/K	13 mm	2.6 mm
CWH16/K	16 mm	2.6 mm
CWH20/K	20 mm	2.6 mm
CWH25/K	25 mm	2.6 mm




HEXA WATERPROOF WEBBING – PASTEL GREEN

Code	Width	Thickness
CWH10/PG	10 mm	2.6 mm
CWH13/PG	13 mm	2.6 mm
CWH16/PG	16 mm	2.6 mm
CWH20/PG	20 mm	2.6 mm
CWH25/PG	25 mm	2.6 mm




HEXA WATERPROOF WEBBING – SKY BLUE

Code	Width	Thickness
CWH10/SB	10 mm	2.6 mm
CWH13/SB	13 mm	2.6 mm
CWH16/SB	16 mm	2.6 mm
CWH20/SB	20 mm	2.6 mm
CWH25/SB	25 mm	2.6 mm




HEXA WATERPROOF WEBBING – COOL BLUE

Code	Width	Thickness
CWH10/CBL	10 mm	2.6 mm
CWH13/CBL	13 mm	2.6 mm
CWH16/CBL	16 mm	2.6 mm
CWH20/CBL	20 mm	2.6 mm
CWH25/CBL	25 mm	2.6 mm




HEXA WATERPROOF WEBBING – BLUE

Code	Width	Thickness
CWH10/BL	10 mm	2.6 mm
CWH13/BL	13 mm	2.6 mm
CWH16/BL	16 mm	2.6 mm
CWH20/BL	20 mm	2.6 mm
CWH25/BL	25 mm	2.6 mm




HEXA WATERPROOF WEBBING – CARIBBEAN GREEN

Code	Width	Thickness
CWH10/CG	10 mm	2.6 mm
CWH13/CG	13 mm	2.6 mm
CWH16/CG	16 mm	2.6 mm
CWH20/CG	20 mm	2.6 mm
CWH25/CG	25 mm	2.6 mm



HEXA WATERPROOF WEBBING – OLIVE


Code	Width	Thickness
CWH10/G	10 mm	2.6 mm
CWH13/G	13 mm	2.6 mm
CWH16/G	16 mm	2.6 mm
CWH20/G	20 mm	2.6 mm
CWH25/G	25 mm	2.6 mm



HEXA WATERPROOF WEBBING – JADE


NEW

Code	Width	Thickness
CWH10/JADE	10 mm	2.6 mm
CWH13/JADE	13 mm	2.6 mm
CWH16/JADE	16 mm	2.6 mm
CWH20/JADE	20 mm	2.6 mm
CWH25/JADE	25 mm	2.6 mm



HEXA WATERPROOF WEBBING – HUNTER GREEN

Code	Width	Thickness
CWH10/HG	10 mm	2.6 mm
CWH13/HG	13 mm	2.6 mm
CWH16/HG	16 mm	2.6 mm
CWH20/HG	20 mm	2.6 mm
CWH25/HG	25 mm	2.6 mm




HEXA WATERPROOF WEBBING – NEON GREEN

Code	Width	Thickness
CWH10/NG	10 mm	2.6 mm
CWH13/NG	13 mm	2.6 mm
CWH16/NG	16 mm	2.6 mm
CWH20/NG	20 mm	2.6 mm
CWH25/NG	25 mm	2.6 mm



HEXA WATERPROOF WEBBING – MINT GREEN

Code	Width	Thickness
CWH10/MINT	10 mm	2.6 mm
CWH13/MINT	13 mm	2.6 mm
CWH16/MINT	16 mm	2.6 mm
CWH20/MINT	20 mm	2.6 mm
CWH25/MINT	25 mm	2.6 mm



HEXA WATERPROOF WEBBING – PASTEL BLUE

Code	Width	Thickness
CWH10/BABL	10 mm	2.6 mm
CWH13/BABL	13 mm	2.6 mm
CWH16/BABL	16 mm	2.6 mm
CWH20/BABL	20 mm	2.6 mm
CWH25/BABL	25 mm	2.6 mm



HEXA WATERPROOF WEBBING – PURPLE

Code	Width	Thickness
CWH10/P	10 mm	2.6 mm
CWH13/P	13 mm	2.6 mm
CWH16/P	16 mm	2.6 mm
CWH20/P	20 mm	2.6 mm
CWH25/P	25 mm	2.6 mm



HEXA WATERPROOF WEBBING
– NEON PINK

Code	Width	Thickness
CWH10/NP	10 mm	2.6 mm
CWH13/NP	13 mm	2.6 mm
CWH16/NP	16 mm	2.6 mm
CWH20/NP	20 mm	2.6 mm
CWH25/NP	25 mm	2.6 mm



HEXA WATERPROOF WEBBING
– NEON PINK

Code	Width	Thickness
CWH10/DNP	10 mm	2.6 mm
CWH13/DNP	13 mm	2.6 mm
CWH16/DNP	16 mm	2.6 mm
CWH20/DNP	20 mm	2.6 mm
CWH25/DNP	25 mm	2.6 mm




HEXA WATERPROOF WEBBING
– NEON ORANGE

Code	Width	Thickness
CWH10/NO	10 mm	2.6 mm
CWH13/NO	13 mm	2.6 mm
CWH16/NO	16 mm	2.6 mm
CWH20/NO	20 mm	2.6 mm
CWH25/NO	25 mm	2.6 mm
NEW CWH30/NO	30 mm	2.6 mm
NEW CWH38/NO	38 mm	2.6 mm



HEXA WATERPROOF WEBBING
– APRICOT BRANDY

Code	Width	Thickness
CW10/APB	10 mm	2.6 mm
CW13/APB	13 mm	2.6 mm
CW16/APB	16 mm	2.6 mm
CW20/APB	20 mm	2.6 mm
CW25/APB	25 mm	2.6 mm



HEXA WATERPROOF WEBBING
– DARK BROWN

Code	Width	Thickness
CWH10/DBR	10 mm	2.6 mm
CWH13/DBR	13 mm	2.6 mm
CWH16/DBR	16 mm	2.6 mm
CWH20/DBR	20 mm	2.6 mm
CWH25/DBR	25 mm	2.6 mm



HEXA WATERPROOF WEBBING
– CHOCOLATE NOIR

NEW

Code	Width	Thickness
CWH10/CHOC	10 mm	2.6 mm
CWH13/CHOC	13 mm	2.6 mm
CWH16/CHOC	16 mm	2.6 mm
CWH20/CHOC	20 mm	2.6 mm
CWH25/CHOC	25 mm	2.6 mm



HEXA WATERPROOF WEBBING
– VIVA MAGENTA

Code	Width	Thickness
CWH10/VM	10 mm	2.6 mm
CWH13/VM	13 mm	2.6 mm
CWH16/VM	16 mm	2.6 mm
CWH20/VM	20 mm	2.6 mm
CWH25/VM	25 mm	2.6 mm



HEXA WATERPROOF WEBBING
– LEVANDER

Code	Width	Thickness
CWH10/L	10 mm	2.6 mm
CWH13/L	13 mm	2.6 mm
CWH16/L	16 mm	2.6 mm
CWH20/L	20 mm	2.6 mm
CWH25/L	25 mm	2.6 mm



HEXA WATERPROOF WEBBING
– PASTEL LAVENDER

Code	Width	Thickness
CWH10/PL	10 mm	2.6 mm
CWH13/PL	13 mm	2.6 mm
CWH16/PL	16 mm	2.6 mm
CWH20/PL	20 mm	2.6 mm
CWH25/PL	25 mm	2.6 mm



HEXA WATERPROOF WEBBING
– CANDY RED

Code	Width	Thickness
CWH10/CR	10 mm	2.6 mm
CWH13/CR	13 mm	2.6 mm
CWH16/CR	16 mm	2.6 mm
CWH20/CR	20 mm	2.6 mm
CWH25/CR	25 mm	2.6 mm



HEXA WATERPROOF WEBBING
– PASTEL PINK

Code	Width	Thickness
CWH10/PI	10 mm	2.6 mm
CWH13/PI	13 mm	2.6 mm
CWH16/PI	16 mm	2.6 mm
CWH20/PI	20 mm	2.6 mm
CWH25/PI	25 mm	2.6 mm



HEXA WATERPROOF WEBBING
– NEON YELLOW

Code	Width	Thickness
CWH10/NY	10 mm	2.6 mm
CWH13/NY	13 mm	2.6 mm
CWH16/NY	16 mm	2.6 mm
CWH20/NY	20 mm	2.6 mm
CWH25/NY	25 mm	2.6 mm



HEXA WATERPROOF WEBBING
– PASTEL YELLOW

Code	Width	Thickness
CWH10/PY	10 mm	2.6 mm
CWH13/PY	13 mm	2.6 mm
CWH16/PY	16 mm	2.6 mm
CWH20/PY	20 mm	2.6 mm
CWH25/PY	25 mm	2.6 mm




HEXA WATERPROOF WEBBING
– GOLD

Code	Width	Thickness
CWH10/GOLD	10 mm	2.6 mm
CWH13/GOLD	13 mm	2.6 mm
CWH16/GOLD	16 mm	2.6 mm
CWH20/GOLD	20 mm	2.6 mm
CWH25/GOLD	25 mm	2.6 mm



Polypropylene Weave Webbing



WEAVE WEBBING
– RAINBOW

Code	Width	Thickness
WE25/D/T	25 mm	1.6 mm



WEAVE WEBBING – BLACK
/ WINTER CAMOUFLAGE

Code	Width	Thickness
WE15/WC	15 mm	2 mm
WE20/WC	20 mm	3 mm
WE25/WC	25 mm	3 mm
WE40/WC	40 mm	2.5 mm
WE50/WC	50 mm	2.5 mm



WEAVE WEBBING
– GREEN / CAMOUFLAGE

Code	Width	Thickness
WE15/GC	15 mm	2 mm
WE20/GC	20 mm	3 mm
WE25/GC	25 mm	3 mm
WE40/GC	40 mm	2.5 mm
WE50/GC	50 mm	2.5 mm





Polypropylene Reflective Webbing



**REFLECTIVE WEBBING
– BLACK**

Code	Width	Thickness
WE15/BDR	15 mm	3 mm
WE20/BDR	20 mm	3 mm
WE25/BDR	25 mm	3 mm



**REFLECTIVE RUBBER WEBBING
– BLACK**

Code	Width	Thickness
WE20/BRUR	20 mm	3 mm



**REFLECTIVE WEBBING
– ORANGE**

Code	Width	Thickness
WE20/ODR	20 mm	3 mm
WE25/ODR	25 mm	3 mm



**REFLECTIVE RUBBER WEBBING
– ORANGE**

Code	Width	Thickness
WE20/BRUR	20 mm	3 mm




**REFLECTIVE RUBBER WEBBING
– PINK**

Code	Width	Thickness
WE20/PRUR	20 mm	3 mm



Chain Collars for Dog Shows



HALF CHOKE SHOW COLLAR

BRASS ROSE GOLD

Code	Ø	Lenght
PJR 30/30	3 mm	30 cm
PJR 30/35	3 mm	35 cm
PJR 30/40	3 mm	40 cm
PJR 30/45	3 mm	45 cm
PJR 30/50	3 mm	50 cm
PJR 50/45	5 mm	45 cm
PJR 50/50	5 mm	50 cm
PJR 50/55	5 mm	55 cm
PJR 50/60	5 mm	60 cm
PJR 50/65	5 mm	65 cm

HALF CHOKE SHOW COLLAR

BRASS CHROME PLATED

Code	Ø	Lenght
PJC 30/30	3 mm	30 cm
PJC 30/35	3 mm	35 cm
PJC 30/40	3 mm	40 cm
PJC 30/45	3 mm	45 cm
PJC 30/50	3 mm	50 cm
PJC 50/45	5 mm	45 cm
PJC 50/50	5 mm	50 cm
PJC 50/55	5 mm	55 cm
PJC 50/60	5 mm	60 cm
PJC 50/65	5 mm	65 cm





HALF CHOKE SHOW COLLAR

BRASS

BLACK NICKLE

Code	ø	Lenght
PJB 30/30	3 mm	30 cm
PJB 30/35	3 mm	35 cm
PJB 30/40	3 mm	40 cm
PJB 30/45	3 mm	45 cm
PJB 30/50	3 mm	50 cm
PJB 50/45	5 mm	45 cm
PJB 50/50	5 mm	50 cm
PJB 50/55	5 mm	55 cm
PJB 50/60	5 mm	60 cm
PJB 50/65	5 mm	65 cm



SNAKE CHAIN SHOW CHOKE COLLARS

BRASS

ROSE GOLD

Code	Lenght	ø
JSR 20/30	30 cm	2 mm
JSR 20/35	35 cm	2 mm
JSR 20/40	40 cm	2 mm
JSR 20/45	45 cm	2 mm
JSR 25/50	50 cm	2.5 mm
JSR 25/55	55 cm	2.5 mm
JSR 25/60	60 cm	2.5 mm
JSR 30/40	40 cm	3 mm
JSR 30/45	45 cm	3 mm
JSR 30/50	50 cm	3 mm
JSR 50/50	50 cm	5 mm
JSR 50/55	55 cm	5 mm
JSR 50/60	60 cm	5 mm
JSR 50/65	65 cm	5 mm
JSR 50/70	70 cm	5 mm
JSR 50/75	75 cm	5 mm



SNAKE CHAIN SHOW CHOKE COLLARS

BRASS

CHROME PLATED

Code	Ø	Lenght
JSC 18/30	1.8 mm	30 cm
JSC 20/25	2 mm	25 cm
JSC 20/30	2 mm	30 cm
JSC 20/35	2 mm	35 cm
JSC 20/40	2 mm	40 cm
JSC 20/45	2 mm	45 cm
JSC 20/50	2 mm	50 cm
JSC 25/45	2.5 mm	45 cm
JSC 25/50	2.5 mm	50 cm
JSC 25/55	2.5 mm	55 cm
JSC 25/60	2.5 mm	60 cm
JSC 30/30	3 mm	30 cm
JSC 30/35	3 mm	35 cm
JSC 30/40	3 mm	40 cm
JSC 30/45	3 mm	45 cm
JSC 30/50	3 mm	50 cm
JSC 30/55	3 mm	55 cm
JSC 30/60	3 mm	60 cm
JSC 40/40	4 mm	40 cm
JSC 40/45	4 mm	45 cm
JSC 40/50	4 mm	50 cm
JSC 40/55	4 mm	55 cm
JSC 40/60	4 mm	60 cm
JSC 40/65	4 mm	65 cm
JSC 50/50	5 mm	50 cm
JSC 50/55	5 mm	55 cm
JSC 50/60	5 mm	60 cm
JSC 50/65	5 mm	65 cm
JSC 50/70	5 mm	70 cm
JSC 50/75	5 mm	75 cm
JSC 50/80	5 mm	80 cm
JSC 64/60	6.4 mm	60 cm
JSC 64/70	6.4 mm	70 cm
JSC 64/75	6.4 mm	75 cm
JSC 64/80	6.4 mm	80 cm





SNAKE CHAIN SHOW CHOKE COLLARS

BRASS

GOLD PLATED

Code	ø	Lenght
JSB 18/35	1.8 mm	35 cm
JSB 20/25	2 mm	25 cm
JSB 20/30	2 mm	30 cm
JSB 20/35	2 mm	35 cm
JSB 20/40	2 mm	40 cm
JSB 20/45	2 mm	45 cm
JSB 25/45	2.5 mm	45 cm
JSB 25/50	2.5 mm	50 cm
JSB 25/55	2.5 mm	55 cm
JSB 30/30	3 mm	30 cm
JSB 30/35	3 mm	35 cm
JSB 30/40	3 mm	40 cm
JSB 30/45	3 mm	45 cm
JSB 30/50	3 mm	50 cm
JSB 30/55	3 mm	55 cm
JSB 30/60	3 mm	60 cm
JSB 50/50	5 mm	50 cm
JSB 50/55	5 mm	55 cm
JSB 50/60	5 mm	60 cm
JSB 50/65	5 mm	65 cm
JSB 50/70	5 mm	70 cm
JSB 50/75	5 mm	75 cm
JSB 50/80	5 mm	80 cm

SNAKE CHAIN SHOW CHOKE COLLARS

BRASS

BLACK NICKLE

Code	ø	Lenght
JSA 20/30	2 mm	30 cm
JSA 20/35	2 mm	35 cm
JSA 20/40	2 mm	40 cm
JSA 20/45	2 mm	45 cm
JSA 25/45	2.5 mm	45 cm
JSA 25/50	2.5 mm	50 cm
JSA 25/55	2.5 mm	55 cm
JSA 30/40	3 mm	40 cm
JSA 30/45	3 mm	45 cm
JSA 30/50	3 mm	50 cm
JSA 50/50	5 mm	50 cm
JSA 50/55	5 mm	55 cm
JSA 50/60	5 mm	60 cm
JSA 50/65	5 mm	65 cm
JSA 50/70	5 mm	70 cm
JSA 50/75	5 mm	75 cm
JSA 64/60	6.4 mm	60 cm
JSA 64/65	6.4 mm	65 cm
JSA 64/70	6.4 mm	70 cm



Dog Show Chain Leashes

CHAINS & COLLARS



DOG SHOW LEAD

BRASS GOLD PLATED

Code	ø	Lenght
VSG 20/90	2 mm	90 cm
VSG 30/90	3 mm	90 cm
VSG 40/90	4 mm	90 mm




DOG SHOW LEAD

BRASS CHROME PLATED

Code	ø	Lenght
VSC 20/90	2 mm	90 cm
VSC 30/90	3 mm	90 cm
VSC 40/90	4 mm	90 mm






Chain Dog Collars

STAINLESS STEEL CHOKE CHAIN COLLAR

STAINLESS

POLISHED




Code	D	Lenght
SS JS 25/40	2.5 mm	40 cm
SS JS 25/45	2.5 mm	45 cm
SS JS 30/50	3 mm	50 cm
SS JS 30/55	3 mm	55 cm
SS JS 30/60	3 mm	60 cm
SS JS 30/65	3 mm	65 cm
SS JS 35/55	3.5 mm	55 cm
SS JS 35/60	3.5 mm	60 cm
SS JS 35/65	3.5 mm	65 cm
SS JS 35/70	3.5 mm	70 cm
SS JS 40/75	4 mm	75 cm



STEEL CHOKE CHAIN LONG LINK

STEEL CHROME PLATED

Code	Lenght	D
JSO 30/40	40 cm	3 mm
JSO 30/45	45 cm	3 mm
JSO 30/50	50 cm	3 mm
JSO 30/55	55 cm	3 mm
JSO 40/60	60 cm	4 mm
JSO 40/65	65 cm	4 mm
JSO 40/70	70 cm	4 mm
JSO 40/75	75 cm	4 mm



STEEL DOUBLE CHAIN COLLAR WITH MARTINAGLE

STEEL CHROME PLATED

Code	Lenght	D
PD 20/30	30 cm	2 mm
PD 20/35	35 cm	2 mm
PD 20/40	40 cm	2 mm
PD 20/45	45 cm	2 mm
PD 25/50	50 cm	2.5 mm
PD 25/55	55 cm	2.5 mm
PD 30/60	60 cm	3 mm
PD 30/65	65 mm	3 mm



STEEL TRIPLE CHAIN COLLAR WITH MARTINAGLE

STEEL CHROME PLATED

Code	Lenght	D
PT 20/40	40 cm	2 mm
PT 20/45	45 cm	2 mm
PT 25/50	50 cm	2.5 mm
PT 25/55	55 cm	2.5 mm
PT 30/60	60 cm	3 mm
PT 30/65	65 cm	3 mm
PT 30/70	70 cm	3 mm
PT 30/75	75 cm	3 mm





STEEL TRAINING COLLAR

STEEL CHROME PLATED

Code	Lenght	D
ODO 30/40	40 cm	3 mm
ODO 40/60	60 cm	4 mm



STEEL REPLACEMENT LINKS FOR TRAINING COLLAR

STEEL CHROME PLATED

Code	Lenght	D
ODC 3	35 mm	3 mm
ODC 4	40 mm	4 mm

Chain Dog Leads

CHAIN LEASH WITHOUT HANDLE

STEEL CHROME PLATED



Code	Lenght	D
V 16/90	90 cm	1.6 mm

Code	Lenght	D
V 20/90	90 cm	2 mm

Code	Lenght	D
V 25/90	90 cm	2.5 mm

CHAIN LEASH WITHOUT HANDLE

STEEL

CHROME PLATED



Code	Lenght	D
V 30/90	90 cm	3 mm



Code	Lenght	D
V 35/90	90 cm	3.5 mm



Code	Lenght	D
V 40/90	90 cm	4 mm

Long Keychains



KEY CHAIN

STEEL

BLACK NICKLE

Code	Lenght	D
RKC 20/25 BN	25 cm	2 mm



KEY CHAIN

STEEL

BRASS PLATED

Code	Lenght	D
RKB 20/25	25 cm	2 mm




KEY CHAIN


STEEL

CHROME PLATED

Code	Lenght	D
RKC 20/25	25 cm	2 mm
RKC 20/50	50 cm	2 mm



Martingale Chains



STAINLESS STEEL MARTINGALE CHAIN

STAINLESS POLISHED



Code	Lenght	D	Size
SS 16/14	4 cm	1.6 mm	14 mm
SS 20/20	20 cm	2 mm	20 mm

SOLID BRASS MARTINAGLE CHAIN

BRASS POLISHED



Code	Lenght	D	Size
B 20/14	14 cm	2 mm	14 mm

SOLID BRASS MARTINAGLE CHAIN

BRASS POLISHED



Code	Lenght	D	Size
B D 20/20	20 cm	2 mm	20 mm
B D 25/21	21 cm	2.5 mm	24 mm



STAINLESS STEEL MARTINGALE CHAIN

STAINLESS POLISHED



CHOKE CHAIN, LONG LINK

STEEL CHROME PLATED



	Code	Lenght	D	Size
NEW	SS D 25/16 40mm	16 cm	3 mm	39 mm
NEW	SS D 25/16 50mm	16 cm	3 mm	49 mm
	SS D 20/15 16mm	20 cm	2 mm	16 mm
	SS D 20/20	20 cm	2 mm	20 mm
	SS D 25/21	21 cm	2.5 mm	26 mm
	SS D 30/21 25mm	21 cm	3 mm	25 mm
	SS D 30/30	30 cm	3 mm	26 mm
	SS D 30/30 40mm	30 cm	3 mm	40 mm

	Code	Lenght	D	Size
	SD 20/20	20 cm	2 mm	20 mm
	SD 25/21	21 cm	2.5 mm	26 mm
	SD 30/30	30 cm	3 mm	26 mm



STEEL MARTINAGLE CHAIN

STEEL CHROME PLATED



STAINLESS STEEL SHOW COLLAR

STAINLESS BLACK



Code	Lenght	D	Size
S 16/14	14 cm	1.6 mm	14 mm
S 20/20	20 cm	2 mm	20 mm
S 25/22	25 cm	3 mm	25 mm

Code	Lenght	D	Size
SS D 20/20 BK	20 cm	2 mm	20 mm
SS D 25/21 BK	21 cm	2.5 mm	26 mm

Chain Hardware

STEEL PUNCH BAG CHAINS

STEEL ZINC PLATED


Code	Lenght	D
BOX CHAIN	42 cm	5 mm
BOX 6 CHAIN	42 cm	5 mm



STEEL YARD CHAIN

STEEL ZINC PLATED

Code	Lenght	D
Rb 3.0x150	1.5 m	3 mm
Rb 3.0x200	2 m	3 mm
Rb 3.0x300	3 m	3 mm
Rb 3.0x400	4 m	3 mm



STEEL SPIRAL TIE-OUT STAKE

STEEL

CHROME PLATED

Code	Lenght	D
Kolik	42 cm	9 mm



STEEL QUICK LINK

STEEL

ZINC PLATED

Code	Lenght	D
SPOJ 4 ZP	32 mm	4 mm
SPOJ 5 ZP	50 mm	4.7 mm
SPOJ 6 ZP	46 mm	6 mm
SPOJ 8 ZP	60 mm	7 mm



STEEL TWISTED CHAIN

STEEL

ZINC PLATED

Code	Lenght	D
SL 2.0x30	30 m	2 mm
SL 3.0x30	30 m	3 mm
SL 4.0x30	30 m	4 mm



STEEL CHAIN LONG LINK

STEEL

ZINC PLATED

Code	Lenght	D
SW 2.0x30	30 m	2 mm
SW 3.0x30	30 m	3 mm
SW 4.0x30	30 m	4 mm

Leather Hides



**PREMIUM COWHIDE LEATHER
– DOUBLE BUTTS, NATURAL**

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
JK 2.5-3.0	2.5 – 3.0	130 x 140	190
JK 3.5-4.0	3.5 – 4.0	130 x 140	190



COWHIDE LEATHER – DOUBLE BUTTS, NATURAL

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
P_ 2.4-2.8	2.4 – 2.8	140 x 140	180
P_ 2.8-3.2	2.8 – 3.2	140 x 140	180
P_ 3.2-3.6	3.2 – 3.6	140 x 140	180
P_ 4.0-4.6	4.0 – 4.6	140 x 140	180
P_ 4.8-5.2	4.8 – 5.2	140 x 140	167





COWHIDE LEATHER – DOUBLE BUTTS, BLACK

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
B_1.2-1.5	1.2 – 1.5	150 x 130	188
B_2.8-3.2	2.8 – 3.2	150 x 130	188
B_3.4-3.8	3.4 – 3.8	150 x 130	188
B_4.0-4.2	4.0 – 4.2	150 x 130	188



COWHIDE LEATHER – DOUBLE BUTTS, MOCCASIN BROWN

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
MO 2.8-3.2	2.8 – 3.2	150 x 130	188



COWHIDE LEATHER – DOUBLE BUTTS, BROWN

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
BR 2.8-3.2	2.8 – 3.2	150 x 130	188



COWHIDE LEATHER – DOUBLE BUTTS, WHITE

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
W_2.8-3.2	2.8 – 3.2	150 x 130	188



COWHIDE LEATHER – DOUBLE BUTTS, PINK

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
PI 2.8-3.2	2.8 – 3.2	150 x 130	188



COWHIDE LEATHER – DOUBLE BUTTS, RED

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
R_2.8-3.2	2.8 – 3.2	150 x 130	188



LEATHER HIDES



COWHIDE LEATHER – DOUBLE BUTTS, TAN

NEW

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
P/TAN_2.8-3.2	2.4 - 2.8	140 x 140	180



COWHIDE LEATHER – DOUBLE BUTTS, BLACK

NEW

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
P/BLACK_2.8-3.2	2.4 - 2.8	140 x 140	180



COWHIDE LEATHER – DOUBLE BUTTS, BROWN

NEW

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
P/BROWN_2.8-3.2	2.4 - 2.8	140 x 140	180



COWHIDE LEATHER – DOUBLE BUTTS, ELECTRIC BLUE

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
EB 2.8-3.2	2.8 – 3.2	150 x 130	188



PREMIUM COWHIDE LEATHER – DOUBLE BUTTS, NATURAL

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
JV 0.8-1.5	0.8 - 1.5	80 x 180	120
JV 1.5-2.0	1.5 – 2.0	80 x 180	120
JV 2.5-3.0	2.5 – 3.0	80 x 180	120
JV 3.5-4.0	3.5 – 4.0	80 x 180	120



COWHIDE LEATHER – DOUBLE SHOULDER, NATURAL

Code	Thickness ~mm	Dimension ~cm	Size ~dm ²
P_0.8-1.2	0.8 – 1.2	70 x 130	91
P_1.2-1.6	1.2 – 1.6	70 x 130	91
P_1.6-2.0	1.6 – 2.0	70 x 130	91

Round Leather Cords



**ROUND LEATHER Ø 1-7 MM,
NATURAL**

Code	Ø
LL/1	1 mm
LL/2	2 mm
LL/3	3 mm
LL/4	4 mm
LL/5	5 mm
LL/6	6 mm
LL/7	7 mm



**ROUND LEATHER Ø 1-7 MM,
BROWN**

Code	Ø
LL/2 BROWN	2 mm
LL/3 BROWN	3 mm
LL/4 BROWN	4 mm
LL/5 BROWN	5 mm
LL/6 BROWN	6 mm
LL/7 BROWN	7 mm
LL/8 BROWN	8 mm



**ROUND LEATHER Ø 1-7 MM,
BLACK**

Code	Ø
LL/2 BLACK	2 mm
LL/3 BLACK	3 mm
LL/4 BLACK	4 mm
LL/5 BLACK	5 mm
LL/6 BLACK	6 mm
LL/7 BLACK	7 mm



**ROUND LEATHER Ø 1-2 MM,
BLUE**

Code	Ø
LL/2 BLUE	2 mm
LL/3 BLUE	3 mm



**ROUND LEATHER Ø 2-3 MM,
RED**

Code	Ø
LL/2 RED	2 mm
LL/3 RED	3 mm



**ROUND LEATHER Ø 2-3 MM,
DARK BROWN**

Code	Ø
LL/2 MOKA	2 mm
LL/3 MOKA	3 mm



**BRAIDED LEATHER CORD
Ø 3-5 MM, NATURAL**

Code	Ø
BLC/3	3 mm
BLC/4	4 mm
BLC/5	5 mm



**BRAIDED LEATHER CORD
Ø 3-5 MM, BLACK**

Code	Ø
BLC/3 BLACK	3 mm
BLC/4 BLACK	4 mm
BLC/5 BLACK	5 mm



**COATED ROPE Ø 6-8 MM
- NEON ORANGE**

Code	Ø
CR06/NO	6 mm
CR08/NO	8 mm



**COATED ROPE Ø 6-8 MM
- NEON YELLOW**

Code	Ø
CR06/NY	6 mm
CR08/NY	8 mm



**COATED ROPE Ø 6-8 MM
- BLACK**

Code	Ø
CR06/B	6 mm
CR08/B	8 mm



FLEXIBLE COATED ROPE
Ø 6 MM – BLACK

Code	Ø
CR-SOFT06/B	6 mm



FLEXIBLE COATED ROPE
Ø 6 MM – NEON ORANGE

Code	Ø
CR-SOFT06/NO	6 mm



FLEXIBLE COATED ROPE
Ø 6 MM – GREEN

Code	Ø
CR-SOFT06/G	6 mm



FLAT LEATHER CORD
3–10 MM, NATURAL

Code	Width	Thickness
FL/3x1.2	3 mm	1.2 mm
FL/3x3	3 mm	3 mm
FL/4x2.7	4 mm	2.7 mm
FL/4x4	4 mm	3 mm
FL/10x3	10 mm	3 mm
FL/10x4	10 mm	4 mm
FL/10x6	10 mm	6 mm



FLAT LEATHER CORD
3–10 MM, BROWN

Code	Width	Thickness
FL/3x3 BROWN	3 mm	3 mm
FL/4x2.7 BROWN	4 mm	2.7 mm
FL/4x4 BROWN	4 mm	4 mm
FL/10x3 BROWN	10 mm	3 mm
FL/10x4 BROWN	10 mm	4 mm
FL/10x6 BROWN	10 mm	6 mm



FLAT LEATHER CORD
4–10 MM, BEIGE

Code	Width	Thickness
FL/4x4 TAN	4 mm	4 mm
FL/10x3 TAN	10 mm	3 mm
FL/10x4 TAN	10 mm	4 mm



FLAT LEATHER CORD
3–10 MM, BLACK

Code	Width	Thickness
FL/3x1.2 BLACK	3 mm	1.2 mm
FL/3x3 BLACK	3 mm	3 mm
FL/4x2.7 BLACK	4 mm	2.7 mm
FL/4x4 BLACK	4 mm	4 mm
FL/10x3 BLACK	10 mm	3 mm
FL/10x4 BLACK	10 mm	4 mm

Leather straps



LEATHER STRAP 13–40 MM,
NATURAL

Code	Width	Thickness
FL/13x4	13 mm	4 mm
FL/16x4	16 mm	4 mm
FL/20x4	20 mm	4 mm
FL/25x4	25 mm	4 mm
FL/40x4	40 mm	4 mm



LEATHER STRAP 13–40 MM,
BROWN

Code	Width	Thickness
FL/13x4 BROWN	13 mm	4 mm
FL/16x4 BROWN	16 mm	4 mm
FL/20x4 BROWN	20 mm	4 mm
FL/25x4 BROWN	25 mm	4 mm
FL/40x4 BROWN	40 mm	4 mm



LEATHER STRAP 13–40 MM,
BEIGE

Code	Width	Thickness
FL/13x4 TAN	13 mm	4 mm
FL/16x4 TAN	16 mm	4 mm
FL/20x4 TAN	20 mm	4 mm
FL/25x4 TAN	25 mm	4 mm
FL/40x4 TAN	40 mm	4 mm



LEATHER STRAP 13–40 MM,
BLACK

Code	Width	Thickness
FL/13x4 BLACK	13 mm	4 mm
FL/16x4 BLACK	16 mm	4 mm
FL/20x4 BLACK	20 mm	4 mm
FL/25x4 BLACK	25 mm	4 mm
FL/40x4 BLACK	40 mm	4 mm



LEATHER STRAP WITH COWHIDE
HAIR 20–40 MM, BLACK

Code	Width	Thickness
PH/20x4 BLACK	20 mm	4 mm
PH/25x4 BLACK	25 mm	4 mm
PH/40x4 BLACK	40 mm	3 mm



LEATHER STRAP WITH COWHIDE
HAIR 20 MM, NATURAL

Code	Width	Thickness
PH/20x4 NATURAL	20 mm	4 mm



LEATHER STRAP WITH
COWHIDE HAIR 20 MM, BEIGE

Code	Width	Thickness
PH/20x4 TAN	20 mm	4 mm



BRAIDED LEATHER STRAP 30 MM,
BROWN

Code	Width	Thickness
BL/30x5 BROWN	30 mm	5 mm



BRAIDED LEATHER STRAP
30–40 MM, BLACK

Code	Width	Thickness
BL/30x5 BLACK	30 mm	5 mm



LEATHER STRAPS



LEATHER STRAP WITH
COWHIDE HAIR 20 MM, TIGER

Code	Width	Thickness
TPH/20x4	20 mm	4 mm



LEATHER STRAP WITH COWHIDE
HAIR 20 MM, LEOPARD

Code	Width	Thickness
LPH/20x4	20 mm	4 mm



LEATHER STRAP WITH
COWHIDE HAIR 20 MM, ZEBRA

Code	Width	Thickness
ZPH/20x4	20 mm	4 mm



Leather Straps for Belts



NEW

LEATHER STRAP FOR BELTS
38 MM, NATURAL

Code	Width	Thickness	Length
FL/40-1.4m FIXED	38 mm	4 mm	1.4 m



NEW

LEATHER STRAP FOR BELTS
38 MM, COGNAC

Code	Width	Thickness	Length
FL/40-1.4m COGNA	38 mm	4 mm	1.4 m



NEW

LEATHER STRAP FOR BELTS
38 MM, BROWN

Code	Width	Thickness	Length
FL/40-1.4m BROWN	38 mm	4 mm	1.4 m



NEW

LEATHER STRAP FOR BELTS
38 MM, BLACK

Code	Width	Thickness	Length
FL/40-1.4m BLACK	38 mm	4 mm	1.4 m



NEW

LEATHER STRAP FOR BELTS
38 MM, BEIGE

Code	Width	Thickness	Length
FL/40-1.4m TAN	38 mm	4 mm	1.4 m



Rivet Setters



**RIVET SETTER FOR MAGNETIC SNAPS
Ø 10-18 MM**

Code	Ø	Use for
8101-MB-10	10 mm	MB-10
8101-MB-14	14 mm	MB-14
8101-MB-18	18 mm	MB-18



DOMED RIVET SETTER Ø 10 MM

Code	Ø	Use for
8084-01	10 mm	LK 34



SPIKE SETTER Ø 12 MM

Code	Ø	Use for
8109-00	12 mm	kuzel M, 0563, LK 02, LK 09, LK 17, LK 26, LK 32, LK 97, LK 100



RHINSTONE RIVET SETTER KIT

Code	Ø	Use for
3462-00	6 mm	GRACIA Z7, GRACIA Z6 Z4x4,Z7x7



RIVET SETTERS



SPIKE SETTER Ø 30 MM

Code	Ø	Use for
8111-00	30 mm	LK-08



PROFESSIONAL RIVET SETTERS

Code	Ø	Use for
8101-20 Z	6 mm	20 Z, 20 O
8101-66 Z	7 mm	66 Z, 66 O
8101-63 Z	8 mm	63 Z, 63 O
8101-70 Z	10 mm	70 Z, 70 Z 8mm, 70 O, 70 O 8mm, 70 O 13mm
8101-72 Z	12 mm	72 Z, 79 Z, 75 Z, 72 O, 75 O
8101-79 Z 15mm	15 mm	79 Z 15mm



CONCAVE RIVET SETTERS

Code	Ø	Use for
RS/6x100	6 mm	20 Z, 20 O
RS/7x100	7 mm	66 Z, 66 O
RS/8x100	8 mm	63 Z, 63 O
RS/10x100	10 mm	70 Z, 70 Z 8mm, 70 O, 70 O 8mm, 70 O 13mm
RS/12x100	12 mm	72 Z, 79 Z, 75 Z, 72 O, 75 O
RS/13x100	13 mm	79 Z 15mm
RS/15x100	15 mm	-



PROFESSIONAL ELEYET SETTERS

Code	Ø	Use for
8101-E6x5.0	4 mm	E6x5.0
8101-E10x5.2	5 mm	E10x5.2
8101-E12x6.0	6 mm	E12x6.0
8101-E13x7.0	7 mm	E13x7.0
8101-E23x7.0	13 mm	E23x7.0
8101-E25x7.0	13 mm	E25x7.0



SNAP SETTER SET

Code	Ø	Use for
8103-08	8 mm	1249-08
8103-10	10 mm	1249-10
8103-12	12 mm	1249-12



LINE SNAP SETTER

Code	Ø	Use for
8101-805-12.5	12 mm	805-12.5
8101-805-15	15 mm	805-15



SNAP SETTER SET (GLOVE SNAPS)

Code	Ø	Use for
8101-1249-08	8 mm	1249-08
8101-1249-10	10 mm	1249-10
8101-1249-12	12 mm	1249-12



SPIKE SETTER Ø 12 MM

Code	Ø	Use for
8084-KUZEL V	12 mm	KUZEL V



SPIKE SETTER Ø 10 MM

Code	Ø	Use for
8084-KUZEL S	10 mm	KUZEL S




CRAFTOOL COPPER & BRASS RIVET & BURR SETTERS

Code	Ø	Use for
RT/11X20X120 SS	3.3 mm	RCH09 B/9x3.3, RCH12 B/12x4



Leather Hand Press & Dies

PROFESSIONAL HAND PRESS



Code
3990-00

PRESS DIE HOLE LEATHER PUNCH



Code
3993-Cu

REPLACEMENT PUNCHES



Code	3231-00	3231-10	3231-11	3231-12	3231-13	3231-14	3231-16
ø	1.5 mm	1.9 mm	2.3 mm	3.1 mm	3.5 mm	3.9 mm	4.7 mm

HAND LEVER PRESS FOOT PEDAL LINKAGE

NEW



Code
3990-TAH

COPPER ANVIL FOR PRESS

NEW



Code
PDHP-B



HAND PRESS SETTING DIES FOR OUR EYELETS

Code

3992-E6x5.0
3992-E10x5.2
3992-E12x6.0
3992-E13x7.0



HAND PRESS DIE FOR OUR STAINLESS STEEL EYELETS

Code

3992-E-SS 9.0x5
3992-E-SS 11.5x6
3992-E-SS 13.5x8



HAND PRESS SETTING DIES FOR OUR DOUBLE CAP RIVETS

Code

3997-20 Z
3997-63 Z
3997-66 Z
3997-70 Z
3997-72 Z



HAND PRESS SETTING DIES FOR OUR SINGLE CAP RIVETS

Code

3997-20 O
3997-63 O
3997-66 O
3997-70 O
3997-72 O



HAND PRESS SETTING DIES FOR OUR GRACIA

Code

3998-Z6
3998-Z7

Use with


CRACIA6/xx and CRACIA7/xx (round closed)

Code

3997-O6
3997-O7
3999-D7

Use with

CRACIA6/xx and CRACIA7/xx (self-drilling)



HAND PRESS SETTING DIES FOR OUR GRACIA (OTHER HAND PRESS)

Code

3999-B7

Use with

CRACIA6/xx and CRACIA7/xx (self-drilling)



HAND PRESS DIE ROUND TUBE PUNCH ADAPTER WITH ANVIL Ø 7.5 MM

NEW

Code

21-1700-HMA-set

Ø

7.5 mm



HAND PRESS DIE ROUND TUBE PUNCH ADAPTER Ø 7.5 MM


NEW

Code

1718-PH

Ø

7.5 mm



HAND PRESS DIE ROUND TUBE PUNCH ADAPTER Ø 9 MM


NEW

Code

1719-PH

Ø

9 mm





LEATHER HAND PRESS & DIES

HAND PRESS SETTING FOR OUR LINE SNAPS



Code

3992-805-12.5

3992-805-15

HAND PRESS SETTING FOR OUR GLOVE SNAPS



Code

3992-502-8

3992-502-10

3992-502-12

Use with

1249-08

1249-10

1249-12

DIES FOR SETTING MAGNETIC SNAPS Ø 10 MM

NEW



Code

3992-MB-10

3992-MB-14

3992-MB-18

Use with

MB-10

MB-14

MB-18





Acrylic Paints

ANGELUS ACRYLIC PAINT FOR LEATHER 29.5 ML



ANG/720-01-001

Code	Color	Volume
ANG/720-01-001	Black	29.5 ml
ANG/720-01-101	Matte black	29.5 ml
ANG/720-01-080	Dark grey	29.5 ml
ANG/720-01-081	Gray	29.5 ml
ANG/720-01-166	Beige Taupe	29.5 ml
ANG/720-01-082	Light gray	29.5 ml
ANG/720-01-004	Neutral	29.5 ml
ANG/720-01-155	Bone	29.5 ml
ANG/720-01-157	Dark Bone	29.5 ml
ANG/720-01-264	Putty	29.5 ml
ANG/720-01-161	Natural	29.5 ml
ANG/720-01-162	Cream	29.5 ml
ANG/720-01-160	Vanille	29.5 ml
ANG/720-01-156	Champagne	29.5 ml
ANG/720-01-262	Play in the Sand	29.5 ml
ANG/720-01-165	Beige Taupe	29.5 ml
ANG/720-01-182	Sand	29.5 ml
ANG/720-01-163	Capezio Tan	29.5 ml
ANG/720-01-070	Beige	29.5 ml
ANG/720-01-167	Toupe	29.5 ml
ANG/720-01-168	Dark Toupe	29.5 ml

Code	Color	Volume	Code	Color	Volume
ANG/720-01-018	Dark brown	29.5 ml	ANG/732-01-150	Silver	29.5 ml
ANG/720-01-181	Rich Brown	29.5 ml	ANG/720-01-043	Turquoise	29.5 ml
ANG/720-01-014	Brown	29.5 ml	ANG/720-01-045	Blue Turquoise	29.5 ml
ANG/720-01-021	Light brown	29.5 ml	ANG/720-01-261	South Beach	29.5 ml
ANG/720-01-019	British tan	29.5 ml	ANG/720-01-174	Gift Box Blue	29.5 ml
ANG/720-01-027	Saddle tan	29.5 ml	ANG/720-01-176	Pastel Blue	29.5 ml
ANG/720-01-029	Tan	29.5 ml	ANG/720-01-041	Sky blue	29.5 ml
ANG/720-01-180	Cognac	29.5 ml	ANG/732-01-141	Copper	29.5 ml
ANG/720-01-183	Terra cotta red	29.5 ml	ANG/720-01-040	Blue	29.5 ml
ANG/720-01-093	Brick	29.5 ml	ANG/720-01-177	Sapphire	29.5 ml
ANG/720-01-184	Autumn Red	29.5 ml	ANG/720-01-179	Dark blue	29.5 ml
ANG/720-01-190	Scarlet red	29.5 ml	ANG/720-01-042	Navy blue	29.5 ml
ANG/720-01-064	Red	29.5 ml	ANG/720-01-178	Violet	29.5 ml
ANG/720-01-185	Fire Red	29.5 ml	ANG/720-01-060	Burgundy	29.5 ml
ANG/720-01-260	Chili Red	29.5 ml	ANG/720-01-047	Purple	29.5 ml
ANG/720-01-024	Orange	29.5 ml	ANG/720-01-187	Viva Magenta	29.5 ml
ANG/720-01-198	Buttercup	29.5 ml	ANG/720-01-188	Pink	29.5 ml
ANG/720-01-194	Caramel	29.5 ml	ANG/720-01-189	Petal Pink	29.5 ml
ANG/720-01-196	Mustard	29.5 ml	ANG/720-01-191	Shell Pink	29.5 ml
ANG/725-01-128	Neon Sunset Yellow	29.5 ml	ANG/720-01-169	Mauve	29.5 ml
ANG/720-01-075	Yellow	29.5 ml	ANG/720-01-267	Salmon	29.5 ml
ANG/720-01-197	Pastel Yellow	29.5 ml	ANG/720-01-266	Georgia Peach	29.5 ml
ANG/720-01-263	Grinch green	29.5 ml	ANG/720-01-175	Lilac	29.5 ml
ANG/720-01-172	Light Green	29.5 ml	ANG/720-01-159	Mist	29.5 ml
ANG/720-01-170	Avocado	29.5 ml	ANG/732-01-143	Pewter	29.5 ml
ANG/720-01-050	Green	29.5 ml	ANG/732-01-142	Bronze	29.5 ml
ANG/720-01-171	Dark green	29.5 ml	ANG/720-01-105	Flat White	29.5 ml
ANG/732-01-072	Gold	29.5 ml	ANG/720-01-005	White	29.5 ml
ANG/720-01-052	Midnight Green	29.5 ml	ANG/720-01-015	Chocolate	29.5 ml
ANG/720-01-272	Olive	29.5 ml			

ANGELUS ACRYLIC PAINT FOR LEATHER 118 ML



Code	Color	Volume
ANG/720-04-001	Black	118 ml
ANG/720-04-005	White	118 ml

SET OF 12 ANGELUS ACRYLIC PAINTS FOR LEATHER



ANG/BEST



ANG/NEO



ANG/M-P

Code	Color	Volume
ANG/BEST	Basic set	30 ml
ANG/NEO	Neon set	30 ml
ANG/M-P	Metallic set	30 ml

ANGELUS DEGLAZER



ANG/820-01-000



Code	Color	Volume
ANG/820-01-000	Clear	29.5 ml
ANG/820-04-000	Clear	118 ml

Leather finishes

SEIWA TOKONOLE BURNISHING AGENT



Code	Color	Volume
Tokonole CL 120g	Clear	120 ml
Tokonole CL 500g	Clear	500 ml

SEIWA TOKONOLE BURNISHING AGENT



Code	Color	Volume
Tokonole BK 120g	Black	120 ml



Code	Color	Volume
Tokonole BR 120g	Brown	120 ml

Bonding leather



SEIWA BOND ACE LEATHERCRAFT GLUE

Code	Volume
Bond Ace 100g	100 ml
Bond Ace 500g	500 ml

MATERIALS

Material	Price	Strength	Corrosion Resistance	Look & Style	Recommended Use	Pros & Cons
STEEL	Low	High	✗ Rusts without finish, usually surface-treated	Depends on surface finish (black, nickel, brass, etc.)	Universal use for coated products. We avoid raw steel.	✓ Great price, strength ratio ✗ Needs corrosion protection
STAINLESS	Higher	High	✓ Excellent	Elegant, shiny or matte	Premium collars, harnesses for dogs in water, professional use.	✓ Long-lasting, maintenance-free ✗ Higher price
BRASS	Medium	Medium	✓ Good	Golden, luxurious	Design collars, fashion accessories, handcrafted gear.	✓ Stylish and durable ✗ Softer, not for heavy-duty
ZINC DIE CASTING	Low	Lower	! Average	Various – plated, painted	Decorative pieces, light buckles, small dog collars.	✓ Cheap and easy to mold ✗ Brittle, not for large dogs
ALUMINIUM	Medium	Medium	✓ Good	Anodized color, lightweight metal	Sporty leashes, where weight matters.	✓ Lightweight and rustproof ✗ Softer than steel
ALUMINIUM ALU-MAX	Higher	High	✓ Excellent	Modern, lightweight design	Premium gear, training leashes, sport harnesses.	✓ Strong and light ✗ More expensive
MALLEABLE IRON	Low	Very High	✗ Poor	Robust, rustic	Heavy harnesses, horses, working dogs.	✓ Extremely strong ✗ Heavy, rusts, niche use
COPPER	Medium	Lower	✓ Good	Rosy-gold, vivid	Design elements, small dog accessories.	✓ Original look, antibacterial ✗ Oxidizes, softer metal
POLYESTER	Low	Medium	✓ Excellent	Colorful, light non-metallic	Plastic buckles, tips, accessories.	✓ Waterproof, rustproof ✗ Not for load-bearing parts
ZAMAK	Higher	High	! Average	Elegant, shiny palladium finish	Premium design accessories, fast one-handed operation.	✓ Secure magnetic lock, premium look ✗ Higher price, not for marine use
MARINE BRONZE	Higher	High	✓ Excellent	Polished surface, premium and robust	Medium to large dogs, professional training, marine/ wet environments.	✓ Excellent corrosion resistance, opens even under tension, highly secure ✗ Heavier (70g), higher price

SYMBOLS

	HEALTH-SAFE		ROPE FLEX		TRANSPARENT		FROST RESISTANCE
	100% COTTON		FLEX		ROTARY BUCKLE		ZIP TWO WAYS
	WELDED STEEL		IMPROVED		LOCK		



FINISH



FINISH

Finish	Appearance / Color	Style & Use	Corrosion Resistance	Outdoor Durability	Durability	Aging / Wear	Recommended Use
NICKEL PLATED	Glossy silver	Universal, technical look	Good	Medium	Good	Mild dulling or scratches	Metal parts for leashes and collars
BRUSHED NICKEL	Matte silver-grey	Modern, technical	Good	Medium	Very good	Subtle, retains appearance	Premium leashes, subtle look
CHROME PLATED	Very shiny, mirror-like	Luxurious, show-quality	Excellent	High	Very high	Stable appearance, shiny	Show collars and leashes
BRASS PLATED	Golden, warm	Elegant, traditional	Medium	Low-Medium	Medium	May darken	Decorative collars, stylish accessories
GOLD PLATED	Glossy gold	Luxurious, fashionable	Medium	Low	Lower	Loses shine, may fade	Fashion accessories, urban collars
ZINC PLATED	Silvery, metallic	Technical, standard	Basic	Low-Medium	Medium	May dull or grey	Basic hardware, budget buckles
ANTIQUÉ BRASS	Dark golden-brown	Rustic, vintage	Good	Medium	Good	Develops a soft patina	Vintage collars, stylish buckles
ANTIQUÉ COPPER	Dark copper	Rustic, bold	Good	Medium	Medium	Darkens, enhances character	Decorative collars, artistic items
ANTIQUÉ SILVER	Silver-grey with patina	Vintage, subtle	Medium	Medium	Good	Holds appearance	Retro collars, subtle details
BRUSHED	Matte metal	Modern, technical	Depends on base material	Medium	Good	Stable	Sporty and minimalist products
BRUSHED GUN METAL	Dark grey, matte	Modern, industrial	Good	Medium	Very good	Light scratches	Urban collars, masculine style
POLISH	Mirror polish	Luxurious, representative	Depends on base material	Medium	Good	Visible scratches	Show leashes
GRAY	Neutral grey	Neutral, universal	Depends on type	Medium	Medium	Dulls	Neutral products
BLACK	Matte or glossy black	Modern, contrasting	Medium	Medium	Good	Light scratches	Trendy leashes and collars
BLACK NICKEL	Glossy dark metal	Luxury, elegant	Good	Medium	Very good	Light scratches	Luxury collections, urban style
ROSE GOLD	Rose gold	Trendy, elegant	Medium	Low	Medium	May fade	Fashion accessories, ornaments
NEO-CHROME	Rainbow, iridescent	Futuristic, bold	Good	Medium	Medium	Gradually wears off	Designer collections, unique style
ELECTRODEPOSITED	Various	Depends on type	Medium to high	Depends on type	Medium to high	Stable	Custom high-quality finishes
ANODIZED	Colored, matte	Sporty, technical	Excellent	High	Very high	Colorfast	Sport harnesses, outdoor leashes
PALLADIUM	Bright silvery-white, deep mirror-like shine	Luxurious, timeless, elite standard	Excellent (nonoxidizing, tarnishfree)	High	Very high (scratch resistant)	Stable appearance, retains brilliant shine	Premium luxury collars, leashes, high-end magnetic Flatlock buckles, designer collections




Notes

Where can I find the price list?

We do not show prices in our catalog because prices change regularly. By the time the catalog is printed, the prices may already be different.

You can always find the current prices in our online store or in our PDF price list at www.pethardware.com/en/pricelist/.

We update the price list every day, so you always see the latest prices.





Forging ahead
with hardware

PET HARDWARE®

Grymovská 256/1a
750 02 Přerov
Czech Republic

phone +420 601 120 181
e-mail info@pethardware.com

www.pethardware.com



8 595109 556357